

循環器

第1章 ショック

● 参考文献

1. Vincent JL, et al. Circulatory shock. *N Engl J Med* 2013 ; 369 : 1726-34. PMID : 24171518
2. Curtis SE, et al. Regional and systemic oxygen delivery/uptake relations and lactate flux in hyperdynamic, endotoxin-treated dogs. *Am Rev Respir Dis* 1992 ; 145 : 348-54. PMID : 1736740
3. Fink M. Cytopathic hypoxia in sepsis. *Acta Anaesthesiol Scand Suppl* 1997 ; 110 : 87-95. PMID : 9248546
4. Weil MH, et al. Proposed reclassification of shock states with special reference to distributive defects. *Adv Exp Med Biol* 1971 ; 23 : 13-23. PMID : 5164840
5. Stefadouros MA, et al. Determination of systemic vascular resistance by a noninvasive technic. *Circulation* 1973 ; 47 : 101-7. PMID : 4686587
6. Perera P, et al. The RUSH exam : Rapid ultrasound in shock in the evaluation of the critically ill. *Emerg Med Clin North Am* 2010 ; 28 : 29-56, vii. PMID : 19945597

● 参考ウェブサイト

- Episode 18 Part 1 : Point of Care Ultrasound Pearls, Pitfalls and Controversies. <<https://emergency.medicinescases.com/episode-18-part-1-point-of-care-ultrasound-pearls-pitfalls-controversies/>>

第2章 心不全と肺水腫の生理学と鑑別

● 参考文献

1. Ware LB, et al. Clinical practice. Acute pulmonary edema. *N Engl J Med* 2005 ; 353 : 2788. PMID : 16382065
2. Taylor AE. Capillary fluid filtration. Starling forces and lymph flow. *Circ Res* 1981 ; 49 : 557-75. PMID : 7020975
3. Ware LB, et al. The acute respiratory distress syndrome. *N Engl J Med* 2000 ; 342 : 1334-49. PMID : 10793167
4. 和泉 徹ほか. 循環器病の診断と治療に関するガイドライン. 急性心不全治療ガイドライン (2011年改訂版). <http://www.j-circ.or.jp/guideline/pdf/JCS2011_izumi_h.pdf>.
5. Gheorghiade M, et al. Acute heart failure syndromes. *J Am Coll Cardiol* 2009 ; 53 : 557-73. PMID : 19215829
6. Maeder MT, et al. Heart failure with normal left ventricular ejection fraction. *J Am Coll Cardiol* 2009 ; 53 : 905-18. PMID : 19281919
7. 平岡栄治. 急性心不全の病態生理的総論. *Intensivist* 2010 ; 2 : 653-61.
8. 新家俊郎. 心機能の生理 : 圧・容積関係を中心に. *Intensivist* 2010 ; 2 : 662-70.
9. Kawaguchi M, et al. Combined ventricular systolic and arterial stiffening in patients with heart failure

- and preserved ejection fraction : implications for systolic and diastolic reserve limitations. *Circulation* 2003 ; 107 : 714-20. PMID : 12578874
10. 新家俊郎. 心機能の生理 : 圧・容積関係を中心に. *Intensivist* 2010 ; 2 : 662-70.
11. Flaherty JD, et al. Acute heart failure syndromes in patients with coronary artery disease early assessment and treatment. *J Am Coll Cardiol* 2009 ; 53 : 254-63. PMID : 19147042
12. Nieminen MS, et al. EuroHeart Failure Survey II (EHFS II) : a survey on hospitalized acute heart failure patients : description of population. *Eur Heart J* 2006 ; 27 : 2725-36. PMID : 17000631
13. Hamm CW, et al. ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation : The Task Force for the management of acute coronary syndromes (ACS) in patients presenting without persistent ST-segment elevation of the European Society of Cardiology (ESC). *Eur Heart J* 2011 ; 32 : 2999-3054. PMID : 21873419

第3章 敗血症性ショック総論

◎参照文献

1. 日本救急医学会 Sepsis Registry 特別委員会ほか. 日本救急医学会 Sepsis Registry 特別委員会報告 Severe sepsis 疫学データ解析結果. *日救医学会誌* 2013 ; 24 : 270-7.
2. Bone RC, et al. Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. The ACCP/SCCM Consensus Conference Committee. American College of Chest Physicians/Society of Critical Care Medicine. *Chest* 1992 ; 101 : 1644-55. PMID : 1303622
3. Levy MM, et al. 2001 SCCM/ESICM/ACCP/ATS/SIS International Sepsis Definitions Conference. *Intensive Care Med* 2003 ; 29 : 530-8. PMID : 12664219
4. Dellinger RP, et al. Surviving sepsis campaign : international guidelines for management of severe sepsis and septic shock : 2012. *Crit Care Med* 2013 ; 41 : 580-637. PMID : 23353941
5. Kaukonen KM, et al. Systemic inflammatory response syndrome criteria in defining severe sepsis. *N Engl J Med* 2015 ; 372 : 1629-38. PMID : 25776936
6. Singer M, et al. The third international consensus definitions for sepsis and septic shock (Sepsis-3). *JAMA* 2016 ; 315 : 801-10. PMID : 26903338
7. Rhodes A, et al. Surviving Sepsis Campaign : International guidelines for management of sepsis and septic shock : 2016. *Intensive Care Med* 2017 ; 43 : 304-77. PMID : 28101605
8. Bateman RM, et al. Microvascular resuscitation as a therapeutic goal in severe sepsis. *Crit Care* 2005 ; 9 Suppl 4 : S27-32. PMID : 16168071
9. Trzeciak S, et al. Early increases in microcirculatory perfusion during protocol-directed resuscitation are associated with reduced multi-organ failure at 24 h in patients with sepsis. *Intensive Care Med* 2008 ; 34 : 2210-7. PMID : 18594793
10. Fink MP. Bench-to-bedside review : Cytopathic hypoxia. *Crit Care* 2002 ; 6 : 491-9. PMID : 12493070
11. Rivers E, et al. Early goal-directed therapy in the treatment of severe sepsis and septic shock. *N Engl J Med* 2001 ; 345 : 1368-77. PMID : 11794169
12. ProCESS Investigators, et al. A randomized trial of protocol-based care for early septic shock. *N Engl J Med* 2014 ; 370 : 1683-93. PMID : 24635773
13. ARISE Investigators : ANZICS Clinical Trials Group, et al. Goal-directed resuscitation for patients with early septic shock. *N Engl J Med* 2014 ; 371 : 1496-506. PMID : 25272316
14. Mouncey PR, et al. Trial of early, goal-directed resuscitation for septic shock. *N Engl J Med* 2015 ; 372 : 1301-11. PMID : 25776532
15. Finfer S, et al. A comparison of albumin and saline for fluid resuscitation in the intensive care unit. *N Engl J Med* 2004 ; 350 : 2247-56. PMID : 15163774
16. Caironi P, et al. Albumin replacement in patients with severe sepsis or septic shock. *N Engl J Med*

- 2014 ; 370 : 1412-21. PMID : 24635772
17. Perner A, et al. Hydroxyethyl starch 130/0.42 versus Ringer's acetate in severe sepsis. *N Engl J Med* 2012 ; 367 : 124-34. PMID : 22738085
 18. Myburgh JA, et al. Hydroxyethyl starch or saline for fluid resuscitation in intensive care. *N Engl J Med* 2012 ; 367 : 1901-11. PMID : 23075127
 19. Marik PE, et al. Does the central venous pressure predict fluid responsiveness? An updated meta-analysis and a plea for some common sense. *Crit Care Med* 2013 ; 41 : 1774-81. PMID : 23774337
 20. Marik PE, et al. Dynamic changes in arterial waveform derived variables and fluid responsiveness in mechanically ventilated patients : a systematic review of the literature. *Crit Care Med* 2009 ; 37 : 2642-7. PMID : 19602972
 21. Cavallaro F, et al. Diagnostic accuracy of passive leg raising for prediction of fluid responsiveness in adults : systematic review and meta-analysis of clinical studies. *Intensive Care Med* 2010 ; 36 : 1475-83. PMID : 20502865
 22. Michard F, et al. Global end-diastolic volume as an indicator of cardiac preload in patients with septic shock. *Chest* 2003 ; 124 : 1900-8. PMID : 14605066
 23. National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network, et al. Comparison of two fluid-management strategies in acute lung injury. *N Engl J Med* 2006 ; 354 : 2564-75. PMID : 16714767
 24. Boyd JH, et al. Fluid resuscitation in septic shock : a positive fluid balance and elevated central venous pressure are associated with increased mortality. *Crit Care Med* 2011 ; 39 : 259-65. PMID : 20975548
 25. Asfar P, et al. High versus low blood-pressure target in patients with septic shock. *N Engl J Med* 2014 ; 370 : 1583-93. PMID : 24635770
 26. De Backer D, et al. Comparison of dopamine and norepinephrine in the treatment of shock. *N Engl J Med* 2010 ; 362 : 779-89. PMID : 20200382
 27. Vincent JL, et al. Circulatory shock. *N Engl J Med* 2013 ; 369 : 1726-34. PMID : 24171518
 28. Russell JA. Bench-to-bedside review : Vasopressin in the management of septic shock. *Crit Care* 2011 ; 15 : 226. PMID : 21892977
 29. Russell JA, et al. Vasopressin versus norepinephrine infusion in patients with septic shock. *N Engl J Med* 2008 ; 358 : 877-87. PMID : 18305265
 30. Bauer SR, et al. Discontinuation of vasopressin before norepinephrine increases the incidence of hypotension in patients recovering from septic shock : a retrospective cohort study. *J Crit Care* 2010 ; 25 : 362. PMID : 19926252
 31. Venkatesh B, et al. Adjunctive glucocorticoid therapy in patients with septic shock. *N Engl J Med* 2018 ; 378 : 797-808. PMID : 29347874
 32. Kumar A, et al. Duration of hypotension before initiation of effective antimicrobial therapy is the critical determinant of survival in human septic shock. *Crit Care Med* 2006 ; 34 : 1589-96. PMID : 16625125
 33. Rhodes A, et al. The Surviving Sepsis Campaign bundles and outcome : results from the International Multicentre Prevalence Study on Sepsis (the IMPReSS study) . *Intensive Care Med* 2015 ; 41 : 1620-8. PMID : 26109396
 34. Levy MM, et al. The Surviving Sepsis Campaign Bundle : 2018 update. *Intensive Care Med* 2018 ; 44 : 925-8. PMID : 29675566

第4章 volume resuscitation

● 参考文献

1. Vincent JL, et al. Circulatory shock. *N Engl J Med* 2013 ; 369 : 1726-34. PMID : 24171518
2. Douglas L, et al. Braunwald's Heart Disease : A Textbook of Cardiovascular Medicine, Single Vol-

- ume : Expert Consult Premium Edition-Enhanced Online Features and Print. Philadelphia : Saunders, 2011.
3. Nohria A, et al. Clinical assessment identifies hemodynamic profiles that predict outcomes in patients admitted with heart failure. *J Am Coll Cardiol.* 2003 ; 41 : 1797-804.
 4. Bone RC, et al. Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. The ACCP/SCCM Consensus Conference Committee. American College of Chest Physicians/Society of Critical Care Medicine. *Chest* 1992 ; 101 : 1644-55. PMID : 1303622
 5. Bakker J, et al. Blood lactate levels are superior to oxygen-derived variables in predicting outcome in human septic shock. *Chest* 1991 ; 99 : 956-62. PMID : 2009802
 6. National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network, et al. Comparison of two fluid-management strategies in acute lung injury. *N Engl J Med* 2006 ; 354 : 2564-75. PMID : 16714767
 7. Vincent JL, et al. Sepsis in European intensive care units : results of the SOAP study. *Crit Care Med* 2006 ; 34 : 344-53. PMID : 16424713
 8. Boyd JH, et al. Fluid resuscitation in septic shock : a positive fluid balance and elevated central venous pressure are associated with increased mortality. *Crit Care Med* 2011 ; 39 : 259-65. PMID : 20975548
 9. Boldt J. Use of albumin : an update. *Br J Anaesth* 2010 ; 104 : 276-84. PMID : 20100698
 10. Cochrane Injuries Group Albumin Reviewers. Human albumin administration in critically ill patients : systematic review of randomised controlled trials. *BMJ* 1998 ; 317 : 235-40. PMID : 9677209
 11. Wilkes MM, et al. Patient survival after human albumin administration. A meta-analysis of randomized, controlled trials. *Ann Intern Med* 2001 ; 135 : 149-64. PMID : 9677209
 12. Vincent JL, et al. Hypoalbuminemia in acute illness : is there a rationale for intervention? A meta-analysis of cohort studies and controlled trials. *Ann Surg* 2003 ; 237 : 319-34. PMID : 12616115
 13. Finfer S, et al. A comparison of albumin and saline for fluid resuscitation in the intensive care unit. *N Engl J Med* 2004 ; 350 : 2247-56. PMID : 15163774
 14. Wills BA, et al. Comparison of three fluid solutions for resuscitation in dengue shock syndrome. *N Engl J Med* 2005 ; 353 : 877-89. PMID : 16135832
 15. Brunkhorst FM, et al. Intensive insulin therapy and pentastarch resuscitation in severe sepsis. *N Engl J Med* 2008 ; 358 : 125-39. PMID : 18184958
 16. Perel P, et al. Colloids versus crystalloids for fluid resuscitation in critically ill patients. *Cochrane Database Syst Rev* 2012 ; (6) : CD000567. PMID : 22696320
 17. Navickis RJ, et al. Effect of hydroxyethyl starch on bleeding after cardiopulmonary bypass : a meta-analysis of randomized trials. *J Thorac Cardiovasc Surg* 2012 ; 144 : 223-30. PMID : 22578894
 18. Rioux JP, et al. Pentastarch 10% (250 kDa/0.45) is an independent risk factor of acute kidney injury following cardiac surgery. *Crit Care Med* 2009 ; 37 : 1293-8. PMID : 19242349
 19. Myburgh JA, et al. Hydroxyethyl starch or saline for fluid resuscitation in intensive care. *N Engl J Med* 2012 ; 367 : 1901-11. PMID : 23075127
 20. Dellinger RP, et al. Surviving Sepsis Campaign : international guidelines for management of severe sepsis and septic shock : 2008. *Crit Care Med* 2008 ; 36 : 296-327. PMID : 18158437
 21. Dellinger RP, et al. Surviving sepsis campaign : international guidelines for management of severe sepsis and septic shock : 2012. *Crit Care Med* 2013 ; 41 : 580-637. PMID : 23353941
 22. Rhodes A, et al. Surviving Sepsis Campaign : International guidelines for management of sepsis and septic shock : 2016. *Crit Care Med* 2017 ; 45 : 486-552. PMID : 28098591
 23. Perner A, et al. Hydroxyethyl starch 130/0.42 versus Ringer's acetate in severe sepsis. *N Engl J Med* 2012 ; 367 : 124-34. PMID : 22738085
 24. Marik PE, et al. Does central venous pressure predict fluid responsiveness? A systematic review of

- the literature and the tale of seven mares. *Chest* 2008 ; 134 : 172-8. PMID : 18628220
25. Osman D, et al. Cardiac filling pressures are not appropriate to predict hemodynamic response to volume challenge. *Crit Care Med* 2007 ; 35 : 64-8. PMID : 17080001
26. Marik PE, et al. Does the central venous pressure predict fluid responsiveness? An updated meta-analysis and a plea for some common sense. *Crit Care Med* 2013 ; 41 : 1774-81. PMID : 23774337
27. Russell JA, et al. Vassopressin versus norepinephrine infusion in patients with septic shock. *N Engl J Med* 2008 ; 358 : 877-87. PMID : 18305265
28. National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network, et al. Pulmonary-artery versus central venous catheter to guide treatment of acute lung injury. *N Engl J Med* 2006 ; 354 : 2213-24. PMID : 16714768
29. Michard F, et al. Predicting fluid responsiveness in ICU patients : a critical analysis of the evidence. *Chest* 2002 ; 121 : 2000-8. PMID : 12065368
30. Sandham JD, et al. A randomized, controlled trial of the use of pulmonary-artery catheters in high-risk surgical patients. *N Engl J Med* 2003 ; 348 : 5-14. PMID : 12510037
31. Greyson CR. Pathophysiology of right ventricular failure. *Crit Care Med* 2008 ; 36 : S57-65. PMID : 18158479
32. Jardin F, et al. Cyclic changes in arterial pulse during respiratory support. *Circulation* 1983 ; 68 : 266-74. PMID : 6861305
33. Marik PE, et al. Hemodynamic parameters to guide fluid therapy. *Ann Intensive Care* 2011 ; 1 : 1. PMID : 21906322
34. De Backer D, et al. Can one predict fluid responsiveness in spontaneously breathing patients? *Intensive Care Med* 2007 ; 33 : 1111-3. PMID : 17508200
35. Lamia B, et al. Echocardiographic prediction of volume responsiveness in critically ill patients with spontaneously breathing activity. *Intensive Care Med* 2007 ; 33 : 1125-32. PMID : 17508199
36. Coudray A, et al. Fluid responsiveness in spontaneously breathing patients : a review of indexes used in intensive care. *Crit Care Med* 2005 ; 33 : 2757-62. PMID : 16352956
37. Lansdorp B, et al. Dynamic indices do not predict volume responsiveness in routine clinical practice. *Br J Anaesth* 2012 ; 108 : 395-401. PMID : 22185905
38. Tavernier B, et al. Systolic pressure variation as a guide to fluid therapy in patients with sepsis-induced hypotension. *Anesthesiology* 1998 ; 89 : 1313-21. PMID : 9856704
39. Marik PE, et al. Dynamic changes in arterial waveform derived variables and fluid responsiveness in mechanically ventilated patients : a systematic review of the literature. *Crit Care Med* 2009 ; 37 : 2642-7. PMID : 19602972
40. Perel A, et al. Systolic blood pressure variation is a sensitive indicator of hypovolemia in ventilated dogs subjected to graded hemorrhage. *Anesthesiology* 1987 ; 67 : 498-502. PMID : 3310740
41. Natalini G, et al. Arterial versus plethysmographic dynamic indices to test responsiveness for testing fluid administration in hypotensive patients : a clinical trial. *Anesth Analg* 2006 ; 103 : 1478-84. PMID : 17122227
42. Hofer CK, et al. Stroke volume and pulse pressure variation for prediction of fluid responsiveness in patients undergoing off-pump coronary artery bypass grafting. *Chest* 2005 ; 128 : 848-54. PMID : 16100177
43. Vincent JL, et al. Fluid challenge revisited. *Crit Care Med* 2006 ; 34 : 1333-7. PMID : 16557164
44. Michard F, et al. Predicting fluid responsiveness in ICU patients : a critical analysis of the evidence. *Chest* 2002 ; 121 : 2000-8. PMID : 12065368
45. Narasimhan M, et al. Advanced echocardiography for the critical care physician : part 2. *Chest* 2014 ; 145 : 135-42. PMID : 24394824

46. Thiel SW, et al. Non-invasive stroke volume measurement and passive leg raising predict volume responsiveness in medical ICU patients : an observational cohort study. *Crit Care* 2009 ; 13 : R111. PMID : 19586543
47. Préau S, et al. Passive leg raising is predictive of fluid responsiveness in spontaneously breathing patients with severe sepsis or acute pancreatitis. *Crit Care Med* 2010 ; 38 : 819-25. PMID : 20016380
48. Monnet X, et al. Predicting volume responsiveness by using the end-expiratory occlusion in mechanically ventilated intensive care unit patients. *Crit Care Med* 2009 ; 37 : 951-6. PMID : 19237902
49. Monnet X, et al. Norepinephrine increases cardiac preload and reduces preload dependency assessed by passive leg raising in septic shock patients. *Crit Care Med* 2011 ; 39 : 689-94. PMID : 21263328
50. Mahjoub Y, et al. The passive leg-raising maneuver cannot accurately predict fluid responsiveness in patients with intra-abdominal hypertension. *Crit Care Med* 2010 ; 38 : 1824-9. PMID : 20639753
51. Lamia B, et al. Echocardiographic prediction of volume responsiveness in critically ill patients with spontaneously breathing activity. *Intensive Care Med* 2007 ; 33 : 1125-32. PMID : 17508199
52. Coudray A, et al. Fluid responsiveness in spontaneously breathing patients : a review of indexes used in intensive care. *Crit Care Med* 2005 ; 33 : 2757-62. PMID : 16352956
53. Nadeau-Fredette AC, et al. Fluid management and use of diuretics in acute kidney injury. *Adv Chronic Kidney Dis* 2013 ; 20 : 45-55. PMID : 23265596
54. Prowle JR, et al. Fluid management for the prevention and attenuation of acute kidney injury. *Nat Rev Nephrol* 2014 ; 10 : 37-47. PMID : 24217464
55. An G, et al. Abdominal compartment syndrome : a concise clinical review. *Crit Care Med* 2008 ; 36 : 1304-10. PMID : 18379259
56. Saggi BH, et al. Abdominal compartment syndrome. *J Trauma* 1998 ; 45 : 597-609. PMID : 9751558
57. Morken J, et al. Abdominal compartment syndrome in the intensive care unit. *Curr Opin Crit Care* 2001 ; 7 : 268-74. PMID : 11571425

第5章 カテコラミン

● 参考文献

1. Desjars P, et al. Norepinephrine therapy has no deleterious renal effects in human septic shock. *Crit Care Med* 1989 ; 17 : 426-9. PMID : 2520533
2. Bellomo R, et al. Vasoactive drugs and acute kidney injury. *Crit Care Med* 2008 ; 36 : S179-86. PMID : 18382191
3. Rhodes A, et al. Surviving Sepsis Campaign : International guidelines for management of sepsis and septic shock : 2016. *Intensive Care Med* 2017 ; 43 : 304-77. PMID : 28101605
4. De Backer D, et al. Comparison of dopamine and norepinephrine in the treatment of shock. *N Engl J Med* 2010 ; 362 : 779-89. PMID : 20200382
5. De Backer D, et al. Dopamine versus norepinephrine in the treatment of septic shock : a meta-analysis*. *Crit Care Med* 2012 ; 40 : 725-30. PMID : 22036860
6. Steen PA, et al. Efficacy of dopamine, dobutamine, and epinephrine during emergence from cardiopulmonary bypass in man. *Circulation* 1978 ; 57 : 378-84. PMID : 618630
7. Bellomo R, et al. Low-dose dopamine in patients with early renal dysfunction : a placebo-controlled randomised trial. Australian and New Zealand Intensive Care Society (ANZICS) Clinical Trials Group. *Lancet* 2000 ; 356 : 2139-43. PMID : 11191541
8. Chen HH, et al. Low-dose dopamine or low-dose nesiritide in acute heart failure with renal dysfunction : the ROSE acute heart failure randomized trial. *JAMA* 2013 ; 310 : 2533-43. PMID : 24247300
9. Lieberman P, et al. The diagnosis and management of anaphylaxis practice parameter : 2010 update. *J Allergy Clin Immunol* 2010 ; 126 : 477-80. PMID : 20692689

10. Simons FE, et al. Epinephrine absorption in adults : intramuscular versus subcutaneous injection. *J Allergy Clin Immunol* 2001 ; 108 : 871-3. PMID : 11692118
11. Sun S, et al. The effects of epinephrine on outcomes of normothermic and therapeutic hypothermic cardiopulmonary resuscitation. *Crit Care Med* 2010 ; 38 : 2175-80. PMID : 20693888
12. Herlitz J, et al. Adrenaline in out-of-hospital ventricular fibrillation. Does it make any difference? *Resuscitation* 1995 ; 29 : 195-201. PMID : 7667549
13. Hagihara A, et al. Prehospital epinephrine use and survival among patients with out-of-hospital cardiac arrest. *JAMA* 2012 ; 307 : 1161-8. PMID : 22436956
14. Link MS, et al. Part 7 : Adult Advanced Cardiovascular Life Support : 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation* 2015 ; 132 : S444-64. PMID : 26472995
15. Annane D, et al. Norepinephrine plus dobutamine versus epinephrine alone for management of septic shock : a randomised trial. *Lancet* 2007 ; 370 : 676-84. PMID : 17720019
16. De Backer D, et al. Effects of dopamine, norepinephrine, and epinephrine on the splanchnic circulation in septic shock : which is best? *Crit Care Med* 2003 ; 31 : 1659-67. PMID : 12794401
17. Ponikowski P, et al. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure : The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). Developed with the special contribution of the Heart Failure Association (HFA) of the ESC. *Eur J Heart Fail* 2016 ; 18 : 891-975. PMID : 27207191
18. O'Connor CM, et al. Continuous intravenous dobutamine is associated with an increased risk of death in patients with advanced heart failure : insights from the Flolan International Randomized Survival Trial (FIRST). *Am Heart J* 1999 ; 138 : 78-86. PMID : 10385768
19. Morelli A, et al. Phenylephrine versus norepinephrine for initial hemodynamic support of patients with septic shock : a randomized, controlled trial. *Crit Care* 2008 ; 12 : R143. PMID : 19017409
20. Sharshar T, et al. Circulating vasopressin levels in septic shock. *Crit Care Med* 2003 ; 31 : 1752-8. PMID : 12794416
21. Russell JA, et al. Vasopressin versus norepinephrine infusion in patients with septic shock. *N Engl J Med* 2008 ; 358 : 877-87. PMID : 18305265
22. Gordon AC, et al. Effect of early vasopressin vs norepinephrine on kidney failure in patients with septic shock : The VANISH Randomized Clinical Trial. *JAMA* 2016 ; 316 : 509-18. PMID : 27483065
23. Mukoyama T, et al. Reduced effectiveness of vasopressin in repeated doses for patients undergoing prolonged cardiopulmonary resuscitation. *Resuscitation* 2009 ; 80 : 755-61. PMID : 19446387
24. Lowes BD, et al. Milrinone versus dobutamine in heart failure subjects treated chronically with carvedilol. *Int J Cardiol* 2001 ; 81 : 141-9. PMID : 11744130
25. Packer M, et al. Effect of oral milrinone on mortality in severe chronic heart failure. The PROMISE Study Research Group. *N Engl J Med* 1991 ; 325 : 1468-75. PMID : 1944425
26. Cuffe MS, et al. Short-term intravenous milrinone for acute exacerbation of chronic heart failure : a randomized controlled trial. *JAMA* 2002 ; 287 : 1541-7. PMID : 11911756

第6章 ICUでの不整脈(心房細動)

● 参考文献

1. Trappe HJ, et al. Arrhythmias in the intensive care patient. *Curr Opin Crit Care* 2003 ; 9 : 345-55. PMID : 14508146
2. Annane D, et al. Incidence and prognosis of sustained arrhythmias in critically ill patients. *Am J Respir Crit Care Med* 2008 ; 178 : 20-5. PMID : 18388358
3. Artucio H, et al. Cardiac arrhythmias in critically ill patients : epidemiologic study. *Crit Care Med*

- 1990 ; 18 : 1383-8. PMID : 2245612
4. Maisel WH, et al. Atrial fibrillation after cardiac surgery. *Ann Intern Med* 2001 ; 135 : 1061-73. PMID : 11747385
 5. Rena O, et al. Supraventricular arrhythmias after resection surgery of the lung. *Eur J Cardiothorac Surg* 2001 ; 20 : 688-93. PMID : 11574209
 6. Seguin P, et al. Incidence and risk factors of atrial fibrillation in a surgical intensive care unit. *Crit Care Med* 2004 ; 32 : 722-6. PMID : 15090953
 7. Knotzer H, et al. Tachyarrhythmias in a surgical intensive care unit : a case-controlled epidemiologic study. *Intensive Care Med* 2000 ; 26 : 908-14. PMID : 10990105
 8. Artucio H, et al. Cardiac arrhythmias in critically ill patients : epidemiologic study. *Crit Care Med* 1990 ; 18 : 1383-8. PMID : 2245612
 9. Reinelt P, et al. Incidence and type of cardiac arrhythmias in critically ill patients : a single center experience in a medical-cardiological ICU. *Intensive Care Med* 2001 ; 27 : 1466-73. PMID : 11685339
 10. Walkey AJ, et al. Incident stroke and mortality associated with new-onset atrial fibrillation in patients hospitalized with severe sepsis. *JAMA* 2011 ; 306 : 2248-54. PMID : 22081378
 11. 井上 博ほか. 循環器病の診断と治療に関するガイドライン (2012 年度合同研究班報告). 心房細動治療 (薬物) ガイドライン (2013 年改訂版). <http://www.j-circ.or.jp/guideline/pdf/JCS2013_inoue_h.pdf>
 12. Haissaguerre M, et al. Spontaneous initiation of atrial fibrillation by ectopic beats originating in the pulmonary veins. *N Engl J Med* 1998 ; 339 : 659-66. PMID : 9725923
 13. Chung MK, et al. C-reactive protein elevation in patients with atrial arrhythmias : inflammatory mechanisms and persistence of atrial fibrillation. *Circulation* 2001 ; 104 : 2886-91. PMID : 11739301
 14. De Backer D, et al. Comparison of dopamine and norepinephrine in the treatment of shock. *N Engl J Med* 2010 ; 362 : 779-89. PMID : 20200382
 15. January CT, et al. 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation : executive summary : a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the Heart Rhythm Society. *Circulation* 2014 ; 130 : 2071-104. PMID : 24682348
 16. Walkey AJ, et al. Practice Patterns and Outcomes Associated With Use of Anticoagulation Among Patients With Atrial Fibrillation During Sepsis. *JAMA Cardiol* 2016 ; 1 : 682-90. PMID : 27487456
 17. Walkey AJ, et al. Long-term outcomes following development of new-onset atrial fibrillation during sepsis. *Chest* 2014 ; 146 : 1187-95. PMID : 24723004
 18. Wyse DG, et al. A comparison of rate control and rhythm control in patients with atrial fibrillation. *N Engl J Med* 2002 ; 347 : 1825-33. PMID : 12466506
 19. Ogawa S, et al. Optimal treatment strategy for patients with paroxysmal atrial fibrillation : J-RHYTHM Study. *Circ J* 2009 ; 73 : 242-8. PMID : 19060419
 20. Van Gelder IC, et al. Lenient versus strict rate control in patients with atrial fibrillation. *N Engl J Med* 2010 ; 362 : 1363-73. PMID : 20231232
 21. Rathore SS, Curtis JP, Wang Y, et al. Association of serum digoxin concentration and outcomes in patients with heart failure. *JAMA* 2003 ; 289 : 871-8. PMID : 12588271
 22. Remme WJ, et al. Hemodynamic effects and tolerability of intravenous amiodarone in patients with impaired left ventricular function. *Am Heart J* 1991 ; 122 : 96-103. PMID : 2063768
 23. Desai AD, et al. The role of intravenous amiodarone in the management of cardiac arrhythmias. *Ann Intern Med* 1997 ; 127 : 294-303. PMID : 9265430
 24. Goldschlager N, et al. A practical guide for clinicians who treat patients with amiodarone : 2007. *Heart Rhythm* 2007 ; 4 : 1250-9. PMID : 17765636
 25. Remme WJ, et al. Hemodynamic effects and tolerability of intravenous amiodarone in patients with

- impaired left ventricular function. *Am Heart J* 1991 ; 122 : 96-103. PMID : 2063768
26. Wyse DG, et al. A comparison of rate control and rhythm control in patients with atrial fibrillation. *N Engl J Med* 2002 ; 347 : 1825-33. PMID : 12466506
27. Lip GY, et al. Identifying patients at high risk for stroke despite anticoagulation : a comparison of contemporary stroke risk stratification schemes in an anticoagulated atrial fibrillation cohort. *Stroke* 2010 ; 41 : 2731-8. PMID : 20966417
28. Suzuki S, et al. Incidence of ischemic stroke in Japanese patients with atrial fibrillation not receiving anticoagulation therapy — pooled analysis of the Shinken Database, J-RHYTHM Registry, and Fushimi AF Registry. *Circ J* 2015 ; 79 : 432-8. PMID : 25501800
29. Arnold AZ, et al. Role of prophylactic anticoagulation for direct current cardioversion in patients with atrial fibrillation or atrial flutter. *J Am Coll Cardiol* 1992 ; 19 : 851-5. PMID : 1545081
30. Berger M, et al. Timing of thromboembolic events after electrical cardioversion of atrial fibrillation or flutter : a retrospective analysis. *Am J Cardiol* 1998 ; 82 : 1545-7, A8. PMID : 9874066
31. Airaksinen KE, et al. Thromboembolic complications after cardioversion of acute atrial fibrillation : the FinCV (Finnish CardioVersion) study. *J Am Coll Cardiol* 2013 ; 62 : 1187-92. PMID : 23850908
32. Gallagher MM, et al. Embolic complications of direct current cardioversion of atrial arrhythmias : association with low intensity of anticoagulation at the time of cardioversion. *J Am Coll Cardiol* 2002 ; 40 : 926-33. PMID : 12225717
33. Camm AJ, et al. 2012 focused update of the ESC Guidelines for the management of atrial fibrillation : an update of the 2010 ESC Guidelines for the management of atrial fibrillation. Developed with the special contribution of the European Heart Rhythm Association. *Eur Heart J* 2012 ; 33 : 2719-47. PMID : 22922413
34. Nishimura RA, et al. 2014 AHA/ACC Guideline for the Management of Patients With Valvular Heart Disease : a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Circulation* 2014 ; 129 : e521-643. PMID : 24589853

第7章 心臓外科術後の血行動態(総論)

◎ 参考文献

1. Meng L, et al. Regulation of cerebral autoregulation by carbon dioxide. *Anesthesiology* 2015 ; 122 : 196-205. PMID : 25401418
2. Kumar AB, et al. Association between postoperative acute kidney injury and duration of cardiopulmonary bypass : a meta-analysis. *J Cardiothorac Vasc Anesth* 2012 ; 26 : 64-9. PMID : 21924633
3. Cartin-Ceba R, et al. Risk factors for development of acute kidney injury in critically ill patients : a systematic review and meta-analysis of observational studies. *Crit Care Res Pract* 2012 ; 2012 : 691013. PMID : 23227318
4. Kaul TK, et al. Vasoactive pressure hormones during and after cardiopulmonary bypass. *Int J Artif Organs* 1990 ; 13 : 293-9. PMID : 2365484
5. Levy JH, et al. Inflammatory response to cardiopulmonary bypass. *Ann Thorac Surg* 2003 ; 75 : S715-20. PMID : 12607717
6. Esper SA, et al. Pathophysiology of Cardiopulmonary Bypass : Current Strategies for the Prevention and Treatment of Anemia, Coagulopathy, and Organ Dysfunction. *Semin Cardiothorac Vasc Anesth* 2014 ; 18 : 161-76. PMID : 24876231
7. Courtney JM, et al. Thrombosis on foreign surfaces. *Br Med Bull* 1994 ; 50 : 966-81. PMID : 7804742

第8章 心臓外科術後の血行動態(各論)

◎ 参照文献

1. Baumgartner H, et al. 2017 ESC/EACTS Guidelines for the management of valvular heart disease. *Eur Heart J* 2017; 38: 2739-91. PMID: 28886619
2. January CT, et al. 2014 AHA/ACC/HRS guideline for the management of patients with atrial fibrillation: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the Heart Rhythm Society. *Circulation* 2014; 130: 2071-104. PMID: 24682348
3. Frendl G, et al. 2014 AATS guidelines for the prevention and management of perioperative atrial fibrillation and flutter for thoracic surgical procedures. *J Thorac Cardiovasc Surg* 2014; 148: e153-93. PMID: 25129609
4. Wyse DG, et al. A comparison of rate control and rhythm control in patients with atrial fibrillation. *N Engl J Med* 2002; 347: 1825-33. PMID: 12466506
5. Nishimura RA, et al. 2014 AHA/ACC guideline for the management of patients with valvular heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *J Thorac Cardiovasc Surg* 2014; 148: e1-e132. PMID: 24939033
6. 宮原俊介ほか. リスク評価と術前管理. *Intensivist* 2016; 8: 3-17.
7. Leon MB, et al. Transcatheter or surgical aortic-valve replacement in intermediate-risk patients. *N Engl J Med* 2016; 374: 1609-20. PMID: 27040324
8. Nishimura RA, et al. 2017 AHA/ACC focused update of the 2014 AHA/ACC guideline for the management of patients with valvular heart disease: A report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol* 2017; 70: 252-89. PMID: 28315732
9. Hassouna A, et al. Valve replacement in rheumatic mitral incompetence: total versus posterior chordal preservation. *Cardiovasc Surg* 1998; 6: 133-8. PMID: 9610825
10. Yun KL, et al. Randomized trial comparing partial versus complete chordal-sparing mitral valve replacement: effects on left ventricular volume and function. *J Thorac Cardiovasc Surg* 2002; 123: 707-14. PMID: 11986599
11. Olson LJ, et al. Surgical pathology of the mitral valve: a study of 712 cases spanning 21 years. *Mayo Clin Proc* 1987; 62: 22-34. PMID: 3796056
12. Reyes VP, et al. Percutaneous balloon valvuloplasty compared with open surgical commissurotomy for mitral stenosis. *N Engl J Med* 1994; 331: 961-7. PMID: 8084354
13. Okita Y, et al. Mitral valve replacement with maintenance of mitral annulopapillary muscle continuity in patients with mitral stenosis. *J Thorac Cardiovasc Surg* 1994; 108: 42-51. PMID: 8028378
14. Guarnieri T, et al. Intravenous amiodarone for the prevention of atrial fibrillation after open heart surgery: the Amiodarone Reduction in Coronary Heart (ARCH) trial. *J Am Coll Cardiol* 1999; 34: 343-7. PMID: 10440143
15. Kerstein J, et al. Giving IV and oral amiodarone perioperatively for the prevention of postoperative atrial fibrillation in patients undergoing coronary artery bypass surgery: the GAP study. *Chest* 2004; 126: 716-24. PMID: 15364747
16. Zhang HJ, et al. Left ventricular rupture after mitral valve replacement: a report of 13 cases. *Asian Cardiovasc Thorac Ann* 2006; 14: 26-9. PMID: 16432114
17. 福井寿啓. 冠動脈バイパス術. *Intensivist* 2015; 7: 775-82.
18. Puskas J, et al. Off-pump versus conventional coronary artery bypass grafting: A meta-analysis and consensus statement from The 2004 ISMICS Consensus Conference. *Innovations (Phila)* 2005; 1: 3-27.

PMID : 22436496

19. Kuss O, et al. Off-pump versus on-pump coronary artery bypass grafting : a systematic review and meta-analysis of propensity score analyses. *J Thorac Cardiovasc Surg* 2010 ; 140 : 829-35, 835.e1-13.
PMID : 20167334
20. Shroyer AL, et al. On-pump versus off-pump coronary-artery bypass surgery. *N Engl J Med* 2009 ; 361 : 1827-37.
PMID : 19890125
21. Loop FD, et al. Influence of the internal-mammary-artery graft on 10-year survival and other cardiac events. *N Engl J Med* 1986 ; 314 : 1-6.
PMID : 3484393
22. Lytle BW, et al. Two internal thoracic artery grafts are better than one. *J Thorac Cardiovasc Surg* 1999 ; 117 : 855-72.
PMID : 10220677
23. Cavallaro P, et al. Operative mortality and stroke after on-pump vs off-pump surgery in high-risk patients : an analysis of 83,914 coronary bypass operations. *Eur J Cardiothorac Surg* 2014 ; 45 : 159-64.
PMID : 23671201
24. Hillis LD, et al. 2011 ACCF/AHA guideline for coronary artery bypass graft surgery. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. Developed in collaboration with the American Association for Thoracic Surgery, Society of Cardiovascular Anesthesiologists, and Society of Thoracic Surgeons. *J Am Coll Cardiol* 2011 ; 58 : e123-210.
PMID : 22070836
25. Sajja LR. Strategies to reduce deep sternal wound infection after bilateral internal mammary artery grafting. *Int J Surg* 2015 ; 16 : 171-8.
PMID : 25463763
26. Iqbal J, et al. Optimal medical therapy improves clinical outcomes in patients undergoing revascularization with percutaneous coronary intervention or coronary artery bypass grafting : insights from the Synergy Between Percutaneous Coronary Intervention with TAXUS and Cardiac Surgery (SYNTAX) trial at the 5-year follow-up. *Circulation* 2015 ; 131 : 1269-77.
PMID : 25847979
27. Kulik A, et al. Secondary prevention after coronary artery bypass graft surgery : a scientific statement from the American Heart Association. *Circulation* 2015 ; 131 : 927-64.
PMID : 25679302
28. Valgimigli M, et al. 2017 ESC focused update on dual antiplatelet therapy in coronary artery disease developed in collaboration with EACTS : The task force for dual antiplatelet therapy in coronary artery disease of the European Society of Cardiology (ESC) and of the European Association for Cardio-Thoracic Surgery (EACTS). *Eur Heart J* 2018 ; 39 : 213-60.
PMID : 28886622
29. Costa F, et al. Derivation and validation of the predicting bleeding complications in patients undergoing stent implantation and subsequent dual antiplatelet therapy (PRECISE-DAPT) score : a pooled analysis of individual-patient datasets from clinical trials. *Lancet* 2017 ; 389 : 1025-34. PMID : 28290994
30. 高木真一ほか. 循環器病の診断と治療に関するガイドライン (2010 年度合同研究班報告). 大動脈瘤・大動脈脈離離診療ガイドライン (2011 年改訂版). <http://www.j-circ.or.jp/guideline/pdf/JCS2011_takamoto_h.pdf>
31. Erbel R, et al. 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases : Document covering acute and chronic aortic diseases of the thoracic and abdominal aorta of the adult. The task force for the diagnosis and treatment of aortic diseases of the European Society of Cardiology (ESC). *Eur Heart J* 2014 ; 35 : 2873-926.
PMID : 25173340
32. Parolari A, et al. The effect of "high dose" aprotinin and other factors on bleeding and revisions for bleeding in adult coronary and valve operations : an analysis of 2190 patients during a five-year period (1987-1991). *Eur J Cardiothorac Surg* 1995 ; 9 : 77-82.
PMID : 7538312
33. 大久保光夫ほか. よくわかる輸血学 改訂版—必ず知っておきたい輸血の基礎知識と検査・治療のポイント. 東京 : 羊土社, 2010.
34. Spielvogel D, et al. Selective cerebral perfusion : a review of the evidence. *J Thorac Cardiovasc Surg*

2013 ; 145 (3 Suppl) : S59-62.

PMID : 23266253

●表 3-8-7

- A. McDonagh DL, et al. Neurological complications of cardiac surgery. *Lancet Neurol* 2014 ; 13 : 490-502.
PMID : 24703207
- B. Reddy SL, et al. Logistic risk model for prolonged ventilation after adult cardiac surgery. *Ann Thorac Surg* 2007 ; 84 : 528-36.
PMID : 17643630
- C. Legare JF, et al. Preoperative prediction of prolonged mechanical ventilation following coronary artery bypass grafting. *Eur J Cardiothorac Surg* 2001 ; 20 : 930-6.
PMID : 11675177
- D. Stafford SM, et al. Acute kidney injury and chronic kidney disease after cardiac surgery. *Adv Chronic Kidney Dis* 2008 ; 15 : 257-77.
PMID : 18565477
- E. Elahi M, et al. Acute kidney injury following cardiac surgery : impact of early versus late haemofiltration on morbidity and mortality. *Eur J Cardiothorac Surg* 2009 ; 35 : 854-63.
PMID : 19216088
- F. McFalls EO, et al. Predictors and outcomes of a perioperative myocardial infarction following elective vascular surgery in patients with documented coronary artery disease : results of the CARP trial. *Eur Heart J* 2008 ; 29 : 394-401.
PMID : 18245121
- G. Devereaux PJ, et al. Effects of extended-release metoprolol succinate in patients undergoing non-cardiac surgery (POISE trial) : a randomized controlled trial. *Lancet* 2008 ; 371 : 1839-47. PMID : 18479744
- H. Nashef SA, et al. European system for cardiac operative risk evaluation (EuroSCORE) . *Eur J Cardiothorac Surg* 1999 ; 16 : 9-13.
PMID : 10456395
- I. Thygesen K, et al. Universal definition of myocardial infarction. *Circulation* 2007 ; 116 : 2634-53.
PMID : 17951284
- J. Algarni KD, et al. Predictors of low cardiac output syndrome after isolated coronary artery bypass surgery : trends over 20 years. *Ann Thorac Surg* 2011 ; 92 : 1678-84.
PMID : 21939957
- K. Maganti M, et al. Predictors of low cardiac output syndrome after isolated mitral valve surgery. *J Thorac Cardiovasc Surg* 2010 ; 140 : 790-6.
PMID : 20152992
- L. Maganti MD, et al. Predictors of low cardiac output syndrome after isolated aortic valve surgery. *Circulation* 2005 ; 112 : I448-52.
PMID : 16159861
- M. Tindall MJ, et al. Understanding post-operative temperature drop in cardiac surgery : a mathematical model. *Math Med Biol* 2008 ; 25 : 323-35.
PMID : 18990682

●参考ウェブサイト

•SYNTAX score<<http://www.syntaxscore.com/calculator/start.htm>>

第9章 心臓血管外科術後管理の心得とショックへの対応

●参考文献

- Kristof AS, et al. Low systemic vascular resistance state in patients undergoing cardiopulmonary bypass. *Crit Care Med* 1999 ; 27 : 1121-7.
PMID : 10397216
- Levin RL, et al. Methylene blue reduces mortality and morbidity in vasoplegic patients after cardiac surgery. *Ann Thorac Surg* 2004 ; 77 : 496-9.
PMID : 14759425
- Carrel T, et al. Low systemic vascular resistance after cardiopulmonary bypass : incidence, etiology, and clinical importance. *J Card Surg* 2000 ; 15 : 347-53.
PMID : 11599828
- Egi M, et al. Selecting a vasopressor drug for vasoplegic shock after adult cardiac surgery : a systematic literature review. *Ann Thorac Surg* 2007 ; 83 : 715-23.
PMID : 17258030
- Mekontso-Dessap A, et al. Risk factors for post-cardiopulmonary bypass vasoplegia in patients with preserved left ventricular function. *Ann Thorac Surg* 2001 ; 71 : 1428-32.
PMID : 11383777
- Rao V, et al. Predictors of low cardiac output syndrome after coronary artery bypass. *J Thorac Cardiovasc Surg* 1996 ; 112 : 38-51.
PMID : 8691884

7. Reynolds HR, et al. Cardiogenic shock : current concepts and improving outcomes. *Circulation* 2008 ; 117 : 686-97. PMID : 18250279
8. Sylvain EA, et al. Mechanical support for postcardiotomy cardiogenic shock : has progress been made? *J Card Surg* 2010 ; 25 : 442-54. PMID : 20487107
9. De Robertis F, et al. Clinical performance with the Levitronix Centrimag short-term ventricular assist device. *J Heart Lung Transplant* 2006 ; 25 : 181-6. PMID : 16446218
10. Jurmann MJ, et al. Initial experience with miniature axial flow ventricular assist devices for postcardiotomy heart failure. *Ann Thorac Surg* 2004 ; 77 : 1642-7. PMID : 15111158
11. Peake SL, et al. An uncommon cause of acute right ventricular failure and high mixed venous oxygen saturation. *Intensive Care Med* 1992 ; 18 : 368-70. PMID : 1469164
12. Teboul JL, et al. Effects of cardiovascular drugs on oxygen consumption/oxygen delivery relationship in patients with congestive heart failure. *Chest* 1992 ; 101 : 1582-7. PMID : 1534743
13. Colonna-Romano P, et al. Dissociation of mixed venous oxygen saturation and cardiac index during opioid induction. *J Clin Anesth* 1994 ; 6 : 95-8. PMID : 7911309
14. Keech J, et al. Reliability of mixed venous oxygen saturation as an indicator of the oxygen extraction ratio demonstrated by a large patient data set. *J Trauma* 2003 ; 54 : 236-41. PMID : 12579046
15. Maeda T, et al. Inaccuracy of the FloTrac/VigileoTM system in patients with low cardiac index. *J Cardiothorac Vasc Anesth* 2014 ; 28 : 1521-6. PMID : 25306519
16. Suehiro K, et al. Systemic vascular resistance has an impact on the reliability of the Vigileo-FloTrac system in measuring cardiac output and tracking cardiac output changes. *Br J Anaesth* 2013 ; 111 : 170-7. PMID : 23479677
17. Sidebotham D, et al. *Cardiothoracic Critical Care*. Philadelphia : Butterworth-Heinemann, 2007 : xiv, 651.
18. Connors AF Jr, et al. The effectiveness of right heart catheterization in the initial care of critically ill patients. *SUPPORT Investigators. JAMA* 1996 ; 276 : 889-97. PMID : 8782638
19. Harvey S, et al. Assessment of the clinical effectiveness of pulmonary artery catheters in management of patients in intensive care (PAC-Man) : a randomised controlled trial. *Lancet* 2005 ; 366 : 472-7. PMID : 16084255
20. Pinsky MR, et al. Assessment of indices of preload and volume responsiveness. *Curr Opin Crit Care* 2005 ; 11 : 235-9. PMID : 15928472
21. Mebazaa A, et al. Clinical review : practical recommendations on the management of perioperative heart failure in cardiac surgery. *Crit Care* 2010 ; 14 : 201. PMID : 20497611
22. Vincent JL, et al. Fluid challenge revisited. *Crit Care Med* 2006 ; 34 : 1333-7. PMID : 16557164
23. Figueras J, et al. Hypovolemia and hypotension complicating management of acute cardiogenic pulmonary edema. *Am J Cardiol* 1979 ; 44 : 1349-55. PMID : 506939
24. Mebazaa A, et al. Clinical review : practical recommendations on the management of perioperative heart failure in cardiac surgery. *Crit Care* 2010 ; 14 : 201. PMID : 20497611
25. Rastan AJ, et al. Early and late outcomes of 517 consecutive adult patients treated with extracorporeal membrane oxygenation for refractory postcardiotomy cardiogenic shock. *J Thorac Cardiovasc Surg* 2010 ; 139 : 302-11, 311.e1. PMID : 20106393
26. Shah PK, et al. Scintigraphically detected predominant right ventricular dysfunction in acute myocardial infarction : clinical and hemodynamic correlates and implications for therapy and prognosis. *J Am Coll Cardiol* 1985 ; 6 : 1264-72. PMID : 4067104
27. Romand JA, et al. Acute right ventricular failure, pathophysiology and treatment. *Monaldi Arch Chest Dis* 1995 ; 50 : 129-33. PMID : 7613545
28. Stephens RS, et al. Postoperative critical care of the adult cardiac surgical patient : Part II : Proce-

dure-specific considerations, management of complications, and quality improvement. *Crit Care Med* 2015; 43: 1995-2014. PMID: 26136101

第10章 補助循環装置

● 参照文献

1. Hyson EA, et al. Intraaortic counterpulsation balloon: radiographic considerations. *AJR Am J Roentgenol* 1977; 128: 915-8. PMID: 414554
2. Pucher PH, et al. Is heparin needed for patients with an intra-aortic balloon pump? *Interact Cardiovasc Thorac Surg* 2012; 15: 136-9. PMID: 22495506
3. Hsin HT, et al. Central venous oxygen saturation (ScvO₂) facilitates the weaning of intra-aortic balloon pump in acute heart failure related to acute myocardial infarction. *Int J Cardiol* 2013; 168: 4568-70. PMID: 23880579
4. Kapelios CJ, et al. Current and future applications of the intra-aortic balloon pump. *Curr Opin Cardiol* 2014; 29: 258-65. PMID: 24686399
5. Thiele H, et al. Intraaortic balloon support for myocardial infarction with cardiogenic shock. *N Engl J Med* 2012; 367: 1287-96. PMID: 22920912
6. Thiele H, et al. Intra-aortic balloon counterpulsation in acute myocardial infarction complicated by cardiogenic shock (IABP-SHOCK II): final 12 month results of a randomised, open-label trial. *Lancet* 2013; 382: 1638-45. PMID: 24011548
7. Task Force on the management of ST-segment elevation acute myocardial infarction of the European Society of Cardiology (ESC), et al. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *Eur Heart J* 2012; 33: 2569-619. PMID: 22922416
8. O' Gara PT, et al. 2013 ACCF/AHA guideline for the management of ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation* 2013; 127: e362-425. PMID: 23247304
9. Hemmila MR, et al. Extracorporeal life support for severe acute respiratory distress syndrome in adults. *Ann Surg* 2004; 240: 595-605; discussion 605-7. PMID: 15383787
10. Peek GJ, et al. Extracorporeal membrane oxygenation for adult respiratory failure. *Chest* 1997; 112: 759-64. PMID: 9315812
11. Kawashima D, et al. Left ventricular mechanical support with Impella provides more ventricular unloading in heart failure than extracorporeal membrane oxygenation. *ASAIO J* 2011; 57: 169-76. PMID: 21317769
12. Cheng R, et al. Complications of extracorporeal membrane oxygenation for treatment of cardiogenic shock and cardiac arrest: a meta-analysis of 1,866 adult patients. *Ann Thorac Surg* 2014; 97: 610-6. PMID: 24210621
13. Sheu JJ, et al. Early extracorporeal membrane oxygenator-assisted primary percutaneous coronary intervention improved 30-day clinical outcomes in patients with ST-segment elevation myocardial infarction complicated with profound cardiogenic shock. *Crit Care Med* 2010; 38: 1810-7. PMID: 20543669
14. Sakamoto T, et al. Extracorporeal cardiopulmonary resuscitation versus conventional cardiopulmonary resuscitation in adults with out-of-hospital cardiac arrest: a prospective observational study. *Resuscitation* 2014; 85: 762-8. PMID: 1.9
15. Madershahian N, et al. The impact of intraaortic balloon counterpulsation on bypass graft flow in patients with peripheral ECMO. *J Card Surg* 2009; 24: 265-8. PMID: 19438779
16. Ro SK, et al. Extracorporeal life support for cardiogenic shock: influence of concomitant intra-aortic balloon counterpulsation. *Eur J Cardiothorac Surg* 2014; 46: 186-92; discussion 192. PMID: 24510911

17. 循環器病の診断と治療に関するガイドライン (2012 年度合同研究班報告). ST 上昇型急性心筋梗塞の診療に関するガイドライン (2013 年改訂版). <http://www.j-circ.or.jp/guideline/pdf/JCS2013_kimura_h.pdf>

第 11 章 ペースメーカー

● 参考文献

1. Puskas JD, et al. Is routine use of temporary epicardial pacing wires necessary after either OPCAB or conventional CABG/CPB? Heart Surg Forum 2003; 6 : E103-6. PMID : 14721993