

# 呼吸器

## 第1章 呼吸不全のメカニクス

### ● 参照文献

- West JB. Pulmonary Pathophysiology : The Essentials. 8th ed. Philadelphia : Lippincott Williams & Wilkins, 2012.
- West JB. Pulmonary Physiology and Pathophysiology : An Integrated, Case-Based Approach. 2nd ed. Philadelphia : Lippincott Williams & Wilkins, 2007.
- Marino PL. The ICU Book. 4th ed. Philadelphia : Lippincott Williams & Wikins, 2014 (稻田英一監訳. ICU ブック. 第4版. 東京：メディカル・サイエンス・インターナショナル, 2015).
- Rodríguez-Roisin R, et al. Mechanisms of hypoxemia. Intensive Care Med 2005 ; 31 : 1017-9.  
PMID : 16052273
- 則末泰博. ベッドサイドで使える低酸素血症の呼吸病態生理学. Intensivist 2013 ; 5 : 695-704.
- Horr S, et al. Pseudohypoxemia in a patient with chronic lymphocytic leukemia. Respir Care 2013 ; 58 : e31-3.  
PMID : 22781215

## 第2章 低酸素の鑑別方法

### ● 参照文献

- 則末泰博. ベッドサイドで使える低酸素血症の呼吸病態生理学. Intensivist 2013 ; 5 : 695-704.
- Marino PL. The ICU Book. 4th ed. Philadelphia : Lippincott Williams & Wikins, 2014 (稻田英一監訳. ICU ブック. 第4版. 東京：メディカル・サイエンス・インターナショナル, 2015).
- Hess D, et al. Essentials of mechanical ventilation. 2nd ed. New York : McGraw-Hill, Health Professions Division, 2002.

## 第3章 気道管理

### ● 参照文献

- Butler J, et al. Best evidence topic report. Lidocaine as a pretreatment to rapid sequence intubation in patients with status asthmaticus. Emerg Med J 2005 ; 22 : 732.  
PMID : 16189042
- Cohen L, et al. The effect of ketamine on intracranial and cerebral perfusion pressure and health outcomes : a systematic review. Ann Emerg Med 2015 ; 65 : 43-51.e2.  
PMID : 25064742
- Walls RM, et al. Emergency airway management : a multi-center report of 8937 emergency department intubations. J Emerg Med 2011 ; 41 : 347-54.  
PMID : 20434289
- Benumof JL, et al. Critical hemoglobin desaturation will occur before return to an unparalyzed state following 1 mg/kg intravenous succinylcholine. Anesthesiology 1997 ; 87 : 979-82.  
PMID : 9357902
- Ramachandran SK, et al. Apneic oxygenation during prolonged laryngoscopy in obese patients : a randomized, controlled trial of nasal oxygen administration. J Clin Anesth 2010 ; 22 : 164-8.

PMID : 20400000

## 第4章 ICUでの胸部X線

### ● 参照文献

1. Amy EM, et al. Imaging of the Chest. In : Vincent JL, et al. Textbook of Critical Care 6th ed. Philadelphia : Elsevier, 2011 : 377-87.
2. Kurihara Y, et al. ICU radiology Fundamental approach to portable chest radiograph. J Jpn Soc Intensive Care Med 1998 ; 5 : 95-105.
3. Goodman LR, et al. Radiographic evaluation of endotracheal tube position. AJR Am J Roentgenol 1976 ; 127 : 433-4. PMID : 183529
4. Lamont T, et al. Checking placement of nasogastric feeding tubes in adults (interpretation of x ray images) : summary of a safety report from the National Patient Safety Agency. BMJ 2011 ; 342 : d2586. PMID : 21546422
5. Sabbar S, et al. Images in clinical medicine. Deep sulcus sign. N Engl J Med 2012 ; 366 : 552. PMID : 22316448
6. Milne EN. A physiological approach to reading critical care unit films. J Thorac Imaging 1986 ; 1 : 60-90. PMID : 3599142
7. Ely EW, et al. Using the chest radiograph to determine intravascular volume status : the role of vascular pedicle width. Chest 2002 ; 121 : 942-50. PMID : 11888980
8. Ely EW, et al. Radiologic determination of intravascular volume status using portable, digital chest radiography : a prospective investigation in 100 patients. Crit Care Med 2001 ; 29 : 1502-12. PMID : 11505116

## 第5章 陽圧換気の循環動態への影響

### ● 参照文献

1. Corrado A, et al. Negative pressure ventilation in the treatment of acute respiratory failure : an old noninvasive technique reconsidered. Eur Respir J 1996 ; 9 : 1531-44. PMID : 8836670
2. Cheifetz IM. Cardiorespiratory Interactions : The Relationship Between Mechanical Ventilation and Hemodynamics. Respir Care 2014 ; 59 : 1937-45. PMID : 25389353
3. Corredor C, et al. Ventilator management in the cardiac intensive care unit. Cardiol Clin 2013 ; 31 : 619-36, ix. PMID : 24188225
4. Vargas M, et al. PEEP role in ICU and operating room : from pathophysiology to clinical practice. The ScientificWorldJournal 2014 ; 2014 : 852356. PMID : 24719580

## 第6章 人工呼吸器の設定

### ● 参照文献

1. Esteban A, et al. A comparison of four methods of weaning patients from mechanical ventilation. Spanish Lung Failure Collaborative Group. N Engl J Med 1995 ; 332 : 345-50. PMID : 7823995
2. Brochard L, et al. Comparison of three methods of gradual withdrawal from ventilator support during weaning from mechanical ventilation. Am J Respir Crit Care Med 1994 ; 150 : 896-903. PMID : 7921460
3. Kopec SE, et al. Respiratory adjunct therapy. In : Irwin RS, et al. Irwin's and Rippe's Intensive Care Medicine. 6th ed. Philadelphia : Lippincott Williams & Wilkins, 2007 : 705.
4. Kallet RH, et al. Hyperoxic acute lung injury. Respir Care 2013 ; 58 : 123-41. PMID : 23271823
5. Acute Respiratory Distress Syndrome Network, et al. Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory syndrome : the

- acute distress syndrome network. N Engl J Med 2000; 342: 1301-8. PMID : 10793162
6. Serpa Neto A, et al. Association between use of lung-protective ventilation with lower tidal volumes and clinical outcomes among patients without acute respiratory distress syndrome : a meta-analysis. JAMA 2012; 308: 1651-9. PMID : 23093163

## 第7章 人工呼吸器のアラームとトラブルシューティング

### ● 参照文献

1. Hess DH, et al. Principles of mechanical ventilation. In : Essentials of mechanical ventilation, 3rd ed. New York : McGraw-Hill. 2014 : 15-141 (田中竜馬ほか監訳. ヘスとカクマレックのTHE人工呼吸ブック 第2版. 東京 : メディカル・サイエンス・インターナショナル, 2015).
2. 一般社団法人日本呼吸療法医学会 人工呼吸管理安全対策委員会 ; 人工呼吸器安全使用のための指針第2版. 人工呼吸 2011; 28 : 210-25.
3. American Heart Association. パート 11. 蘇生後管理. In : PALS プロバイダーマニュアル AHA ガイドライン 2010 準拠. 東京 : シナジー, 2013 : 171-98.

## 第8章 ARDS総論

### ● 参照文献

1. Bernard GR, et al. The American-European Consensus Conference on ARDS. Definitions, mechanisms, relevant outcomes, and clinical trial coordination. Am J Respir Crit Care Med 1994; 149 (3 Pt 1) : 818-24. PMID : 7509706
2. ARDS Definition Task Force, et al. Acute respiratory distress syndrome : the Berlin Definition. JAMA 2012; 307 : 2526-33. PMID : 22797452
3. Rocco PR, et al. Pulmonary and extrapulmonary acute respiratory distress syndrome : are they different? Curr Opin Crit Care 2005; 11 : 10-7. PMID : 15659940
4. Agarwal R, et al. Is the mortality higher in the pulmonary vs the extrapulmonary ARDS? A meta analysis. Chest 2008; 133 : 1463-73. PMID : 17989150
5. Ware LB, et al. Clinical practice. Acute pulmonary edema. N Engl J Med 2005; 353 : 2788-96. PMID : 16382065
6. Vieillard-Baron A, et al. Acute cor pulmonale in acute respiratory distress syndrome submitted to protective ventilation : incidence, clinical implications, and prognosis. Crit Care Med 2001; 29 : 1551-5. PMID : 11505125
7. Briel M, et al. Higher vs lower positive end-expiratory pressure in patients with acute lung injury and acute respiratory distress syndrome : systematic review and meta-analysis. JAMA 2010; 303 : 865-73. PMID : 20197533
8. Goligher EC, et al. Oxygenation response to positive end-expiratory pressure predicts mortality in acute respiratory distress syndrome. A secondary analysis of the LOVS and ExPress trials. Am J Respir Crit Care Med 2014; 190 : 70-6. PMID : 24919111
9. Fan E, et al. An official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine clinical practice guideline : Mechanical ventilation in adult patients with acute respiratory distress syndrome. Am J Respir Crit Care Med 2017; 195 : 1253-63. PMID : 28459336
10. Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome. The Acute Respiratory Distress Syndrome Network. N Engl J Med 2000; 342 : 1301-8. PMID : 10793162
11. National Heart, et al. Comparison of two fluid-management strategies in acute lung injury. N Engl J Med 2006; 354 : 2564-75. PMID : 16714767

12. Guérin C, et al. Prone positioning in severe acute respiratory distress syndrome. *N Engl J Med* 2013 ; 368 : 2159-68. PMID : 23688302
13. Fan E, et al. Recruitment maneuvers for acute lung injury : a systematic review. *Am J Respir Crit Care Med* 2008 ; 178 : 1156-63. PMID : 18776154
14. Cavalcanti AB, et al. Effect of lung recruitment and titrated positive end-expiratory pressure (PEEP) vs low PEEP on mortality in patients with acute respiratory distress syndrome : A randomized clinical trial. *JAMA* 2017 ; 318 : 1335-45. PMID : 28973363
15. Papazian L, et al. Neuromuscular blockers in early acute respiratory distress syndrome. *N Engl J Med* 2010 ; 363 : 1107-16. PMID : 20843245
16. Alhazzani W, et al. Neuromuscular blocking agents in acute respiratory distress syndrome : a systematic review and meta-analysis of randomized controlled trials. *Crit Care* 2013 ; 17 : R43. PMID : 23497608
17. Zhou Y, et al. Early application of airway pressure release ventilation may reduce the duration of mechanical ventilation in acute respiratory distress syndrome. *Intensive Care Med* 2017 ; 43 : 1648-59. PMID : 28936695
18. Peek GJ, et al. Efficacy and economic assessment of conventional ventilatory support versus extracorporeal membrane oxygenation for severe adult respiratory failure (CESAR) : a multicentre randomised controlled trial. *Lancet* 2009 ; 374 : 1351-63. PMID : 19762075
19. Sud S, et al. High frequency oscillation in patients with acute lung injury and acute respiratory distress syndrome (ARDS) : systematic review and meta-analysis. *BMJ* 2010 ; 340 : c2327. PMID : 20483951
20. Sud S, et al. High-frequency ventilation versus conventional ventilation for treatment of acute lung injury and acute respiratory distress syndrome. *Cochrane Database Syst Rev* 2013 ; 2 : CD004085. PMID : 23450549
21. Young D, et al. High-frequency oscillation for acute respiratory distress syndrome. *N Engl J Med* 2013 ; 368 : 806-13. PMID : 23339638
22. Ferguson ND, et al. High-frequency oscillation in early acute respiratory distress syndrome. *N Engl J Med* 2013 ; 368 : 795-805. PMID : 23339639
23. Afshari A, et al. Inhaled nitric oxide for acute respiratory distress syndrome and acute lung injury in adults and children : a systematic review with meta-analysis and trial sequential analysis. *Anesth Analg* 2011 ; 112 : 1411-21. PMID : 21372277
24. Afshari A, et al. Inhaled nitric oxide for acute respiratory distress syndrome (ARDS) and acute lung injury in children and adults. *Cochrane Database Syst Rev* 2010 (7) : CD002787. PMID : 20614430
25. Tamakuma S, et al. Relationship between neutrophil elastase and acute lung injury in humans. *Pulm Pharmacol Ther* 2004 ; 17 : 271-9. PMID : 15477122
26. Zeiher BG, et al. Neutrophil elastase inhibition in acute lung injury : results of the STRIVE study. *Crit Care Med* 2004 ; 32 : 1695-702. PMID : 15286546
27. Hashimoto S, et al. The clinical practice guideline for the management of ARDS in Japan. *J Intensive Care* 2017 ; 5 : 50. PMID : 28770093
28. Tang BM, et al. Use of corticosteroids in acute lung injury and acute respiratory distress syndrome : a systematic review and meta-analysis. *Crit Care Med* 2009 ; 37 : 1594-603. PMID : 19325471
29. Steinberg KP, et al. Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *N Engl J Med* 2006 ; 354 : 1671-84. PMID : 16625008
30. Truwit JD, et al. Rosuvastatin for sepsis-associated acute respiratory distress syndrome. *N Engl J Med* 2014 ; 370 : 2191-200. PMID : 24835849
31. McAuley DF, et al. Simvastatin in the acute respiratory distress syndrome. *N Engl J Med* 2014 ; 371 :

1695-703.

PMID : 25268516

## 第9章 人工呼吸器関連肺損傷 (VALI)

### ● 参照文献

1. Respirator lung syndrome. Minn Med 1967; 50: 1693-705. PMID : 5235461
2. Fan E, et al. An official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine clinical practice guideline : Mechanical ventilation in adult patients with acute respiratory distress syndrome. Am J Respir Crit Care Med 2017; 195: 1253-63. PMID : 28459336
3. Amato MB, et al. Driving pressure and survival in the acute respiratory distress syndrome. N Engl J Med 2015; 372: 747-55. PMID : 25693014
4. Slutsky AS, et al. Ventilator-induced lung injury. N Engl J Med 2013; 369: 2126-36. PMID : 24283226
5. Dreyfuss D, et al. High inflation pressure pulmonary edema. Respective effects of high airway pressure, high tidal volume, and positive end-expiratory pressure. Am Rev Respir Dis 1988; 137: 1159-64. PMID : 3057957
6. Mauri T, et al. Esophageal and transpulmonary pressure in the clinical setting : meaning, usefulness and perspectives. Intensive Care Med 2016; 42: 1360-73. PMID : 27334266

## 第10章 人工呼吸器離脱

### ● 参照文献

1. Schmidt H, et al. Changes in intrathoracic fluid volumes during weaning from mechanical ventilation inpatients after coronary artery bypass grafting. J Crit Care 1997; 12: 22-7. PMID : 9075061
2. Mehta S, et al. Prediction of post-extubation work of breathing. Crit Care Med 2000; 28: 1341-6. PMID : 10834676
3. Heinze H, et al. Changes in functional residual capacity during weaning from mechanical ventilation : a pilot study. Anesth Analg 2009; 108: 911-5. PMID : 19224803
4. Pinsky MR. Cardiovascular issues in respiratory care. Chest 2005; 128: 592S-7S. PMID : 16306058
5. Fujii Y, et al. Combined diltiazem and lidocaine reduces cardiovascular responses to tracheal extubation and anesthesia emergence in hypertensive patients. Can J Anaesth 1999; 46: 952-6. Retraction in : Can J Anaesth 2013; 60: 613. PMID : 10522582
6. François B, et al. 12-h pretreatment with methylprednisolone versus placebo for prevention of postextubation laryngeal oedema : a randomised double-blind trial. Lancet 2007; 369: 1083-9. PMID : 17398307
7. Santos PM, et al. Risk factors associated with prolonged intubation and laryngeal injury. Otolaryngol Head Neck Surg 1994; 111: 453-9. PMID : 7936678
8. Mendels EJ, et al. Adverse laryngeal effects following short-term general anesthesia : a systematic review. Arch Otolaryngol Head Neck Surg 2012; 138: 257-64. PMID : 22431870
9. Weber S. Traumatic complications of airway management. Anesthesiol Clin North America 2002; 20: 503-12. PMID : 12298303
10. Barker J, et al. Incidence and impact of dysphagia in patients receiving prolonged endotracheal intubation after cardiac surgery. Can J Surg 2009; 52: 119-24. PMID : 19399206
11. Tolep K, et al. Swallowing dysfunction in patients receiving prolonged mechanical ventilation. Chest 1996; 109: 167-72. PMID : 8549181
12. Dries DJ. Weaning from mechanical ventilation. J Trauma 1997; 43: 372-84. PMID : 9291393
13. Mancebo J. Weaning from mechanical ventilation. Eur Respir J 1996; 9: 1923-31. PMID : 8880113
14. Esteban A, et al. Extubation outcome after spontaneous breathing trials with T-tube or pressure sup-

- port ventilation. The Spanish Lung Failure Collaborative Group. Am J Respir Crit Care Med 1997; 156: 459-65. Erratum in: Am J Respir Crit Care Med 1997; 156: 2028. PMID : 9279224
15. Epstein SK, et al. Independent effects of etiology of failure and time to reintubation on outcome for patients failing extubation. Am J Respir Crit Care Med 1998; 158: 489-93. PMID : 9700126
16. Frutos-Vivar F, et al. Outcome of reintubated patients after scheduled extubation. J Crit Care 2011; 26: 502-9. PMID : 21376523
17. Asehnoune K, et al. Extubation success prediction in a multicentric cohort of patients with severe brain injury. Anesthesiology 2017; 127: 338-46. PMID : 28640020
18. Jaeschke RZ, et al. How to use diagnostic test articles in the intensive care unit: diagnosing weanability using f/Vt. Crit Care Med 1997; 25: 1514-21. PMID : 9295825
19. Meade M, et al. Predicting success in weaning from mechanical ventilation. Chest 2001; 120: 400S-24S. PMID : 11742961
20. Salam A, et al. Neurologic status, cough, secretions and extubation outcomes. Intensive Care Med 2004; 30: 1334-9. PMID : 14999444
21. Nament AM, et al. Predictors of successful extubation in neurosurgical patients. Am J Respir Crit Care Med 2001; 163: 658-64. PMID : 11254520
22. Esteban A, et al. A comparison of four methods of weaning patients from mechanical ventilation. Spanish Lung Failure Collaborative Group. N Engl J Med 1995; 332: 345-50. PMID : 7823995
23. MacIntyre NR, et al. Evidence-based guidelines for weaning and discontinuing ventilatory support: a collective task force facilitated by the American College of Chest Physicians; the American Association for Respiratory Care; and the American College of Critical Care Medicine. Chest 2001; 120: 375S-95S. PMID : 11742959
24. Boles JM, et al. Weaning from mechanical ventilation. Eur Respir J 2007; 29: 1033-56. PMID : 17470624
25. NIH NHLBI ARDS Clinical Network. Mechanical Ventilation Summary.<<http://www.ardsnet.org/system/files/Ventilator%20Protocol%20Card.pdf>>
26. Girard TD, et al. An official American Thoracic Society/American College of Chest Physicians Clinical Practice Guideline: Liberation from mechanical ventilation in critically ill adults. Rehabilitation protocols, ventilator liberation protocols, and cuff leak tests. Am J Respir Crit Care Med 2017; 195: 120-33. PMID : 27762595
27. Guttmann J, et al. Automatic tube compensation (ATC). Minerva Anestesiol 2002; 68: 369-77. PMID : 12029248
28. Cohen JD, et al. Extubation outcome following a spontaneous breathing trial with automatic tube compensation versus continuous positive airway pressure. Crit Care Med 2006; 34: 682-6. PMID : 16505653
29. Figueroa-Casas JB, et al. Comparison between automatic tube compensation and continuous positive airway pressure during spontaneous breathing trials. Respir Care 2010; 55: 549-54. PMID : 20420724
30. Perren A, et al. Protocol-directed weaning from mechanical ventilation: clinical outcome in patients randomized for a 30-min or 120-min trial with pressure support ventilation. Intensive Care Med 2002; 28: 1058-63. PMID : 12185425
31. Esteban A, et al. Effect of spontaneous breathing trial duration on outcome of attempts to discontinue mechanical ventilation. Spanish Lung Failure Collaborative Group. Am J Respir Crit Care Med 1999; 159: 512-8. PMID : 9927366
32. Santos PM, et al. Risk factors associated with prolonged intubation and laryngeal injury. Otolaryngol Head Neck Surg 1994; 111: 453-9. PMID : 7936678
33. Tadié JM, et al. Post-intubation laryngeal injuries and extubation failure: a fiberoptic endoscopic study. Intensive Care Med 2010; 36: 991-8. PMID : 20237758

34. Darmon JY, et al. Evaluation of risk factors for laryngeal edema after tracheal extubation in adults and its prevention by dexamethasone. A placebo-controlled, double-blind, multicenter study. *Anesthesiology* 1992; 77: 245-51. PMID : 1642342
35. Miller RL, et al. Association between reduced cuff leak volume and postextubation stridor. *Chest* 1996; 110: 1035-40. PMID : 8874265
36. Sandhu RS, et al. Measurement of endotracheal tube cuff leak to predict postextubation stridor and need for reintubation. *J Am Coll Surg* 2000; 190: 682-7. PMID : 10873003
37. Difficult Airway Society Extubation Guidelines Group, et al. Difficult Airway Society guidelines for the management of tracheal extubation. *Anaesthesia* 2012; 67: 318-40. PMID : 22321104
38. Hernández G, et al. Effect of postextubation high-flow nasal cannula vs conventional oxygen therapy on reintubation in low-risk patients: A randomized clinical trial. *JAMA* 2016; 315: 1354-61. PMID : 26975498
39. Hernández G, et al. Effect of postextubation high-flow nasal cannula vs noninvasive ventilation on reintubation and postextubation respiratory failure in high-risk patients: A randomized clinical trial. *JAMA* 2016; 316: 1565-74. PMID : 27706464

## 第11章 予定外抜管

### ● 参照文献

1. Boulain T. Unplanned extubations in the adult intensive care unit: a prospective multicenter study. *Am J Respir Crit Care Med* 1998; 157: 1131-7. PMID : 9563730
2. Whelan J, et al. Unplanned extubation: predictors of successful termination of mechanical ventilatory support. *Chest* 1994; 105: 1808-12. PMID : 7726887
3. Chevron V, et al. Unplanned extubation: risk factors of development and predictive criteria for reintubation. *Crit Care Med* 1998; 26: 1049-53. PMID : 9635654
4. Dubois MJ, et al. Delirium in an intensive care unit: a study of risk factors. *Intensive Care Med* 2001; 27: 1297-304. PMID : 11511942
5. Curry BK, et al. Characteristics associated with unplanned extubations in a surgical intensive care unit. *Am J Crit Care* 2008; 17: 45-51; quiz 52. PMID : 18158389
6. Esteban A, et al. Characteristics and outcomes in adult patients receiving mechanical ventilation: a 28-day international study. *JAMA* 2002; 287: 345-55. PMID : 11790214
7. Epstein SK, et al. Independent effects of etiology of failure and time to reintubation on outcome for patients failing extubation. *Am J Respir Crit Care Med* 1998; 158: 489-93. PMID : 9700126
8. Betbesé AJ, et al. A prospective study of unplanned endotracheal extubation in intensive care unit patients. *Crit Care Med* 1998; 26: 1180-6. PMID : 9671366
9. Maccioli GA, et al. Clinical practice guidelines for the maintenance of patient physical safety in the intensive care unit: use of restraining therapies — American College of Critical Care Medicine Task Force 2001-2002. *Crit Care Med* 2003; 31: 2665-76. PMID : 14605540
10. Razek T, et al. Assessing the need for reintubation: A prospective evaluation of unplanned endotracheal extubation. *J Trauma* 2000; 48: 466-9. PMID : 10744285

## 第12章 非侵襲的換気療法 (NIV)

### ● 参照文献

1. Barreiro TJ, et al. Noninvasive ventilation. *Crit Care Clin* 2007; 23: 201-22, ix. PMID : 17368166
2. Celikel T, et al. Comparison of noninvasive positive pressure ventilation with standard medical therapy in hypercapnic acute respiratory failure. *Chest* 1998; 114: 1636-42. PMID : 9872200
3. 日本呼吸器学会 NPPV ガイドライン作成委員会. NPPV (非侵襲的陽圧換気療法) ガイドライン. 東京 :

南江堂, 2015.

4. Nava S, et al. Non-invasive ventilation in acute respiratory failure. *Lancet* 2009; 374: 250-9.  
PMID : 19616722
5. Organized jointly by the American Thoracic Society, the European Respiratory Society, the European Society of Intensive Care Medicine, and the Société de Réanimation de Langue Française, and approved by ATS Board of Directors, December 2000. International consensus conferences in intensive care medicine : noninvasive positive pressure ventilation in acute respiratory failure. *Am J Respir Crit Care Med* 2001; 163: 283-91.  
PMID : 11208659
6. Lemiale V, et al. Effect of noninvasive ventilation vs oxygen therapy on mortality among immunocompromised patients with acute respiratory failure : A randomized clinical trial. *JAMA* 2015; 314: 1711-9.  
PMID : 26444879
7. Petrof BJ, et al. Continuous positive airway pressure reduces work of breathing and dyspnea during weaning from mechanical ventilation in severe chronic obstructive pulmonary disease. *Am Rev Respir Dis* 1990; 141: 281-9.  
PMID : 2405757
8. Hostetler MA. Use of noninvasive positive-pressure ventilation in the emergency department. *Emerg Med Clin North Am* 2008; 26: 929-39, viii.  
PMID : 19059092
9. Navalesi P, et al. Physiologic evaluation of noninvasive mechanical ventilation delivered with three types of masks in patients with chronic hypercapnic respiratory failure. *Crit Care Med* 2000; 28: 1785-90.  
PMID : 10890620
10. Lemyze M, et al. Rescue therapy by switching to total face mask after failure of face mask-delivered noninvasive ventilation in do-not-intubate patients in acute respiratory failure. *Crit Care Med* 2013; 41: 481-8.  
PMID : 23263582
11. Girault C, et al. Interface strategy during noninvasive positive pressure ventilation for hypercapnic acute respiratory failure. *Crit Care Med* 2009; 37: 124-31.  
PMID : 19050635
12. Moretti M, et al. Incidence and causes of non-invasive mechanical ventilation failure after initial success. *Thorax* 2000; 55: 819-25.  
PMID : 10992532
13. Keenan SP, et al. Which patients with acute exacerbation of chronic obstructive pulmonary disease benefit from noninvasive positive-pressure ventilation? A systematic review of the literature. *Ann Intern Med* 2003; 138: 861-70.  
PMID : 12779296
14. Brochard L, et al. Noninvasive ventilation for acute exacerbations of chronic obstructive pulmonary disease. *N Engl J Med* 1995; 333: 817-22.  
PMID : 7651472
15. Scala R, et al. Noninvasive versus conventional ventilation to treat hypercapnic encephalopathy in chronic obstructive pulmonary disease. *Intensive Care Med* 2007; 33: 2101-8.  
PMID : 17874232
16. Nava S, et al. Noninvasive mechanical ventilation in the weaning of patients with respiratory failure due to chronic obstructive pulmonary disease. A randomized, controlled trial. *Ann Intern Med* 1998; 128: 721-8.  
PMID : 9556465
17. Boehmer JP, et al. Cardiac failure : mechanical support strategies. *Crit Care Med* 2006; 34: S268-77.  
PMID : 16917432
18. Masip J, et al. Noninvasive ventilation in acute cardiogenic pulmonary edema : systematic review and meta-analysis. *JAMA* 2005; 294: 3124-30.  
PMID : 16380593
19. Vital FM, et al. Non-invasive positive pressure ventilation (CPAP or bilevel NPPV) for cardiogenic pulmonary oedema. *Cochrane Database Syst Rev* 2013; (5): CD005351.  
PMID : 23728654
20. Park M, et al. Randomized, prospective trial of oxygen, continuous positive airway pressure, and bilevel positive airway pressure by face mask in acute cardiogenic pulmonary edema. *Crit Care Med* 2004; 32: 2407-15.  
PMID : 15599144
21. Gray A, et al. Noninvasive ventilation in acute cardiogenic pulmonary edema. *N Engl J Med* 2008;

- 359 : 142–51. PMID : 18614781
22. Antonelli M, et al. Noninvasive ventilation for treatment of acute respiratory failure in patients undergoing solid organ transplantation : a randomized trial. *JAMA* 2000 ; 283 : 235–41. PMID : 10634340
23. Hilbert G, et al. Noninvasive ventilation in immunosuppressed patients with pulmonary infiltrates, fever, and acute respiratory failure. *N Engl J Med* 2001 ; 344 : 481–7. PMID : 11172189
24. Confalonieri M, et al. Noninvasive ventilation for treating acute respiratory failure in AIDS patients with *Pneumocystis carinii* pneumonia. *Intensive Care Med* 2002 ; 28 : 1233–8. PMID : 12209270
25. Huang HB, et al. Use of noninvasive ventilation in immunocompromised patients with acute respiratory failure : a systematic review and meta-analysis. *Crit Care* 2017 ; 21 : 4. PMID : 28061910
26. Soroksky A, et al. Noninvasive positive pressure ventilation in acute asthmatic attack. *Eur Respir Rev* 2010 ; 19 : 39–45. PMID : 20956164
27. Lim WJ, et al. Non-invasive positive pressure ventilation for treatment of respiratory failure due to severe acute exacerbations of asthma. *Cochrane Database Syst Rev* 2012 ; 12 : CD004360. PMID : 23235608
28. 日本アレルギー学会. 喘息予防・管理ガイドライン 2012. 東京 : 協和企画, 2012.
29. Burns KE, et al. Noninvasive positive-pressure ventilation as a weaning strategy for intubated adults with respiratory failure. *Cochrane Database Syst Rev* 2013 ; (12) : CD004127. PMID : 24323843
30. Jaber S, et al. Effect of noninvasive ventilation on tracheal reintubation among patients with hypoxicemic respiratory failure following abdominal surgery : A randomized clinical trial. *JAMA* 2016 ; 315 : 1345–53. PMID : 26975890
31. Jaber S, et al. Role of non-invasive ventilation (NIV) in the perioperative period. *Best Pract Res Clin Anaesthesiol* 2010 ; 24 : 253–65. PMID : 20608561
32. Ouellette DR, et al. Liberation from mechanical ventilation in critically ill adults : An official American College of Chest Physicians/American Thoracic Society clinical practice guideline : Inspiratory pressure augmentation during spontaneous breathing trials, protocols minimizing sedation, and noninvasive ventilation immediately after extubation. *Chest* 2017 ; 151 : 166–80. PMID : 27818331
33. Girault C, et al. Noninvasive ventilation and weaning in patients with chronic hypercapnic respiratory failure : a randomized multicenter trial. *Am J Respir Crit Care Med* 2011 ; 184 : 672–9. PMID : 21680944
34. Esteban A, et al. Noninvasive positive-pressure ventilation for respiratory failure after extubation. *N Engl J Med* 2004 ; 350 : 2452–60. PMID : 15190137
35. Yeow ME, et al. Using noninvasive ventilation at the end of life #230. *J Palliat Med* 2010 ; 13 : 1149–50. PMID : 20836641
36. Nava S, et al. Palliative use of non-invasive ventilation in end-of-life patients with solid tumours : a randomised feasibility trial. *Lancet Oncol* 2013 ; 14 : 219–27. PMID : 23406914
37. Azoulay E, et al. Noninvasive mechanical ventilation in patients having declined tracheal intubation. *Intensive Care Med* 2013 ; 39 : 292–301. PMID : 23184037
38. Levy M, et al. Outcomes of patients with do-not-intubate orders treated with noninvasive ventilation. *Crit Care Med* 2004 ; 32 : 2002–7. PMID : 15483407
39. Curtis JR, et al. Noninvasive positive pressure ventilation in critical and palliative care settings : understanding the goals of therapy. *Crit Care Med* 2007 ; 35 : 932–9. PMID : 17255876
40. Antonelli M, et al. A multiple-center survey on the use in clinical practice of noninvasive ventilation as a first-line intervention for acute respiratory distress syndrome. *Crit Care Med* 2007 ; 35 : 18–25. PMID : 17133177
41. Rocker GM, et al. Noninvasive positive pressure ventilation : successful outcome in patients with acute lung injury/ARDS. *Chest* 1999 ; 115 : 173–7. PMID : 9925080

## 第13章 気管切開

### ○ 参照文献

1. 讀井将満ほか. 人工呼吸管理に強くなる～人工呼吸の基礎から病態に応じた設定、トラブル対応まで誰も教えてくれなかった人工呼吸管理のABC. 東京：羊土社, 2011: 212-5.
2. コヴィディエンジャパン. ネオパーク添付文書. 2016年2月改定(第4版新記載要領に基づく改訂). <[http://www.covidien.co.jp/product\\_service/documents\\_pdf/PT00042847\\_\(4\)\\_NEOPARK.pdf](http://www.covidien.co.jp/product_service/documents_pdf/PT00042847_(4)_NEOPARK.pdf)>
3. スミスメディカル・ジャパン. パーキュティニアス・トラキオストミー・キット添付文書. 2016年5月(第7版)(新記載要領に基づく改訂). <[http://www.info.pmda.go.jp/downfiles/md/PDF/530361/530361\\_20800BZY00430000\\_A\\_01\\_07.pdf](http://www.info.pmda.go.jp/downfiles/md/PDF/530361/530361_20800BZY00430000_A_01_07.pdf)>
4. Ben Nun A, et al. Extended indications for percutaneous tracheostomy. Ann Thorac Surg 2005; 80: 1276-9. PMID: 16181854
5. MacIntyre NR, et al. Evidence-based guidelines for weaning and discontinuing ventilatory support: a collective task force facilitated by the American College of Chest Physicians; the American Association for Respiratory Care; and the American College of Critical Care Medicine. Chest 2001; 120 (6 Suppl): 375S-95S. PMID: 11742959
6. Hosokawa K, et al. Timing of tracheotomy in ICU patients: a systematic review of randomized controlled trials. Crit Care 2015; 19: 424. PMID: 26635016
7. Bruderman I, et al. Tracheostomy for acute respiratory failure. Dis Chest 1966; 50: 393-402. PMID: 5924975
8. Epstein SK. Anatomy and physiology of tracheostomy. Respir Care 2005; 50: 476-82. PMID: 15807905
9. Kluge S, et al. Tracheostomy in the intensive care unit: a nationwide survey. Anesth Analg 2008; 107: 1639-43. PMID: 18931225
10. Veenith T, et al. Intensive care unit tracheostomy: a snapshot of UK practice. Int Arch Med 2008; 1: 21. PMID: 18950520
11. Cabrini L, et al. Percutaneous tracheostomy, a systematic review. Acta Anaesthesiol Scand 2012; 56: 270-81. PMID: 22188176
12. Osman A, et al. Role of upper airway ultrasound in airway management. J Intensive Care 2016; 4: 52. PMID: 27529028
13. Cheung NH, et al. Tracheostomy: epidemiology, indications, timing, technique, and outcomes. Respir Care 2014; 59: 895-915; discussion 916-9. PMID: 24891198
14. Hsia DW, et al. Percutaneous dilational tracheostomy. Clin Chest Med 2013; 34: 515-26. PMID: 23993821
15. Delaney A, et al. Percutaneous dilatational tracheostomy versus surgical tracheostomy in critically ill patients: a systematic review and meta-analysis. Crit Care 2006; 10: R55. PMID: 16606435
16. Higgins KM, et al. Meta-analysis comparison of open versus percutaneous tracheostomy. Laryngoscope 2007; 117: 447-54. PMID: 17334304
17. White AC, et al. When to change a tracheostomy tube. Respir Care 2010; 55: 1069-75. PMID: 20667154
18. O'Connor HH, et al. Tracheostomy decannulation. Respir Care 2010; 55: 1076-81. PMID: 20667155

## 第14章 気管支鏡検査

### ○ 参照文献

1. Meyer KC, et al. An official American Thoracic Society clinical practice guideline: the clinical utility of bronchoalveolar lavage cellular analysis in interstitial lung disease. Am J Respir Crit Care Med 2012; 185: 1004-14. PMID: 22550210

2. Du Rand IA, et al. British Thoracic Society guideline for diagnostic flexible bronchoscopy in adults : accredited by NICE. *Thorax* 2013 ; 68 : i1-i44. PMID : 23860341
3. Levy ML, et al. Primary care summary of the British Thoracic Society Guidelines for the management of community acquired pneumonia in adults : 2009 update. Endorsed by the Royal College of General Practitioners and the Primary Care Respiratory Society UK. *Prim Care Respir J* 2010 ; 19 : 21-7. PMID : 20157684
4. Liam CK, et al. Detection of *Mycobacterium tuberculosis* in bronchoalveolar lavage from patients with sputum smear-negative pulmonary tuberculosis using a polymerase chain reaction assay. *Respirology* 1998 ; 3 : 125-9. PMID : 9692522
5. Tueller C, et al. Value of smear and PCR in bronchoalveolar lavage fluid in culture positive pulmonary tuberculosis. *Eur Respir J* 2005 ; 26 : 767-72. PMID : 16264035
6. Berton DC, et al. Quantitative versus qualitative cultures of respiratory secretions for clinical outcomes in patients with ventilator-associated pneumonia. *Cochrane Database Syst Rev* 2014 : CD006482. PMID : 22258968
7. Sirvent JM, et al. Microscopic examination of intracellular organisms in protected bronchoalveolar mini-lavage fluid for the diagnosis of ventilator-associated pneumonia. *Chest* 2003 ; 123 : 518-23. PMID : 12576375
8. Lewin SR, et al. The role of bronchoscopy in the diagnosis and treatment of pulmonary disease in HIV-infected patients. *Aust N Z J Med* 1995 ; 25 : 133-9. PMID : 7605295
9. Gracia JD, et al. Empiric treatments impair the diagnostic yield of BAL in HIV-positive patients. *Chest* 1997 ; 111 : 1180-6. PMID : 9149567
10. Kibiki GS, et al. Laboratory diagnosis of pulmonary tuberculosis in TB and HIV endemic settings and the contribution of real time PCR for *M. tuberculosis* in bronchoalveolar lavage fluid. *Trop Med Int Health* 2007 ; 12 : 1210-7. PMID : 17956503
11. Azoulay E, et al. Polymerase chain reaction for diagnosing pneumocystis pneumonia in non-HIV immunocompromised patients with pulmonary infiltrates. *Chest* 2009 ; 135 : 655-61. PMID : 19265086
12. Leonard C, et al. Bronchoscopic diagnosis of sarcoidosis. *Eur Respir J* 1997 ; 10 : 2722-4. PMID : 9493650
13. Milman N, et al. Transbronchial lung biopsy through the fibre optic bronchoscope. Results and complications in 452 examinations. *Respir Med* 1994 ; 88 : 749-53. PMID : 7846336
14. Wells AU. The clinical utility of bronchoalveolar lavage in diffuse parenchymal lung disease. *Eur Respir Rev* 2010 ; 19 : 237-41. PMID : 20956199
15. Cordasco EM Jr, et al. Bronchoscopically induced bleeding. A summary of nine years' Cleveland clinic experience and review of the literature. *Chest* 1991 ; 100 : 1141-7. PMID : 1914575
16. Steinberg KP, et al. Safety of bronchoalveolar lavage in patients with adult respiratory distress syndrome. *Am Rev Respir Dis* 1993 ; 148 : 556-61. PMID : 8368623