

内分泌

第1章 集中治療における血糖管理の重要性

○ 参照文献

1. Robinson LE, et al. Insulin resistance and hyperglycemia in critical illness : role of insulin in glycemic control. AACN Clin Issues 2004 ; 15 : 45-62. PMID : 14767364
2. McCowen KC, et al. Stress-induced hyperglycemia. Crit Care Clin 2001 ; 17 : 107-24. PMID : 11219223
3. Jacobi J, et al. Guidelines for the use of an insulin infusion for the management of hyperglycemia in critically ill patients. Crit Care Med 2012 ; 40 : 3251-76. PMID : 23164767
4. van den Berghe G, et al. Intensive insulin therapy in critically ill patients. N Engl J Med 2001 ; 345 : 1359-67. PMID : 11794168
5. Finfer S, et al. Intensive versus conventional glucose control in critically ill patients. N Engl J Med 2009 ; 360 : 1283-97. PMID : 19318384
6. Griesdale DE, et al. Intensive insulin therapy and mortality among critically ill patients : a meta-analysis including NICE-SUGAR study data. CMAJ 2009 ; 180 : 821-7. PMID : 19318387
7. Meyfroidt G, et al. Dynamic characteristics of blood glucose time series during the course of critical illness : effects of intensive insulin therapy and relative association with mortality. Crit Care Med 2010 ; 38 : 1021-9. PMID : 20124887
8. Kanji S, et al. Reliability of point-of-care testing for glucose measurement in critically ill adults. Crit Care Med 2005 ; 33 : 2778-85. PMID : 16352960
9. Mowat A, et al. Chemotaxis of polymorphonuclear leukocytes from patients with diabetes mellitus. N Engl J Med 1971 ; 284 : 621-7. PMID : 5545603
10. Mizock BA. Alterations in carbohydrate metabolism during stress : a review of the literature. Am J Med 1995 ; 98 : 75-84. PMID : 7825623
11. Egi M, et al. Glycemic control in the ICU. Chest 2011 ; 140 : 212-20. PMID : 21729892
12. Malmberg K, et al. Randomized trial of insulin-glucose infusion followed by subcutaneous insulin treatment in diabetic patients with acute myocardial infarction (DIGAMI study) : effects on mortality at 1 year. J Am Coll Cardiol 1995 ; 26 : 57-65. PMID : 7797776
13. Malmberg K. Prospective randomised study of intensive insulin treatment on long term survival after acute myocardial infarction in patients with diabetes mellitus. DIGAMI (Diabetes Mellitus, Insulin Glucose Infusion in Acute Myocardial Infarction) Study Group. BMJ 1997 ; 314 : 1512-5. PMID : 9169397
14. Aberegg SK. Intensive insulin therapy in the medical ICU. N Engl J Med 2006 ; 354 : 2069-71. PMID : 16696141
15. Van den Berghe G, et al. Intensive insulin therapy in mixed medical/surgical intensive care units : benefit versus harm. Diabetes 2006 ; 55 : 3151-9. PMID : 17065355
16. Qaseem A, et al. Use of intensive insulin therapy for the management of glycemic control in hospital-

- ized patients : a clinical practice guideline from the American College of Physicians. *Ann Intern Med* 2011 ; 154 : 260-7. PMID : 21320941
17. Adams HP Jr, et al. Guidelines for the early management of adults with ischemic stroke : a guideline from the American Heart Association/American Stroke Association Stroke Council, Clinical Cardiology Council, Cardiovascular Radiology and Intervention Council, and the Atherosclerotic Peripheral Vascular Disease and Quality of Care Outcomes in Research Interdisciplinary Working Groups : the American Academy of Neurology affirms the value of this guideline as an educational tool for neurologists. *Stroke* 2007 ; 38 : 1655-711. PMID : 17431204
18. Moghissi ES, et al. American Association of Clinical Endocrinologists and American Diabetes Association consensus statement on inpatient glycemic control. *Diabetes Care* 2009 ; 32 : 1119-31. PMID : 19429873
19. Anderson JL, et al. 2012 ACCF/AHA focused update incorporated into the ACCF/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-elevation myocardial infarction : a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *J Am Coll Cardiol* 2013 ; 61 : e179-347. PMID : 23639841
20. Dellinger RP, et al. Surviving sepsis campaign : international guidelines for management of severe sepsis and septic shock : 2012. *Crit Care Med* 2013 ; 41 : 580-637. PMID : 23353941
21. der Voort PH, et al. Intravenous glucose intake independently related to intensive care unit and hospital mortality : an argument for glucose toxicity in critically ill patients. *Clin Endocrinol (Oxf)* 2006 ; 64 : 141-5. PMID : 16430711
22. Marik PE, et al. Toward understanding tight glycemic control in the ICU : a systematic review and metaanalysis. *Chest* 2010 ; 137 : 544-51. PMID : 20018803
23. Peter JV, et al. A metaanalysis of treatment outcomes of early enteral versus early parenteral nutrition in hospitalized patients. *Crit Care Med* 2005 ; 33 : 213-20. PMID : 15644672
24. Casaer MP, et al. Early versus late parenteral nutrition in critically ill adults. *N Engl J Med* 2011 ; 365 : 506-17. PMID : 21714640
25. Sung J, et al. Admission hyperglycemia is predictive of outcome in critically ill trauma patients. *J Trauma* 2005 ; 59 : 80-3. PMID : 16096543
26. Rovlias A, et al. The influence of hyperglycemia on neurological outcome in patients with severe head injury. *Neurosurgery* 2000 ; 46 : 335-42. PMID : 10690722
27. Krinsley JS. Association between hyperglycemia and increased hospital mortality in a heterogeneous population of critically ill patients. *Mayo Clin Proc* 2003 ; 78 : 1471-8. PMID : 14661676
28. Falciglia M, et al. Hyperglycemia-related mortality in critically ill patients varies with admission diagnosis. *Crit Care Med* 2009 ; 37 : 3001-9. PMID : 19661802
29. Finfer S, et al. Hypoglycemia and risk of death in critically ill patients. *N Engl J Med* 2012 ; 367 : 1108-18. PMID : 22992074
30. Preiser JC, et al. A prospective randomised multi-centre controlled trial on tight glucose control by intensive insulin therapy in adult intensive care units : the Glucontrol study. *Intensive Care Med* 2009 ; 35 : 1738-48. PMID : 19636533
31. Hermanides J, et al. Hypoglycemia is associated with intensive care unit mortality. *Crit Care Med* 2010 ; 38 : 1430-4. PMID : 20386307
32. Gerstein HC, et al. Effects of intensive glucose lowering in type 2 diabetes. *N Engl J Med* 2008 ; 358 : 2545-59. PMID : 18539917
33. Arabi YM, et al. Intensive versus conventional insulin therapy : a randomized controlled trial in medical and surgical critically ill patients. *Crit Care Med* 2008 ; 36 : 3190-7. PMID : 18936702
34. Krinsley JS, et al. Severe hypoglycemia in critically ill patients : risk factors and outcomes. *Crit Care*

- Med 2007; 35: 2262-7. PMID : 17717490
35. Hoedemaekers CW, et al. Accuracy of bedside glucose measurement from three glucometers in critically ill patients. Crit Care Med 2008; 36: 3062-6. PMID : 18824915
36. D'Orazio P, et al. Approved IFCC recommendation on reporting results for blood glucose (abbreviated). Clin Chem 2005; 51: 1573-6. PMID : 16120945
37. Dungan K, et al. Glucose measurement: confounding issues in setting targets for inpatient management. Diabetes Care 2007; 30: 403-9. PMID : 17259520
38. Tang Z, et al. Oxygen effects on glucose measurements with a reference analyzer and three handheld meters. Diabetes Technol Ther 2000; 2: 349-62. PMID : 11467337
39. Kilpatrick ES, et al. Variations in sample pH and pO₂ affect ExacTech meter glucose measurements. Diabet Med 1994; 11: 506-9. PMID : 8088132
40. Dellinger RP, et al. Surviving Sepsis Campaign: international guidelines for management of severe sepsis and septic shock: 2008. Crit Care Med 2008; 36: 296-327. PMID : 18158437
41. Watts NB, et al. Postoperative management of diabetes mellitus: steady-state glucose control with bedside algorithm for insulin adjustment. Diabetes Care 1987; 10: 722-8. PMID : 3322729
42. Salpeter SR, et al. Risk of fatal and nonfatal lactic acidosis with metformin use in type 2 diabetes mellitus. Cochrane Database Syst Rev 2010; (4) : CD002967. PMID : 20393934
43. Hirsch IB, et al. Role of insulin in management of surgical patients with diabetes mellitus. Diabetes Care 1990; 13: 980-91. PMID : 2226112
44. Langouche L, et al. Therapy insight: the effect of tight glycemic control in acute illness. Nat Clin Pract Endocrinol Metab 2007; 3: 270-8. PMID : 17315035

第2章 重症疾患の副腎機能への影響

○ 参照文献

1. Marik PE. Critical illness-related corticosteroid insufficiency. Chest 2009; 135: 181-93. PMID : 19136406
2. Dunn JF, et al. Transport of steroid hormones: binding of 21 endogenous steroids to both testosterone-binding globulin and corticosteroid-binding globulin in human plasma. J Clin Endocrinol Metab 1981; 53: 58-68. PMID : 7195404
3. Dimopoulou I, et al. Pituitary-adrenal responses to human corticotropin-releasing hormone in critically ill patients. Intensive Care Med 2007; 33: 454-9. PMID : 17186287
4. Cooper MS, et al. Corticosteroid insufficiency in acutely ill patients. N Engl J Med 2003; 348: 727-34. PMID : 12594318
5. Annane D, et al. Diagnosis of adrenal insufficiency in severe sepsis and septic shock. Am J Respir Crit Care Med 2006; 174: 1319-26. PMID : 16973979
6. Marik PE. Critical illness-related corticosteroid insufficiency. Chest 2009; 135: 181-93. PMID : 19136406
7. Marik PE, et al. Recommendations for the diagnosis and management of corticosteroid insufficiency in critically ill adult patients: consensus statements from an international task force by the American College of Critical Care Medicine. Crit Care Med 2008; 36: 1937-49. PMID : 18496365
8. Marik PE, et al. Adrenal insufficiency during septic shock. Crit Care Med 2003; 31: 141-5. PMID : 12545007
9. Marik PE, et al. Adrenal insufficiency in the critically ill: a new look at an old problem. Chest 2002; 122: 1784-96. PMID : 12426284
10. Cohen J, et al. Variability of cortisol assays can confound the diagnosis of adrenal insufficiency in the critically ill population. Intensive Care Med 2006; 32: 1901-5. PMID : 17019540

11. Annane D, et al. Effect of treatment with low doses of hydrocortisone and fludrocortisone on mortality in patients with septic shock. *JAMA* 2002; 288: 862-71. PMID : 12186604
12. Sprung CL, et al. Hydrocortisone therapy for patients with septic shock. *N Engl J Med* 2008; 358: 111-24. PMID : 18184957
13. Keh D, et al. Effect of hydrocortisone on development of shock among patients with severe sepsis: The HYPRESS randomized clinical trial. *JAMA* 2016; 316: 1775-85. PMID : 27695824
14. Venkatesh B, et al. The ADRENAL study protocol: adjunctive corticosteroid treatment in critically ill patients with septic shock. *Crit Care Resusc* 2013; 15: 83-8. PMID : 23931038
15. Dellinger RP, et al. Surviving sepsis campaign: international guidelines for management of severe sepsis and septic shock: 2012. *Crit Care Med* 2013; 41: 580-637. PMID : 23353941
16. Annane D, et al. Corticosteroids for treating sepsis. *Cochrane Database Syst Rev* 2015; (12): CD002243. PMID : 26633262
17. Kelly KN, et al. Perioperative stress-dose steroids. *Clin Colon Rectal Surg* 2013; 26: 163-7. PMID : 24436668
18. Annane D, et al. Guidelines for the diagnosis and management of critical illness-related corticosteroid insufficiency (CIRCI) in critically ill patients (Part I): Society of Critical Care Medicine (SCCM) and European Society of Intensive Care Medicine (ESICM) 2017. *Intensive Care Med* 2017; 43: 1751-63. PMID : 28940011
19. Annane D, et al. Corticosteroids in the treatment of severe sepsis and septic shock in adults: a systematic review. *JAMA* 2009; 301: 2362-75. PMID : 19509383
20. Wang C, et al. Low-dose hydrocortisone therapy attenuates septic shock in adult patients but does not reduce 28-day mortality: a meta-analysis of randomized controlled trials. *Anesth Analg* 2014; 118: 346-57. PMID : 24445635
21. Loisa P, et al. Effect of mode of hydrocortisone administration on glycemic control in patients with septic shock: a prospective randomized trial. *Crit Care* 2007; 11: R21. PMID : 17306016

第3章 重症疾患の甲状腺への影響

● 参照文献

1. Ligtenberg JJ, et al. Hormones in the critically ill patient: to intervene or not to intervene? *Intensive Care Med* 2001; 27: 1567-77. PMID : 11685296
2. Nylen ES, et al. Endocrine changes in critical illness. *J Intensive Care Med* 2004; 19: 67-82. PMID : 15070518
3. Economidou F, et al. Thyroid function during critical illness. *Hormones (Athens)* 2011; 10: 117-24. PMID : 21724536
4. Stockigt JR. Guidelines for diagnosis and monitoring of thyroid disease: nonthyroidal illness. *Clin Chem* 1996; 42: 188-92. PMID : 8565225
5. Slag MF, et al. Hypothyroxinemia in critically ill patients as a predictor of high mortality. *JAMA* 1981; 245: 43-5. PMID : 7431627
6. Economidou F, et al. Thyroid function during critical illness. *Hormones (Athens)* 2011; 10: 117-24. PMID : 21724536
7. Cooper DS, et al. Dopaminergic modulation of TSH and its subunits: *in vivo* and *in vitro* studies. *Clin Endocrinol (Oxf)* 1983; 18: 265-75. PMID : 6190590
8. Agner T, et al. Increased dopaminergic activity inhibits basal and metoclopramide-stimulated prolactin and thyrotropin secretion. *J Clin Endocrinol Metab* 1986; 62: 778-82. PMID : 3949956
9. Dagan A, et al. Hypothyroidism in children with steroid-resistant nephrotic syndrome. *Nephrol Dial Transplant* 2012; 27: 2171-5. PMID : 22167590

10. Chopra IJ, et al. Opposite effects of dexamethasone on serum concentrations of 3,3',5'-triiodothyronine (reverse T3) and 3,3'5'-triiodothyronine (T3). *J Clin Endocrinol Metab* 1975; 41: 911-20.
PMID : 1242390
11. Economidou F, et al. Thyroid function during critical illness. *Hormones (Athens)* 2011; 10: 117-24.
PMID : 21724536
12. Brabant G, et al. Circadian and pulsatile thyrotropin secretion in euthyroid man under the influence of thyroid hormone and glucocorticoid administration. *J Clin Endocrinol Metab* 1987; 65: 83-8.
PMID : 3584402
13. Docter R, et al. The sick euthyroid syndrome : changes in thyroid hormone serum parameters and hormone metabolism. *Clin Endocrinol (Oxf)* 1993; 39: 499-518.
PMID : 8252737
14. Ross DS, et al. Elevated thyroxine levels due to increased thyroxine-binding globulin in acute hepatitis. *Am J Med* 1983; 74: 564-9.
PMID : 6404165
15. De Groot LJ. Non-thyroidal illness syndrome is a manifestation of hypothalamic-pituitary dysfunction, and in view of current evidence, should be treated with appropriate replacement therapies. *Crit Care Clin* 2006; 22: 57-86, vi.
PMID : 16399020
16. Karger S, et al. [Thyroid storm — thyrotoxic crisis : an update]. [Article in German] *Dtsch Med Wochenschr* 2008; 133: 479-84.
PMID : 18302101
17. Akamizu T, et al. Diagnostic criteria, clinical features, and incidence of thyroid storm based on nationwide surveys. *Thyroid* 2012; 22: 661-79.
PMID : 22690898
18. Nayak B, et al. Thyrotoxicosis and thyroid storm. *Endocrinol Metab Clin North Am* 2006; 35: 663-86, vii.
PMID : 17127140
19. Davis PJ, et al. Hypothyroidism in the elderly. *Compr Ther* 1984; 10: 17-23.
PMID : 6426851
20. Bailes BK. Hypothyroidism in elderly patients. *AORN J* 1999; 69: 1026-30.
PMID : 10332556
21. Wall CR. Myxedema coma : diagnosis and treatment. *Am Fam Physician* 2000; 62: 2485-90.
PMID : 11130234
22. Jordan RM. Myxedema coma. Pathophysiology, therapy, and factors affecting prognosis. *Med Clin North Am* 1995; 79: 185-94.
PMID : 7808091
23. Dutta P, et al. Predictors of outcome in myxoedema coma : a study from a tertiary care centre. *Crit Care* 2008; 12: R1.
PMID : 18173846
24. Wartofsky L. Myxedema coma. *Endocrinol Metab Clin North Am* 2006; 35: 687-98, vii-viii.
PMID : 17127141