

予防

第1章 人工呼吸器関連肺炎(VAP)予防

● 参照文献

- Kalil AC, et al. Management of Adults with hospital-acquired and ventilator-associated pneumonia: 2016 Clinical Practice Guidelines by the Infectious Diseases Society of America and the American Thoracic Society. *Clin Infect Dis* 2016; 63:e61-e111. PMID : 27418577
- Pneumatiros IA, et al. Ventilator-associated pneumonia or endotracheal tube-associated pneumonia? An approach to the pathogenesis and preventive strategies emphasizing the importance of endotracheal tube. *Anesthesiology* 2009; 110:673-80. PMID : 19212256
- Zolfaghari PS, et al. The tracheal tube: gateway to ventilator-associated pneumonia. *Crit Care* 2011; 15:310. PMID : 21996487
- American Thoracic Society; Infectious Diseases Society of America. Guidelines for the management of adults with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia. *Am J Respir Crit Care Med* 2005; 171:388-416. PMID : 15699079
- Chastre J, et al. State of the art ventilator-associated pneumonia. *Am J Respir Crit Care Med* 2002; 165:867-903. PMID : 11934711
- Institute for Healthcare Improvement. Implement the IHI Ventilator Bundle.<<http://www.ihi.org/resources/Pages/Changes/ImplementtheVentilatorBundle.aspx>>
- O'Grady NP, et al. Preventing ventilator-associated pneumonia: does the evidence support the practice? *JAMA* 2012; 307:2534-9. PMID : 22797453
- 日本集中治療医学会ほか. 人工呼吸器関連肺炎予防バンドル 2010 改訂版(略:VAP バンドル).<<http://www.jsicm.org/pdf/2010VAP.pdf>>
- Klompas M, et al. Strategies to prevent ventilator-associated pneumonia in acute care hospitals: 2014 update. *Infect Control Hosp Epidemiol* 2014; 35:915-36. PMID : 25026607
- Guyatt GH, et al. GRADE: an emerging consensus on rating quality of evidence and strength of recommendations. *BMJ* 2008; 336:924-6. PMID : 18436948
- Hess DR. Noninvasive positive-pressure ventilation and ventilator-associated pneumonia. *Respir Care*. 2005; 50:924-9; discussion 929-31. PMID : 15972113
- Strøm T, et al. A protocol of no sedation for critically ill patients receiving mechanical ventilation: a randomised trial. *Lancet* 2010; 375:475-80. PMID : 20116842
- Barr J, et al. Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit: executive summary. *Am J Health Syst Pharm* 2013; 70:53-8. PMID : 23261901
- Kress JP, et al. Daily interruption of sedative infusions in critically ill patients undergoing mechanical ventilation. *N Engl J Med* 2000; 342:1471-7.

15. Ely EW, et al. Effect on the duration of mechanical ventilation of identifying patients capable of breathing spontaneously. *N Engl J Med* 1996; 335: 1864-9. PMID : 8948561
16. Schweickert WD, et al. Early physical and occupational therapy in mechanically ventilated, critically ill patients : a randomised controlled trial. *Lancet* 2009; 373: 1874-82. PMID : 19446324
17. Muscedere J, et al. Subglottic secretion drainage for the prevention of ventilator-associated pneumonia : a systematic review and meta-analysis. *Crit Care Med* 2011; 39: 1985-91. PMID : 21478738
18. Drakulovic MB, et al. Supine body position as a risk factor for nosocomial pneumonia in mechanically ventilated patients : a randomised trial. *Lancet* 1999; 354: 1851-8. PMID : 10584721
19. van Nieuwenhoven CA, et al. Feasibility and effects of the semirecumbent position to prevent ventilator-associated pneumonia : a randomized study. *Crit Care Med* 2006; 34: 396-402. PMID : 16424720
20. Keeley L. Reducing the risk of ventilator-acquired pneumonia through head of bed elevation. *Nurs Crit Care* 2007; 12: 287-94. PMID : 17983363
21. Wang L, et al. Semi-recumbent position versus supine position for the prevention of ventilator-associated pneumonia in adults requiring mechanical ventilation. *Cochrane Database Syst Rev* 2016; (1) : CD009946. PMID : 26743945
22. Lorente L, et al. Periodically changing ventilator circuits is not necessary to prevent ventilator-associated pneumonia when a heat and moisture exchanger is used. *Infect Control Hosp Epidemiol* 2004; 25: 1077-82. PMID : 15636296
23. de Smet AM, et al. Decontamination of the digestive tract and oropharynx in ICU patients. *N Engl J Med* 2009; 360: 20-31. PMID : 19118302
24. Liberati A, et al. Antibiotic prophylaxis to reduce respiratory tract infections and mortality in adults receiving intensive care. *Cochrane database Syst Rev* 2009; (4) : CD000022. PMID : 19821262
25. Chan EY, et al. Oral decontamination for prevention of pneumonia in mechanically ventilated adults : systematic review and meta-analysis. *BMJ* 2007; 334: 889. PMID : 17387118
26. Klompas M, et al. Reappraisal of routine oral care with chlorhexidine gluconate for patients receiving mechanical ventilation : systematic review and meta-analysis. *JAMA Intern Med* 2014; 174: 751-61. PMID : 24663255
27. Silvestri L, et al. Probiotics do not significantly reduce nosocomial pneumonia. *Crit Care* 2012; 16: 453. PMID : 23140474
28. Petrof EO, et al. Probiotics in the critically ill : a systematic review of the randomized trial evidence. *Crit Care Med* 2012; 40: 3290-302. PMID : 22975886
29. Barraud D, et al. Impact of the administration of probiotics on mortality in critically ill adult patients : a meta-analysis of randomized controlled trials. *Chest* 2013; 143: 646-55. PMID : 23460153
30. Poelaert J, et al. Polyurethane cuffed endotracheal tubes to prevent early postoperative pneumonia after cardiac surgery : a pilot study. *J Thorac Cardiovasc Surg* 2008; 135: 771-6. PMID : 18374755
31. Lorente L, et al. Influence of an endotracheal tube with polyurethane cuff and subglottic secretion drainage on pneumonia. *Am J Respir Crit Care Med* 2007; 176: 1079-83. PMID : 17872488
32. Philipart F, et al. Randomized intubation with polyurethane or conical cuffs to prevent pneumonia in ventilated patients. *Am J Respir Crit Care Med* 2015; 191: 637-45. PMID : 25584431
33. Nseir S, et al. Continuous control of tracheal cuff pressure and microaspiration of gastric contents in critically ill patients. *Am J Respir Crit Care Med* 2011; 184: 1041-7. PMID : 21836137
34. Valencia M, et al. Automatic control of tracheal tube cuff pressure in ventilated patients in semirecumbent position : a randomized trial. *Crit Care Med* 2007; 35: 1543-9. PMID : 17452937
35. Caruso P, et al. Saline instillation before tracheal suctioning decreases the incidence of ventilator-associated pneumonia. *Crit Care Med* 2009; 37: 32-8. PMID : 19050607
36. Branson RD. Secretion management in the mechanically ventilated patient. *Respir Care* 2007; 52 :

- 1328–42 ; discussion 1342–7. PMID : 17894902
37. Yao LY, et al. Brushing teeth with purified water to reduce ventilator-associated pneumonia. *J Nurs Res* 2011 ; 19 : 289–97. PMID : 22089654
38. Alhazzani W, et al. Toothbrushing for critically ill mechanically ventilated patients : a systematic review and meta-analysis of randomized trials evaluating ventilator-associated pneumonia. *Crit Care Med* 2013 ; 41 : 646–55. PMID : 23263588
39. Kollef MH, et al. Silver-coated endotracheal tubes and incidence of ventilator-associated pneumonia : the NASCENT randomized trial. *JAMA* 2008 ; 300 : 805–13. PMID : 18714060
40. Tokmaji G, et al. Silver-coated endotracheal tubes for prevention of ventilator-associated pneumonia in critically ill patients. *Cochrane Database Syst Rev* 2015 ; (8) : CD009201. PMID : 26266942
41. Delaney A, et al. Kinetic bed therapy to prevent nosocomial pneumonia in mechanically ventilated patients : a systematic review and meta-analysis. *Crit Care* 2006 ; 10 : R70. PMID : 16684365
42. Alexiou VG, et al. Impact of patient position on the incidence of ventilator-associated pneumonia : a meta-analysis of randomized controlled trials. *J Crit Care* 2009 ; 24 : 515–22. PMID : 19327314
43. Marik PE, et al. Stress ulcer prophylaxis in the new millennium : a systematic review and meta-analysis. *Crit Care Med* 2010 ; 38 : 2222–8. PMID : 20711074
44. Wang F, et al. The timing of tracheotomy in critically ill patients undergoing mechanical ventilation : A systematic review and meta-analysis of randomized controlled trials. *Chest* 2011 ; 140 : 1456–65. PMID : 21940770
45. Hosokawa K, et al. Timing of tracheotomy in ICU patients : a systematic review of randomized controlled trials. *Crit Care* 2015 ; 19 : 424. PMID : 26635016
46. Reignier J, et al. Effect of not monitoring residual gastric volume on risk of ventilator-associated pneumonia in adults receiving mechanical ventilation and early enteral feeding : a randomized controlled trial. *JAMA* 2013 ; 309 : 249–56. PMID : 23321763
47. Casaer MP, et al. Early versus late parenteral nutrition in critically ill adults. *N Engl J Med* 2011 ; 365 : 506–17. PMID : 21714640
48. Vonberg RP, et al. Impact of the suctioning system (open vs. closed) on the incidence of ventilation-associated pneumonia : Meta-analysis of randomized controlled trials. *Intensive Care Med* 2006 ; 32 : 1329–35. PMID : 16788806
49. Jongerden IP, et al. Open and closed endotracheal suction systems in mechanically ventilated intensive care patients : a meta-analysis. *Crit Care Med* 2007 ; 35 : 260–70. PMID : 17133187
50. Siempes II, et al. Closed tracheal suction systems for prevention of ventilator-associated pneumonia. *Br J Anaesth* 2008 ; 100 : 299–306. PMID : 18250225
51. Cobley M, et al. Environmental contamination during tracheal suction. A comparison of disposable conventional catheters with a multiple-use closed system device. *Anaesthesia* 1991 ; 46 : 957–61. PMID : 1750600

第2章 静脈血栓塞栓症 (VTE) 予防

● 参照文献

1. Famularo G, et al. Prophylaxis for thromboembolism in hospitalized medical patients. *N Engl J Med* 2007 ; 357 : 305 ; author reply 305–6. PMID : 17644834
2. Nakamura M, et al. Clinical characteristics of acute pulmonary thromboembolism in Japan : results of a multicenter registry in the Japanese Society of Pulmonary Embolism Research. *Clin Cardiol* 2001 ; 24 : 132–8. PMID : 11214743
3. Kumar S, et al. Medical complications after stroke. *Lancet Neurol* 2010 ; 9 : 105–18. PMID : 20083041
4. Lederle FA, et al. Venous thromboembolism prophylaxis in hospitalized medical patients and those

- with stroke : a background review for an American College of Physicians Clinical Practice Guideline. Ann Intern Med 2011 ; 155 : 602–15. PMID : 22041949
5. Kytle PA, et al. Is Virchow's triad complete? Blood 2009 ; 114 : 1138–9. PMID : 19661277
6. Geerts WH, et al. Prevention of venous thromboembolism : American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th ed.). Chest 2008 ; 133 (6 Suppl) : 381S–453S. PMID : 18574271
7. Kahn SR, et al. Prevention of VTE in nonsurgical patients : Antithrombotic Therapy and Prevention of Thrombosis, 9th ed : American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. Chest 2012 ; 141 (2 Suppl) : e195S–226S. PMID : 22315261
8. Barbar S, et al. A risk assessment model for the identification of hospitalized medical patients at risk for venous thromboembolism : the Padua Prediction Score. J Thromb Haemost 2010 ; 8 : 2450–7. PMID : 20738765
9. Dentali F, et al. Meta-analysis : anticoagulant prophylaxis to prevent symptomatic venous thromboembolism in hospitalized medical patients. Ann Intern Med 2007 ; 146 : 278–88. PMID : 17310052
10. Decousus H, et al. Factors at admission associated with bleeding risk in medical patients : findings from the IMPROVE investigators. Chest 2011 ; 139 : 69–79. PMID : 20453069
11. 伊藤正明ほか. 肺血栓塞栓症および深部静脈血栓症の診断、治療、予防に関するガイドライン（2017年改訂版）.<http://www.j-circ.or.jp/guideline/pdf/JCS2017_ito_h.pdf>
12. Cohen AT, et al. Efficacy and safety of fondaparinux for the prevention of venous thromboembolism in older acute medical patients : randomised placebo controlled trial. BMJ 2006 ; 332 : 325–9. PMID : 16439370
13. Caprini JA. Mechanical methods for thrombosis prophylaxis. Clin Appl Thromb Hemost 2010 ; 16 : 668–73. PMID : 19850588
14. Sherman DG, et al. The efficacy and safety of enoxaparin versus unfractionated heparin for the prevention of venous thromboembolism after acute ischaemic stroke (PREVAIL Study) : an open-label randomised comparison. Lancet 2007 ; 369 : 1347–55. PMID : 17448820
15. King CS, et al. Twice vs three times daily heparin dosing for thromboembolism prophylaxis in the general medical population : A metaanalysis. Chest 2007 ; 131 : 507–16. PMID : 17296655

第3章 ストレス潰瘍予防

● 参照文献

- Cook DJ. Stress ulcer prophylaxis : gastrointestinal bleeding and nosocomial pneumonia. Best evidence synthesis. Scand J Gastroenterol Suppl 1995 ; 210 : 48–52. PMID : 8578207
- Mutlu GM, et al. GI complications in patients receiving mechanical ventilation. Chest 2001 ; 119 : 1222–41. PMID : 11296191
- Bowen JC, et al. Increased gastrin release following penetrating central nervous system injury. Surgery 1974 ; 75 : 720–4. PMID : 4856812
- Stremple JF, et al. Posttraumatic gastric bleeding : prospective gastric secretion composition. Arch Surg 1972 ; 105 : 177–85. PMID : 5044543
- Ritchie WP Jr. Role of bile acid reflux in acute hemorrhagic gastritis. World J Surg 1981 ; 5 : 189–98. PMID : 6972675
- Schindlbeck NE, et al. Intragastric bile acid concentrations in critically ill, artificially ventilated patients. Am J Gastroenterol 1989 ; 84 : 624–8. PMID : 2499186
- Navab F, et al. Stress ulcer : is routine prophylaxis necessary? Am J Gastroenterol 1995 ; 90 : 708–12. PMID : 7733073
- Geus WP, et al. Prevention of stress ulcer bleeding : a review. Scand J Gastroenterol Suppl 1990 ; 178 :

- 32–41. PMID : 2277967
9. Cook DJ, et al. Risk factors for gastrointestinal bleeding in critically ill patients. Canadian Critical Care Trials Group. *N Engl J Med* 1994 ; 330 : 377–81. PMID : 8284001
10. Shuman RB, et al. Prophylactic therapy for stress ulcer bleeding : a reappraisal. *Ann Intern Med* 1987 ; 106 : 562–7. PMID : 3548524
11. Martin LF, et al. Stress ulcers and organ failure in intubated patients in surgical intensive care units. *Ann Surg* 1992 ; 215 : 332–7. PMID : 1558413
12. Hatton J, et al. A step-wise protocol for stress ulcer prophylaxis in the neurosurgical intensive care unit. *Surg Neurol* 1996 ; 46 : 493–9. PMID : 8874553
13. McBride DQ, et al. Intensive care of patients with spinal trauma. *Neurosurg Clin N Am* 1994 ; 5 : 755–66. PMID : 7827483
14. ASHP therapeutic guidelines on stress ulcer prophylaxis. ASHP Commission on Therapeutics and approved by the ASHP Board of Directors on November 14, 1998. *Am J Health Syst Pharm* 1999 ; 56 : 347–79. PMID : 10690219
15. Cook D, et al. A comparison of sucralfate and ranitidine for the prevention of upper gastrointestinal bleeding in patients requiring mechanical ventilation. Canadian Critical Care Trials Group. *N Engl J Med* 1998 ; 338 : 791–7. PMID : 9504939
16. Alhazzani W, et al. Proton pump inhibitors versus histamine 2 receptor antagonists for stress ulcer prophylaxis in critically ill patients : a systematic review and meta-analysis. *Crit Care Med* 2013 ; 41 : 693–705. PMID : 23318494
17. Prod'hom G, et al. Nosocomial pneumonia in mechanically ventilated patients receiving antacid, ranitidine, or sucralfate as prophylaxis for stress ulcer. A randomized controlled trial. *Ann Intern Med* 1994 ; 120 : 653–62. PMID : 8135449
18. Bonten MJ, et al. Role of colonization of the upper intestinal tract in the pathogenesis of ventilator-associated pneumonia. *Clin Infect Dis* 1997 ; 24 : 309–19. PMID : 9114178
19. Leonard J, et al. Systematic review of the risk of enteric infection in patients taking acid suppression. *Am J Gastroenterol* 2007 ; 102 : 2047–56 ; quiz 2057. PMID : 17509031

第4章 カテーテル関連尿路感染症(CA-UTI)予防

○ 参照文献

1. Gould CV, et al. Guideline for prevention of catheter-associated urinary tract infections 2009. *Infect Control Hosp Epidemiol* 2010 ; 31 : 319–26. PMID : 20156062
2. Warren JW, et al. Antibiotic irrigation and catheter-associated urinary-tract infections. *N Engl J Med* 1978 ; 299 : 570–3. PMID : 210379
3. Haley RW, et al. Nosocomial infections in U.S. hospitals, 1975–1976 : estimated frequency by selected characteristics of patients. *Am J Med* 1981 ; 70 : 947–59. PMID : 6938129
4. Tambyah PA, et al. Catheter-associated urinary tract infection is rarely symptomatic : a prospective study of 1,497 catheterized patients. *Arch Intern Med* 2000 ; 160 : 678–82. PMID : 10724054
5. Saint S. Clinical and economic consequences of nosocomial catheter-related bacteriuria. *Am J Infect Control* 2000 ; 28 : 68–75. PMID : 10679141
6. Leuck AM, et al. Complications of Foley catheters — is infection the greatest risk? *J Urol* 2012 ; 187 : 1662–6. PMID : 22425122
7. Riley DK, et al. A large randomized clinical trial of a silver-impregnated urinary catheter : lack of efficacy and staphylococcal superinfection. *Am J Med* 1995 ; 98 : 349–56. PMID : 7709947
8. Lo E, et al. Strategies to prevent catheter-associated urinary tract infections in acute care hospitals : 2014 update. *Infect Control Hosp Epidemiol* 2014 ; 35 : 464–79. PMID : 24709715

9. Platt R, et al. Risk factors for nosocomial urinary tract infection. *Am J Epidemiol* 1986; 124: 977-85.
PMID : 3776980
10. Wald HL, et al. Indwelling urinary catheter use in the postoperative period: analysis of the national surgical infection prevention project data. *Arch Surg* 2008; 143: 551-7.
PMID : 18559747
11. Kunin CM, et al. Prevention of catheter-induced urinary-tract infections by sterile closed drainage. *N Engl J Med* 1966; 274: 1155-61.
PMID : 5934951
12. Kass EH, et al. Entry of bacteria into the urinary tracts of patients with inlying catheters. *N Engl J Med* 1957; 256: 556-7.
PMID : 13419041
13. Garibaldi RA, et al. Meatal colonization and catheter-associated bacteriuria. *N Engl J Med* 1980; 303: 316-8.
PMID : 6991947
14. Garibaldi RA, et al. Factors predisposing to bacteriuria during indwelling urethral catheterization. *N Engl J Med* 1974; 291: 215-9.
PMID : 4834750
15. Nickel JC, et al. Bacterial biofilms: influence on the pathogenesis, diagnosis and treatment of urinary tract infections. *J Antimicrob Chemother* 1994; 33 Suppl A: 31-41.
PMID : 7928835
16. Tambyah PA, et al. A prospective study of pathogenesis of catheter-associated urinary tract infections. *Mayo Clin Proc* 1999; 74: 131-6.
PMID : 10069349
17. Sievert DM, et al. Antimicrobial-resistant pathogens associated with healthcare-associated infections: summary of data reported to the National Healthcare Safety Network at the Centers for Disease Control and Prevention, 2009-2010. *Infect Control Hosp Epidemiol* 2013; 34: 1-14.
PMID : 23221186
18. Hooton TM, et al. Diagnosis, prevention, and treatment of catheter-associated urinary tract infection in adults: 2009 International Clinical Practice Guidelines from the Infectious Diseases Society of America. *Clin Infect Dis* 2010; 50: 625-63.
PMID : 20175247
19. Nicolle LE. Urinary catheter-associated infections. *Infect Dis Clin North Am* 2012; 26: 13-27.
PMID : 22284373
20. Tambyah PA, et al. The relationship between pyuria and infection in patients with indwelling urinary catheters: a prospective study of 761 patients. *Arch Intern Med* 2000; 160: 673-7.
PMID : 10724053
21. Shah PS, et al. Controlling antimicrobial use and decreasing microbiological laboratory tests for urinary tract infections in spinal-cord-injury patients with chronic indwelling catheters. *Am J Health Syst Pharm* 2005; 62: 74-7.
PMID : 15658076
22. Peterson J, et al. A double-blind, randomized comparison of levofloxacin 750 mg once-daily for five days with ciprofloxacin 400/500 mg twice-daily for 10 days for the treatment of complicated urinary tract infections and acute pyelonephritis. *Urology* 2008; 71: 17-22.
PMID : 18242357
23. Warren JW, et al. Guidelines for antimicrobial treatment of uncomplicated acute bacterial cystitis and acute pyelonephritis in women. *Infectious Diseases Society of America (IDSA)*. *Clin Infect Dis* 1999; 29: 745-58.
PMID : 10589881
24. Leone M, et al. A randomized trial of catheter change and short course of antibiotics for asymptomatic bacteriuria in catheterized ICU patients. *Intensive Care Med* 2007; 33: 726-9.
PMID : 17294169
25. Warren JW, et al. Cephalexin for susceptible bacteriuria in afebrile, long-term catheterized patients. *JAMA* 1982; 248: 454-8.
PMID : 7045440
26. Gokula RM, et al. Emergency room staff education and use of a urinary catheter indication sheet improves appropriate use of foley catheters. *Am J Infect Control* 2007; 35: 589-93.
PMID : 17980237
27. Schumm K, et al. Types of urethral catheters for management of short-term voiding problems in hospitalised adults. *Cochrane Database Syst Rev* 2008; (2): CD004013.
PMID : 18425896
28. Kass EH. Asymptomatic infections of the urinary tract. *Trans Assoc Am Physicians* 1956; 69: 56-64.
PMID : 13380946
29. Niël-Weise BS, et al. Urinary catheter policies for short-term bladder drainage in adults. *Cochrane*

- Database Syst Rev 2005 ; (3) : CD004203. PMID : 16034924
30. Esclarin De Ruz A, et al. Epidemiology and risk factors for urinary tract infection in patients with spinal cord injury. J Urol 2000 ; 164 : 1285-9. PMID : 10992382
31. Vallejo-Manzur F, et al. Purple urine bag syndrome. Am J Emerg Med 2005 ; 23 : 521-4. PMID : 16032624
32. Ribeiro JP, et al. Case report : purple urine bag syndrome. Crit Care 2004 ; 8 : R137. PMID : 15153241
33. Dealler SF, et al. Enzymatic degradation of urinary indoxyl sulfate by *Providencia stuartii* and *Klebsiella pneumoniae* causes the purple urine bag syndrome. J Clin Microbiol 1988 ; 26 : 2152-6. PMID : 2846640
34. Shiao CC, et al. Purple urine bag syndrome : a community-based study and literature review. Nephrology (Carlton) 2008 ; 13 : 554-9. PMID : 18771468
35. van Iersel M, et al. Purple urine bag syndrome. Neth J Med 2009 ; 67 : 340-1. PMID : 19767663

第5章 手術部位感染(SSI)予防

● 参照文献

1. CDC NHSN. Surveillance for Surgical Site Infection (SSI) Events 2016.<<http://www.cdc.gov/nhsn/acute-care-hospital/ssi/index.html>>
2. Surgical Site Infection (SSI) Toolkit. Activity C : ELC Prevention Collaboratives. 2012.<https://www.cdc.gov/hai/pdfs/toolkits/ssi_toolkit021710SIBT_revised.pdf>
3. Haynes AB, et al. A surgical safety checklist to reduce morbidity and mortality in a global population. N Engl J Med 2009 ; 360 : 491-9. PMID : 19144931
4. Perl TM, et al. Intranasal mupirocin to prevent postoperative *Staphylococcus aureus* infections. N Engl J Med 2002 ; 346 : 1871-7. PMID : 12063371
5. Polk HC Jr, et al. Postoperative wound infection : a prospective study of determinant factors and prevention. Surgery 1969 ; 66 : 97-103. PMID : 4892316
6. Slim K, et al. Meta-analysis of randomized clinical trials of colorectal surgery with or without mechanical bowel preparation. Br J Surg 2004 ; 91 : 1125-30. PMID : 15449262
7. Tanner J, et al. Preoperative hair removal to reduce surgical site infection. Cochrane Database Syst Rev 2006 ; (3) : CD004122. PMID : 16856029
8. Guenaga KF, et al. Mechanical bowel preparation for elective colorectal surgery. Cochrane Database Syst Rev 2005 ; (1) : CD001544. PMID : 15674882
9. Fry DE, et al. The changing face of *Staphylococcus aureus* : a continuing surgical challenge. Surg Infect (Larchmt) 2011 ; 12 : 191-203. PMID : 21812657
10. van Rijen M, et al. Mupirocin ointment for preventing *Staphylococcus aureus* infections in nasal carriers. Cochrane Database Syst Rev 2008 ; CD006216. PMID : 18843708
11. Kallen AJ, et al. Perioperative Intranasal mupirocin for the prevention of surgical-site infections : systematic review of the literature and meta-analysis. Infect Control Hosp Epidemiol 2005 ; 26 : 916-22. PMID : 16417031
12. Schweizer M, et al. Effectiveness of a bundled intervention of decolonization and prophylaxis to decrease Gram positive surgical site infections after cardiac or orthopedic surgery : systematic review and meta-analysis. BMJ 2013 ; 346 : f2743. PMID : 23766464
13. Anderson DJ, et al. Strategies to prevent surgical site infections in acute care hospitals : 2014 update. Infect Control Hosp Epidemiol 2014 ; 35 : 605-27. PMID : 24799638
14. Schweizer ML, et al. Association of a bundled intervention with surgical site infections among patients undergoing cardiac, hip, or knee surgery. JAMA 2015 ; 313 : 2162-71. PMID : 26034956
15. Noto MJ, et al. Chlorhexidine bathing and health care-associated infections : a randomized clinical trial.

- JAMA 2015; 313: 369-78. PMID : 25602496
16. Boonyasiri A, et al. Effectiveness of chlorhexidine wipes for the prevention of multidrug-resistant bacterial colonization and hospital-acquired infections in intensive care unit patients: a randomized trial in Thailand. Infect Control Hosp Epidemiol 2016; 37: 245-53. PMID : 26894621
17. Petrowsky H, et al. Evidence-based value of prophylactic drainage in gastrointestinal surgery: a systematic review and meta-analyses. Ann Surg 2004; 240: 1074-84; discussion 1084-5. PMID : 15570212
18. Melling AC, et al. Effects of preoperative warming on the incidence of wound infection after clean surgery: a randomised controlled trial. Lancet 2001; 358: 876-80. PMID : 11567703
19. Stevens DL, et al. Practice guidelines for the diagnosis and management of skin and soft tissue infections: 2014 update by the infectious diseases society of America. Clin Infect Dis 2014; 59: 147-59. PMID : 24947530
20. Engelman R, et al. The Society of Thoracic Surgeons practice guideline series: Antibiotic prophylaxis in cardiac surgery, part II: Antibiotic choice. Ann Thorac Surg 2007; 83: 1569-76. PMID : 17383396

第6章 カテーテル関連血流感染症(CRBSI)予防

● 参照文献

1. Digiovine B, et al. The attributable mortality and costs of primary nosocomial bloodstream infections in the intensive care unit. Am J Respir Crit Care Med 1999; 160: 976-81. PMID : 10471627
2. Warren DK, et al. Attributable cost of catheter-associated bloodstream infections among intensive care patients in a nonteaching hospital. Crit Care Med 2006; 34: 2084-9. PMID : 16763511
3. Mermel LA. Prevention of intravascular catheter-related infections. Ann Intern Med 2000; 132: 391-402. PMID : 10691590
4. 厚生労働省 院内感染対策サーベイランス事業 (JANIS) <<https://janis.mhlw.go.jp/report/index.html>>
5. Crnich CJ, et al. The promise of novel technology for the prevention of intravascular device-related bloodstream infection. I. Pathogenesis and short-term devices. Clin Infect Dis 2002; 34: 1232-42. PMID : 11941550
6. Marschall J, et al. Strategies to prevent central line-associated bloodstream infections in acute care hospitals. Infect Control Hosp Epidemiol 2008; 29 Suppl 1: S22-30. PMID : 18840085
7. O'Grady NP, et al. Guidelines for the prevention of intravascular catheter-related infections. Clin Infect Dis 2011; 52: e162-93. PMID : 21460264
8. 日本感染症学会. 抗菌薬含浸中心静脈カテーテル 適正使用基準.<http://www.kansensho.or.jp/guidelines/pdf/1509_catheter.pdf>
9. Parienti JJ, et al. Intravascular complications of central venous catheterization by insertion site. N Engl J Med 2015; 373: 1220-9. PMID : 26398070
10. Chaiyakunapruk N, et al. Chlorhexidine compared with povidone-iodine solution for vascular catheter-site care: a meta-analysis. Ann Intern Med 2002; 136: 792-801. PMID : 12044127
11. Vallés J, et al. Prospective randomized trial of 3 antiseptic solutions for prevention of catheter colonization in an intensive care unit for adult patients. Infect Control Hosp Epidemiol 2008; 29: 847-53. PMID : 18665819
12. Yamamoto N, et al. Efficacy of 1.0% chlorhexidine-gluconate ethanol compared with 10% povidone-iodine for long-term central venous catheter care in hematology departments: a prospective study. Am J Infect Control 2014; 42: 574-6. PMID : 24655901
13. Safdar N, et al. Chlorhexidine-impregnated dressing for prevention of catheter-related bloodstream infection: a meta-analysis*. Crit Care Med 2014; 42: 1703-13. PMID : 24674924
14. Raad I, et al. The duration of placement as a predictor of peripheral and pulmonary arterial catheter infections. J Hosp Infect 1993; 23: 17-26. PMID : 8095944

15. Berenholtz SM, et al. Eliminating catheter-related bloodstream infections in the intensive care unit. Crit Care Med 2004; 32: 2014-20. PMID: 15483409