

Part

3 集中治療

第1章 蘇生

◎参照文献

1. Neumar RW et al. Part 1 : Executive Summary : 2015 American Heart Association Guidelines Update for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation* 2015 ; 132 (18 Suppl 2) : S315-67. PMID : 26472989
2. Jones DA, et al. Rapid-response teams. *N Engl J Med* 2011 ; 365 : 139-46. PMID : 21751906
3. Ludikhuijze J, et al. Outcomes Associated With the Nationwide Introduction of Rapid Response Systems in The Netherlands. *Crit Care Med* 2015 ; 43 : 2544-2551. PMID : 26317569
4. Link MS, et al. Part 7 : Adult Advanced Cardiovascular Life Support : 2015 American Heart Association Guidelines Update for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation* 2015 ; 132 (18 Suppl 2) : S444-64. PMID : 26472995
5. Mentzelopoulos SD, et al. Vasopressin, steroids, and epinephrine and neurologically favorable survival after in-hospital cardiac arrest : a randomized clinical trial. *JAMA* 2013 ; 310 : 270-9. PMID : 23860985
6. Nolan JP, et al. European Resuscitation Council and European Society of Intensive Care Medicine 2015 guidelines for post-resuscitation care. *Intensive Care Med* 2015 ; 41 : 2039-56. PMID : 26464394
7. Noc M, et al. Invasive coronary treatment strategies for out-of-hospital cardiac arrest : a consensus statement from the European association for percutaneous cardiovascular interventions (EAPCI) /stent for life (SFL) groups. *EuroIntervention* 2014 ; 10 : 31-7. PMID : 24832635
8. Nielsen N, et al. Targeted temperature management at 33°C versus 36°C after cardiac arrest. *N Engl J Med* 2013 ; 369 : 2197-206. PMID : 24237006

第2章 ショック

◎参照文献

1. Vincent JL, et al. Circulatory shock. *N Engl J Med* 2013 ; 369 : 1726-34. PMID : 24171518
2. Singer M, et al. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*. 2016 315 : 801-10. PMID : 26903338
3. Perera P, et al. The RUSH exam : Rapid Ultrasound in SHock in the evaluation of the critically ill. *Emerg Med Clin North Am* 2010 ; 28 : 29-56, vii. PMID : 19945597
4. Rivers E, et al. Early goal-directed therapy in the treatment of severe sepsis and

- septic shock. *N Engl J Med* 2001 ; 345 : 1368-77. PMID : 11794169
5. Rhodes A, et al. Surviving Sepsis Campaign : International Guidelines for Management of Sepsis and Septic Shock : 2016. *Crit Care Med.* 2017 45 : 486-552. PMID : 28098591
 6. ProCESS Investigators, et al. A randomized trial of protocol-based care for early septic shock. *N Engl J Med* 2014 ; 370 : 1683-93. PMID : 24635773
 7. ARISE Investigators, et al. Goal-directed resuscitation for patients with early septic shock. *N Engl J Med* 2014 ; 371 : 1496-506. PMID : 25272316
 8. Simons FE, et al. 2012 Update : World Allergy Organization Guidelines for the assessment and management of anaphylaxis. *Curr Opin Allergy Clin Immunol* 2012 ; 12 : 389-99. PMID : 22744267
 9. Lieberman P, et al. Anaphylaxis—a practice parameter update 2015. *Ann Allergy Asthma Immunol* 2015 ; 115 : 341-84. PMID : 26505932
 10. 日本アレルギー学会. アナフィラキシーガイドライン.<http://www.jsaweb.jp/common/fckeditor/editor/filemanager/connectors/php/transfer.php?file=/uid032318_616E67313131372833292E706466> **ガイドライン**

第3章 カテコラミンの使用法

◎参照文献

1. Cardenas-Garcia J, et al. Safety of peripheral intravenous administration of vasoactive medication. *J Hosp Med* 2015 ; 10 : 581-5. PMID : 26014852
2. De Backer D, et al. Comparison of dopamine and norepinephrine in the treatment of shock. *N Engl J Med* 2010 ; 362 : 779-89. PMID : 20200382
3. Rhodes A, et al. Surviving Sepsis Campaign : International Guidelines for Management of Sepsis and Septic Shock : 2016. *Crit Care Med.* 2017 45 : 486-552. PMID : 28098591
4. Bellomo R, et al. Low-dose dopamine in patients with early renal dysfunction : a placebo-controlled randomised trial. Australian and New Zealand Intensive Care Society (ANZICS) Clinical Trials Group. *Lancet.* 2000 Dec 23-30 ; 356 (9248) : 2139-43. PMID : 11191541
5. Abraham WT, et al. In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications : an analysis from the Acute Decompensated Heart Failure National Registry (ADHERE). *J Am Coll Cardiol* 2005 ; 46 : 57-64. PMID : 15992636
6. Bauer SR, et al. Discontinuation of vasopressin before norepinephrine increases the incidence of hypotension in patients recovering from septic shock : a retrospective cohort study. *J Crit Care* 2010 ; 25 : 362.e7-362. e11. PMID : 19926252
7. Link MS, et al. Part 7 : Adult advanced cardiovascular life support : 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation* 2015 ; 132 : S444-S464. PMID : 26472995
8. Cuffe MS, et al. Short-term intravenous milrinone for acute exacerbation of chronic heart failure : a randomized controlled trial. *JAMA* 2002 ; 287 : 1541-7. PMID : 11911756

第4章 急性呼吸不全

◎参照文献

1. West JB. Pulmonary Pathophysiology : The Essentials. 8th ed. Philadelphia : Lippincott Williams & Wilkins, 2012.
2. West JB. Pulmonary Physiology and Pathophysiology : An Integrated, Case-Based Approach. 2nd ed. Philadelphia : Lippincott Williams & Wilkins, 2007.
3. Marino PL. Marino's The ICU Book 4th ed. Philadelphia : Lippincott Williams & Wilkins, 2013.
4. 仁科有加ほか. 急性呼吸不全の鑑別とマネジメント Part1. INTENSIVIST 2013 ; 5 : 879-85.
5. Frat JP, et al. High-flow oxygen through nasal cannula in acute hypoxemic respiratory failure. N Engl J Med 2015 ; 372 : 2185-96. PMID : 25981908
6. Stéphan F, et al. High-Flow Nasal Oxygen vs Noninvasive Positive Airway Pressure in Hypoxemic Patients After Cardiothoracic Surgery : A Randomized Clinical Trial. JAMA 2015 ; 313 : 2331-9. PMID : 25980660
7. Frat JP, et al. High-flow oxygen through nasal cannula in acute hypoxemic respiratory failure. N Engl J Med 2015 ; 372 : 2185-96. PMID : 25981908
8. Monro-Somerville T, et al. The Effect of High-Flow Nasal Cannula Oxygen Therapy on Mortality and Intubation Rate in Acute Respiratory Failure : A Systematic Review and Meta-Analysis. Crit Care Med 2017 ; 45 : e449-e456. PMID : 27611978
9. 志賀 隆ほか. 必勝! 気道管理術 ABC ははずさない. 東京 : 学研メディカル秀潤社, 2015. 推奨文献
10. Hasegawa K, et al. Emergency airway management in Japan : Interim analysis of a multi-center prospective observational study. Resuscitation 2012 ; 83 : 428-33. PMID : 22155701
11. Ram FS, et al. Non-invasive positive pressure ventilation for treatment of respiratory failure due to exacerbations of chronic obstructive pulmonary disease. Cochrane Database Syst Rev 2004 ; (3) : CD004104. PMID : 15266518
12. Vital FM, et al. Non-invasive positive pressure ventilation (CPAP or bilevel NPPV) for cardiogenic pulmonary edema. Cochrane Database Syst Rev 2008 ; (3) : CD005351. PMID : 18646124
13. Rodriguez-Roisin R, et al. Mechanisms of hypoxemia. Intensive care medicine 2005 ; 31 : 1017-9. PMID : 16052273

◎リンクページ

- 清水真人. 語呂で覚える緊急気道管理.<<http://www.slideshare.net/masatoshimizu37/ss-58784404>>
- Pneumotox<www.pneumotox.com>

第5章 人工呼吸器

◎参照文献

1. NIH NHLBI ARDS Clinical Network Mechanical Ventilation Protocol Summary. <http://www.ardsnet.org/files/ventilator_protocol_2008-07.pdf>

2. Esteban A, et al. Extubation outcome after spontaneous breathing trials with T-tube or pressure support ventilation. The Spanish Lung Failure Collaborative Group. *Am J Respir Crit Care Med* 1997 ; 156 : 459-65. Erratum in : *Am J Respir Crit Care Med* 1997 ; 156 : 2028. PMID : 9279224 **推奨文献**
3. Chacko B, et al. Pressure-controlled versus volume-controlled ventilation for acute respiratory failure due to acute lung injury (ALI) or acute respiratory distress syndrome (ARDS). *Cochrane Database Syst Rev* 2015 ; 1 : CD008807. PMID : 25586462
4. Ouellette DR, et al. Liberation From Mechanical Ventilation in Critically Ill Adults : An Official American College of Chest Physicians/American Thoracic Society Clinical Practice Guideline : Inspiratory Pressure Augmentation During Spontaneous Breathing Trials, Protocols Minimizing Sedation, and Noninvasive Ventilation Immediately After Extubation. *Chest* 2017 ; 151 : 166-80. PMID : 27818331
5. Schmidt GA, et al. Liberation From Mechanical Ventilation in Critically Ill Adults : Executive Summary of an Official American College of Chest Physicians/American Thoracic Society Clinical Practice Guideline. *Chest* 2017 ; 151 : 160-5. PMID : 27818329
6. Ferrer M, et al. Non-invasive ventilation after extubation in hypercapnic patients with chronic respiratory disorders : randomised controlled trial. *Lancet* 2009 ; 374 : 1082-8. PMID : 19682735

● 推奨文献

- Slutsky AS, et al. Ventilator-induced lung injury. *N Engl J Med* 2013 ; 369 : 2126-36. PMID : 24283226

第6章 急性呼吸窮迫症候群 (ARDS)

● 参照文献

1. Ashbaugh DG, et al. Acute respiratory distress in adults. *Lancet* 1967 ; 2 : 319-23. PMID : 4143721
2. Rocco PR, et al. Pulmonary and extrapulmonary acute respiratory distress syndrome : are they different? *Curr Opin Crit Care* 2005 ; 11 : 10-7. PMID : 15659940
3. Bernard GR. Acute respiratory distress syndrome : a historical perspective. *Am J Respir Crit Care Med* 2005 ; 172 : 798-806. PMID : 16020801
4. Bernard GR, et al. The American-European Consensus Conference on ARDS. Definitions, mechanisms, relevant outcomes, and clinical trial coordination. *Am J Respir Crit Care Med* 1994 ; 149 : 818-24. PMID : 7509706 **ガイドライン**
5. ARDS Definition Task Force, et al. Acute respiratory distress syndrome : the Berlin Definition. *JAMA* 2012 ; 307 : 2526-33. PMID : 22797452 **ガイドライン**
6. Biehl M, et al. Ventilator-induced lung injury : minimizing its impact in patients with or at risk for ARDS. *Respir Care* 2013 ; 58 : 927-37. PMID : 23709192
7. Girard TD, et al. Mechanical ventilation in ARDS : a state-of-the-art review. *Chest* 2007 ; 131 : 921-9. PMID : 17356115
8. Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome. The Acute Respiratory Distress Syndrome Network. *N Engl J Med* 2000 ; 342 : 1301-8. PMID : 10793162

9. NIH NHLBI ARDS Clinical Network Mechanical Ventilation Protocol Summary. <http://www.ardsnet.org/files/ventilator_protocol_2008-07.pdf> **推奨文献**
10. National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network1, et al. Comparison of two fluid-management strategies in acute lung injury. *N Engl J Med* 2006 ; 354 : 2564-75. PMID : 16714767
11. Papazian L, et al. Neuromuscular blockers in early acute respiratory distress syndrome. *N Engl J Med* 2010 ; 363 : 1107-16. PMID : 20843245
12. Murray MJ, et al. Clinical Practice Guidelines for Sustained Neuromuscular Blockade in the Adult Critically Ill Patient. *Crit Care Med* 2016 ; 44 : 2079-103. PMID : 27755068
13. Rhodes A, et al. Surviving Sepsis Campaign : International Guidelines for Management of Sepsis and Septic Shock : 2016. *Crit Care Med*. 2017 45 : 486-552. PMID : 28098591
14. Guérin C, et al. Prone positioning in severe acute respiratory distress syndrome. *N Engl J Med* 2013 ; 368 : 2159-68. PMID : 23688302
15. Peek GJ, et al. Efficacy and economic assessment of conventional ventilatory support versus extracorporeal membrane oxygenation for severe adult respiratory failure (CESAR) : a multicentre randomised controlled trial. *Lancet* 2009 ; 374 : 1351-63. PMID : 19762075
16. Steinberg KP, et al. Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *N Engl J Med* 2006 ; 354 : 1671-84. PMID : 16625008
17. Zeiher BG, et al. Neutrophil elastase inhibition in acute lung injury : results of the STRIVE study. *Crit Care Med* 2004 ; 32 : 1695-702. PMID : 15286546
18. 日本呼吸器学会. ARDS 診療ガイドライン 2016. <www.jsicm.org/ARDSGL/ARDSGL2016.pdf> **ガイドライン**

● 推奨文献

- 則末泰博ほか編. INTENSIVIST vol.7 no.1 特集「ARDS Berlin その後」. 東京 : メディカル・サイエンス・インターナショナル, 2015.

第7章 ICUにおける鎮痛, 鎮静

● 参照文献

1. Barr J, et al. Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit. *Crit Care Med* 2013 ; 41 : 263-306. PMID : 23269131 **ガイドライン**
2. 日本集中治療医学会 J-PAD ガイドライン作成委員会. 日本版・集中治療室における成人重症患者に対する痛み・不穏・せん妄管理のための臨床ガイドライン. *日集中医誌* 2014 ; 21 : 539-79. **ガイドライン**
3. Riker RR, et al. Dexmedetomidine vs midazolam for sedation of critically ill patients : a randomized trial. *JAMA* 2009 ; 301 : 489-99. PMID : 19188334
4. Pandharipande PP, et al. Long-term cognitive impairment after critical illness. *N Engl J Med* 2013 ; 369 : 1306-16. PMID : 24088092
5. Schweickert WD, et al. Early physical and occupational therapy in mechanically ventilated, critically ill patients : a randomised controlled trial. *Lancet* 2009 ; 373 :

- 1874-82. PMID : 19446324
6. Vasilevskis EE, et al. Reducing iatrogenic risks : ICU-acquired delirium and weakness--crossing the quality chasm. *Chest* 2010 ; 138 : 1224-33. PMID : 21051398
 7. Balas MC, et al. Effectiveness and safety of the awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility bundle. *Crit Care Med* 2014 ; 42 : 1024-36. PMID : 24394627

●リンクページ

- CPOT <https://www.jstage.jst.go.jp/article/jsicm/23/2/23_133/_pdf>

第8章 ICUのBy system評価

●参考文献

1. Balas MC, et al. Effectiveness and safety of the awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility bundle. *Crit Care Med* 2014 ; 42 : 1024-36. PMID : 24394627
2. ASHP Therapeutic Guidelines on Stress Ulcer Prophylaxis. ASHP Commission on Therapeutics and approved by the ASHP Board of Directors on November 14, 1998. *Am J Health Syst Pharm* 1999 ; 56 : 347-79. PMID : 10690219
3. Barkun AN, et al. Proton pump inhibitors vs. histamine 2 receptor antagonists for stress-related mucosal bleeding prophylaxis in critically ill patients : a meta-analysis. *Am J Gastroenterol* 2012 ; 107 : 507-20 ; quiz 521. PMID : 22290403
4. Geerts W, et al. Prevention of venous thromboembolism in the ICU. *Chest* 2003 ; 124 (6 Suppl) : 357S-63S. PMID : 14668418
5. Barbar S, et al. A risk assessment model for the identification of hospitalized medical patients at risk for venous thromboembolism : the Padua Prediction Score. *J Thromb Haemost* 2010 ; 8 : 2450-7. PMID : 20738765

●リンクページ

- ICU サインアウトシート (作成 : 練馬光が丘病院 総合診療科, 救急集中治療科)

第9章 急性腹症

●参考文献

1. 急性腹症診療ガイドライン出版委員会. 急性腹症診療ガイドライン 2015. 東京 : 医学書院, 2015. [ガイドライン](#)
2. Irvin TT. Abdominal pain : a surgical audit of 1190 emergency admissions. *Br J Surg* 1989 ; 76 : 1121-5. PMID : 2597964

第10章 高血圧性緊急症

●参考文献

1. Katz JN, et al. Practice patterns, outcomes, and end-organ dysfunction for patients with acute severe hypertension : the Studying the Treatment of Acute hyperTension (STAT) registry. *Am Heart J* 2009 ; 158 : 599-606. e1. PMID : 19781420

2. 日本高血圧学会. 高血圧治療ガイドライン 2014. 東京: ライフサイエンス出版. 2014. [ガイドライン](#)
3. Elliott WJ. Clinical features in the management of selected hypertensive emergencies. *Prog Cardiovasc Dis* 2006; 48: 316-25. PMID: 16627047
4. Johnson W, et al. Hypertension crisis in the emergency department. *Cardiol Clin* 2012; 30: 533-43. PMID: 23102030
5. Mayer SA, et al. Clinical practices, complications, and mortality in neurological patients with acute severe hypertension: the Studying the Treatment of Acute Hypertension registry. *Crit Care Med* 2011; 39: 2330-6. PMID: 21666448
6. Osterberg L, et al. Adherence to medication. *N Engl J Med* 2005; 353: 487-97. PMID: 16079372

●推奨文献

- Adebayo O, et al. Hypertensive Emergencies in the Emergency Department. *Emerg Med Clin North Am* 2015; 33: 539-51. PMID: 26226865

第11章 温度調整障害

●参照文献

1. 日本救急医学会. 熱中症診療ガイドライン 2015. <www.mhlw.go.jp/file/06-Seisaku-jouhou-10800000-Iseikyoku/heatstroke2015.pdf> [ガイドライン](#)
2. Lipman GS, et al. Wilderness Medical Society practice guidelines for the prevention and treatment of heat-related illness. *Wilderness Environ Med* 2013; 24: 351-61. PMID: 24140191 [ガイドライン](#)
3. Bouchama A, et al. Cooling and hemodynamic management in heatstroke: practical recommendations. *Crit Care* 2007; 11: R54. PMID: 17498312 [ガイドライン](#)
4. 日本集中治療医学会. 集中治療専門医テキスト (電子版) 第2版. 東京: 総合医学社, 2015.
5. Brown DJ, et al. Accidental hypothermia. *N Engl J Med* 2012; 367: 1930-8. PMID: 23150960

●推奨文献

- 厚生労働省. 重篤副作用疾患別対応マニュアル. 悪性症候群. 2008. <<http://www.mhlw.go.jp/topics/2006/11/dl/tp1122-1j02.pdf>> [ガイドライン](#)
- 厚生労働省. 重篤副作用疾患別対応マニュアル. セロトニン症候群. 2010. <<https://www.pmda.go.jp/files/000144659.pdf>> [ガイドライン](#)

第12章 中毒

●参照文献

1. Wright N. An assessment of the unreliability of the history given by self-poisoned patients. *Clin Toxicol* 1980; 16: 381-4. PMID: 7398227
2. Mokhlesi B et al. Adult toxicology in critical care: part I: general approach to the intoxicated patient. *Chest* 2003; 123: 577-92. PMID: 12576382
3. Vale JA. Position statement: gastric lavage. *American Academy of Clinical Toxicol-*

- ogy : European Association of Poisons Centres and Clinical Toxicologists. J Toxicol Clin Toxicol 1997 ; 35 : 711-9. PMID : 9482426 [ガイドライン](#)
4. Chyka PA, et al. Position statement : single-dose activated charcoal. American Academy of Clinical Toxicology ; European Association of Poisons Centres and Clinical Toxicologists. J Toxicol Clin Toxicol 1997 ; 35 : 721-41. PMID : 9482427 [ガイドライン](#)
 5. Position statement and practice guidelines on the use of multi-dose activated charcoal in the treatment of acute poisoning. American Academy of Clinical Toxicology ; European Association of Poisons Centres and Clinical Toxicologists. J Toxicol Clin Toxicol 1999 ; 37 : 731-51. PMID : 10584586 [ガイドライン](#)
 6. Eddleston M, et al. Multiple-dose activated charcoal in acute self-poisoning : a randomised controlled trial. Lancet 2008 ; 371 : 579-87. PMID : 18280328
 7. Proudfoot AT, et al. Position Paper on urine alkalinization. J Toxicol Clin Toxicol 2004 ; 42 : 1-26. PMID : 15083932 [ガイドライン](#)
 8. 上條吉人. 臨床中毒学. 東京 : 医学書院, 2009.
 9. Mokhlesi B, et al. Adult toxicology in critical care : Part II : specific poisonings. Chest 2003 ; 123 : 897-922. PMID : 12628894
 10. Mordel A, et al. Seizures after flumazenil administration in a case of combined benzodiazepine and tricyclic antidepressant overdose. Crit Care Med 1992 ; 20 : 1733-4. PMID : 1458953

● リンクページ

- 日本中毒情報センター <<http://www.j-poison-ic.or.jp/homepage.nsf/7bf3955830f37ccf49256502001b614f/e6190aeb9098655849257d0a001dc09e?OpenDocument>>