

Part

4 消化器

第1章 吐血

● 参照文献

- McGee S, et al. The rational clinical examination. Is this patient hypovolemic? *JAMA* 1999; 281: 1022-9. PMID : 10086438
- Bennett C, et al. Tranexamic acid for upper gastrointestinal bleeding. *Cochrane Database Syst Rev* 2014; (11) : CD006640. PMID : 25414987
- Jairath V, et al. Restrictive versus liberal blood transfusion for acute upper gastrointestinal bleeding (TRIGGER) : a pragmatic, open-label, cluster randomised feasibility trial. *Lancet* 2015; 386 : 137-44. PMID : 25956718
- Villanueva C, et al. Transfusion Strategies for Acute Upper Gastrointestinal Bleeding. *N Engl J Med* 2013; 368 : 11-21. PMID : 23281973 推奨文献
- Huang ES, et al. Impact of nasogastric lavage on outcomes in acute GI bleeding. *Gastrointest Endosc* 2011; 74 : 971-80. PMID : 21737077
- Aljebreen AM, et al. Nasogastric aspirate predicts high-risk endoscopic lesions in patients with acute upper-GI bleeding. *Gastrointest Endosc* 2004; 59 : 172-8. PMID : 14745388
- Gralnek I, et al. Diagnosis and management of nonvariceal upper gastrointestinal hemorrhage : European Society of Gastrointestinal Endoscopy (ESGE) Guideline. *Endoscopy* 2015; 47 : a1-46. PMID : 26417980 ガイドライン
- Chavez-Tapia NC, et al. Antibiotic prophylaxis for cirrhotic patients with upper gastrointestinal bleeding. *Cochrane Database Syst Rev* 2010; (9) : CD002907. PMID : 20824832
- Coffin B, et al. Erythromycin improves the quality of EGD in patients with acute upper GI bleeding : a randomized controlled study. *Gastrointest Endosc* 2002; 56 : 174-9. PMID : 12145593
- Forrest JA, et al. Endoscopy in gastrointestinal bleeding. *Lancet* 1974; 2 : 394-7. PMID : 4136718
- 藤本一眞ほか. 抗血栓薬服用者に対する消化器内視鏡診療ガイドライン. 日本消化器内視鏡学会雑誌 2012; 54 : 2075-102.<minds4.jcqhc.or.jp/minds/gee/20130528_Guideline.pdf> ガイドライン
- Acosta RD, et al. The management of antithrombotic agents for patients undergoing GI endoscopy. *Gastrointest Endosc* 2016; 83 : 3-16. PMID : 26621548
- Pagliaro L, et al. Prevention of first bleeding in cirrhosis. A meta-analysis of randomized trials of nonsurgical treatment. *Ann Intern Med* 1992; 117 : 59-70. PMID : 1350716
- Tripathi D, et al. U.K. guidelines on the management of variceal haemorrhage in cirrhotic patients. *Gut* 2015; 64 : 1680-704. PMID : 25887380 ガイドライン

15. 日本消化器病学会編. 消化性潰瘍診療ガイドライン 2015 (改訂第2版). <https://www.jsge.or.jp/files/uploads/syoutkasei2_re.pdf> ガイドライン
16. Laine L, et al. Management of Patients With Ulcer Bleeding. Am J Gastroenterol 2012;107:345-60. PMID:22310222

● 推奨文献

- 山田 徹. 胃・十二指腸潰瘍. Hospitalist 2014;2:749-69. 推奨文献
- Blatchford O, et al. A risk score to predict need for treatment for upper-gastrointestinal haemorrhage. Lancet 2000;356:1318-21. PMID:11073021 推奨文献

第2章 血便

● 参照文献

1. Zuccaro G. Management of the adult patient with acute lower gastrointestinal bleeding. American College of Gastroenterology. Practice Parameters Committee. Am J Gastroenterol 1998;93:1202-8. PMID:9707037 ガイドライン
2. 山口 裕. 消化管出血. Hospitalist 2014;2:695-708.
3. McGee S, et al. The rational clinical examination. Is this patient hypovolemic? JAMA 1999;281:1022-9. PMID:10086438
4. García-Blázquez V, et al. Accuracy of CT angiography in the diagnosis of acute gastrointestinal bleeding: systematic review and meta-analysis. Eur Radiol 2013;23:1181-90. PMID:23192375
5. Farrell JJ, et al. Review article: the management of lower gastrointestinal bleeding. Aliment Pharmacol Ther 2005;21:1281-98. PMID:15932359
6. Lau JY, et al. Omeprazole before endoscopy in patients with gastrointestinal bleeding. N Engl J Med 2007;356:1631-40. PMID:17442905
7. Du Pont-Thibodeau G, et al. Anemia and red blood cell transfusion in critically ill cardiac patients. Ann Intensive Care 2014;4:16. PMID:25024880
8. Hou MC, et al. Antibiotic prophylaxis after endoscopic therapy prevents rebleeding in acute variceal hemorrhage: a randomized trial. Hepatology 2004;39:746-53. PMID:14999693
9. Srygley FD, et al. Does this patient have a severe upper gastrointestinal bleed? JAMA 2012;307:1072-1079. PMID:22416103 推奨文献
10. 藤本一眞ほか. 抗血栓薬服用者に対する消化器内視鏡診療ガイドライン. 日本消化器内視鏡学会雑誌 2012;54:2075-102.<minds4jcqhc.or.jp/minds/gee/20130528_Guideline.pdf> ガイドライン
11. Stollman N, et al. American Gastroenterological Association Institute Guideline on the Management of Acute Diverticulitis. Gastroenterology 2015;149:1944-9. PMID:26453777 ガイドライン
12. Nagata N, et al. High-dose barium impaction therapy for the recurrence of colonic diverticular bleeding: a randomized controlled trial. Ann Surg 2015;261:269-75. PMID:25569028
13. Rivadeneira DE, et al. Practice parameters for the management of hemorrhoids (revised 2010). Dis Colon Rectum 2011;54:1059-64. PMID:21825884

第3章 下痢

○参考文献

1. 谷口智宏ほか. 慢性下痢. 免疫不全者の下痢を中心に. Hospitalist 2014;2:647-64.
2. Sonnenberg A, et al. Lymphocytic and collagenous colitis : epidemiologic differences and similarities. Dig Dis Sci 2013;58:2970-5. PMID:23709158
3. Fort JM, et al. Bowel habit after cholecystectomy : physiological changes and clinical implications. Gastroenterology 1996;111:617-22. PMID:8780565
4. Riddle MS, et al. ACG Clinical Guideline : Diagnosis, Treatment, and Prevention of Acute Diarrheal Infections in Adults. Am J Gastroenterol 2016;111:602-22. PMID:27068718 ガイドライン
5. American Gastroenterological Association medical position statement : guidelines for the evaluation and management of chronic diarrhea. Gastroenterology 1999;116:1461-3. PMID:10348831 ガイドライン

第4章 腹水

○参考文献

1. Runyon BA. Care of patients with ascites. N Engl J Med 1994;330:337-42. PMID:8277955
2. Moore KP, et al. Guidelines on the management of ascites in cirrhosis. Gut 2006;55 Suppl 6:vi1-12. PMID:16966752 ガイドライン
3. Williams JW Jr, et al. The rational clinical examination. Does this patient have ascites? How to divine fluid in the abdomen. JAMA 1992;267:2645-8. PMID:1573754 推奨文献
4. Runyon BA. Introduction to the revised American Association for the Study of Liver Diseases Practice Guideline management of adult patients with ascites due to cirrhosis 2012. Hepatology 2013;57:1651-3. PMID:23463403 ガイドライン
5. Farias AQ, et al. Serum B-type natriuretic peptide in the initial workup of patients with new onset ascites : a diagnostic accuracy study. Hepatology 2014;59:1043-51. PMID:23907731
6. Berzigotti A, et al. Non-invasive diagnostic and prognostic evaluation of liver cirrhosis and portal hypertension. Dis Markers 2011;31:129-38. PMID:22045398
7. Runyon BA. Paracentesis of ascitic fluid. A safe procedure. Arch Intern Med 1986;146:2259-61. PMID:2946271
8. Wong CL, et al. Does this patient have bacterial peritonitis or portal hypertension? How do I perform a paracentesis and analyze the results? JAMA 2008;299:1166-78. PMID:18334692 推奨文献
9. Runyon BA, et al. The serum-ascites albumin gradient is superior to the exudate-transudate concept in the differential diagnosis of ascites. Ann Intern Med 1992;117:215-20. PMID:1616215
10. Garcia N Jr, et al. Minimizing ascites. Complication of cirrhosis signals clinical deterioration. Postgrad Med 2001;109:91-6, 101-3. PMID:11272697
11. Akriviadis EA, et al. Utility of an algorithm in differentiating spontaneous from sec-

- ondary bacterial peritonitis. Gastroenterology 1990; 98: 127-33. PMID : 2293571
12. Chinnock B, et al. Gram's stain of peritoneal fluid is rarely helpful in the evaluation of the ascites patient. Ann Emerg Med 2009; 54: 78-82. PMID : 19201060
13. Riquelme A, et al. Value of adenosine deaminase (ADA) in ascitic fluid for the diagnosis of tuberculous peritonitis: a meta-analysis. J Clin Gastroenterol 2006; 40: 705-10. PMID : 16940883
14. Salerno F, et al. Albumin infusion improves outcomes of patients with spontaneous bacterial peritonitis: a meta-analysis of randomized trials. Clin Gastroenterol Hepatol 2013; 11: 123-30. PMID : 23178229
15. European Association for the Study of the Liver. EASL clinical practice guidelines on the management of ascites, spontaneous bacterial peritonitis, and hepatorenal syndrome in cirrhosis. J Hepatol 2010; 53: 397-417. PMID : 20633946 ガイドライン
16. 日本輸血・細胞治療学会. 科学的根拠に基づいたアルブミン製剤の使用ガイドライン(第1版).<http://yuketsu.jstmct.or.jp/wp-content/themes/jstmct/images/medical/file/guidelines/1530_guidline.pdf> ガイドライン
17. Ginès P, et al. Management of cirrhosis and ascites. N Engl J Med. 2004; 350: 1646-54.
18. 日本消化器病学会. 肝硬変診療ガイドライン 2015 (改訂第2版).<https://www.jsge.or.jp/files/uploads/kankohen2_re.pdf> ガイドライン
19. Ginés P, et al. Comparison of paracentesis and diuretics in the treatment of cirrhotics with tense ascites. Results of a randomized study. Gastroenterology 1987; 93: 234-41. PMID : 15084697
20. Bernardi M, et al. Albumin infusion in patients undergoing large-volume paracentesis: a meta-analysis of randomized trials. Hepatology 2012; 55: 1172-81. PMID : 22095893
21. Graziotto A, et al. Reinfusion of concentrated ascitic fluid versus total paracentesis. A randomized prospective trial. Dig Dis Sci 1997; 42: 1708-14. PMID : 9286238

第5章 小腸閉塞

● 参照文献

1. McKenzie S, et al. Small intestine. In: Townsend C, et al. Sabiston Textbook of Surgery. 19th ed. Philadelphia : Saunders, 2012.
2. Kodadek LM, et al. Small bowel obstruction. In: Cameron JL, et al. Current Surgical Therapy. 11th ed. Philadelphia : Saunders, 2014.
3. Silen W. The Colic. Cope's Early Diagnosis and Acute Abdomen. 22nd ed. New York : Oxford University Press, 2010.
4. Steven McGee Evidence-based Physical Examination. 3rd ed. Philadelphia : Saunders, 2012.
5. Maung AA, et al. Evaluation and management of small-bowel obstruction: an Eastern Association for the Surgery of Trauma practice management guideline. J Trauma Acute Care Surg 2012; 73 (5 Suppl 4): S362-9. PMID : 23114494 ガイドライン
6. Di Saverio S, et al. Bologna guidelines for diagnosis and management of adhesive small bowel obstruction (ASBO): 2013 update of the evidence-based guidelines from the world society of emergency surgery ASBO working group. World J Emerg

- Surg 2013; 8: 42. PMID : 24112637 ガイドライン
7. Sarr MG, et al. Preoperative recognition of intestinal strangulation obstruction. Prospective evaluation of diagnostic capability. Am J Surg 1983; 145: 176-82. PMID : 6849489
 8. Cox MR, et al. The safety and duration of non-operative treatment for adhesive small bowel obstruction. Aust N Z J Surg 1993; 63: 367-71. PMID : 8481137
 9. Chen X-L, et al. A prospective randomized trial of transnasal ileus tube vs nasogastric tube for adhesive small bowel obstruction. World J Gastroenterol 2012; 18: 1968-74. PMID : 22563179
 10. Fleshner PR, et al. A prospective, randomized trial of short versus long tubes in adhesive small-bowel obstruction. Am J Surg 1995; 170: 366-70. PMID : 7573730

第6章 憩室炎

● 参照文献

1. Wilkins T, et al. Diagnosis and management of acute diverticulitis. Am Fam Physician 2013; 87: 612-20. PMID : 23668524 推奨文献
2. Sugihara K, et al. Diverticular disease of the colon in Japan. A review of 615 cases. Dis Colon Rectum 1984; 27: 531-7. PMID : 6468190
3. Jacobs DO. Clinical practice. Diverticulitis. N Engl J Med 2007; 357: 2057-66. PMID : 18003962 推奨文献
4. McNamara MM, et al. Expert Panel on Gastrointestinal Imaging. ACR Appropriateness Criteria® left lower quadrant pain - suspected diverticulitis [online publication].<<https://acsearch.acr.org/docs/69356/Narrative/>>
5. Feingold D, et al. Practice parameters for the treatment of sigmoid diverticulitis. Dis Colon Rectum 2014; 57: 284-94. PMID : 24509449 ガイドライン
6. Hincher EJ, et al. Treatment of perforated diverticular disease of the colon. Adv Surg 1978; 12: 85-109. PMID : 735943
7. Stollman N, et al. Diverticular disease of the colon. Lancet 2004; 363: 631-9. PMID : 14987890 推奨文献
8. Stollman N, et al. American Gastroenterological Association Institute Guideline on the Management of Acute Diverticulitis. Gastroenterology 2015; 149: 1944-9. PMID : 26453777 ガイドライン

● 推奨文献

- Morris AM, et al. Sigmoid diverticulitis: a systematic review. JAMA 2014; 311: 287-97.

第7章 胃癌（診断から専門科に紹介するまで）

● 参照文献

1. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology, Gastric cancer.<https://www.nccn.org/professionals/physician_gls/f_guidelines.asp> ガイドライン
2. Takahashi Y, et al. The usefulness of CEA and/or CA19-9 in monitoring for recur-

- rence in gastric cancer patients : a prospective clinical study. *Gastric Cancer* 2003 ; 6 : 142-5. PMID : 14520526
3. Leake P-A, et al. A systematic review of the accuracy and indications for diagnostic laparoscopy prior to curative-intent resection of gastric cancer. *Gastric Cancer* 2012 ; 15 Suppl 1 : S38-47. PMID : 21667136
 4. 日本胃癌学会編. 胃癌治療ガイドライン医師用 2014年5月改訂 第4版. 東京：金原出版, 2014. ガイドライン

●リンクページ

- 日本胃癌学会編. 胃癌治療ガイドライン 医師用 2014年5月改訂【第4版】<<http://www.jgca.jp/guideline/fourth/index.html>> ガイドライン

第8章 大腸癌（診断から専門科に紹介するまで）

●参照文献

1. National Comprehensive Cancer Network. NCCN Clinical Practice Guideline in Oncology, Colon Cancer 2016 ; 1-175.<https://www.nccn.org/professionals/physician_gls/f_guidelines.asp> ガイドライン
2. 大腸癌研究会. 大腸癌治療ガイドライン 医師用 2016年版. 東京：金原出版, 2016. ガイドライン

第9章 炎症性腸疾患（潰瘍性大腸炎, Crohn病）

●参照文献

1. Crohn's Disease Activity Index (CDAI).<<http://www.mdcalc.com/crohns-disease-activity-index-cdai/#next-steps>>
2. Stange EF, et al. European evidence based consensus on the diagnosis and management of Crohn's disease : definitions and diagnosis. *Gut* 2006 ; 55 Suppl 1 : i1-15. PMID : 16481628 ガイドライン
3. 厚生労働科学研究費補助金 難治性疾患等政策研究事業. 潰瘍性大腸炎・クローン病診断基準・治療指針. 平成27年度改訂版.<<http://ibdjapan.org/pdf/doc01.pdf>> ガイドライン
4. 厚生労働科学研究費補助金 難治性疾患克服研究事業. 難治性炎症性腸管障害に関する調査研究班プロジェクト研究グループ, 日本消化器病学会クローン病診療ガイドライン作成委員会・評価委員会. クローン病診療ガイドライン. 平成23年度分担研究報告書 別冊2011.<http://minds4.jcqhc.or.jp/minds/CD/crohn_cpgs_2011.pdf> ガイドライン
5. Takagi S, et al. Effectiveness of an 'half elemental diet' as maintenance therapy for Crohn's disease : A randomized-controlled trial. *Aliment Pharmacol Ther* 2006 ; 24 : 1333-40. PMID : 17059514
6. 難病医療費助成制度における指定医制度について（要件、申請手続等）.<http://www.fukushihoken.metro.tokyo.jp/iryō/nanbyo/nk_shien/n_josei/shiteii_shinsei.html>
7. Gan SI, et al. A new look at toxic megacolon : an update and review of incidence, etiology, pathogenesis, and management. *Am J Gastroenterol* 2003 ; 98 : 2363-2371. PMID : 14638335

8. 金城 徹ほか. 小腸大腸疾患：炎症性腸疾患. Hospitalist 2014;2:809-28. 推薦文献
9. Farraye FA, et al. AGA medical position statement on the diagnosis and management of colorectal neoplasia in inflammatory bowel disease. Gastroenterology 2010; 138: 738-45. PMID : 20141808 ガイドライン