

Part

7

GIM (General Internal Medicine)

第1章 目・耳・鼻の緊急病態

視力低下

●推奨文献

- Pokhrel PK, et al. Ocular emergencies. *Am Fam Physician* 2007 ; 76 : 829-36.
PMID : 17910297
- Deibel JP, et al. Ocular inflammation and infection. *Emerg Med Clin North Am* 2013 ; 31 : 387-97.
PMID : 23601478
- Romaniuk VM. Ocular trauma and other catastrophes. *Emerg Med Clin North Am* 2013 ; 31 : 399-411.
PMID : 23601479
- Addis VM, et al. Acute visual changes in the elderly. *Clin Geriatr Med* 2013 ; 29 : 165-80.
PMID : 23177606
- Gelston CD. Common eye emergencies. *Am Fam Physician* 2013 ; 88 : 515-9.
PMID : 24364572
- 加藤浩晃. プライマリ・ケア医&救急医のための眼科診療ガイド. 大阪 : メディカ出版. 2015.

レッドアイ(充血)

●参照文献

1. Mahmood AR, et al. Diagnosis and management of the acute red eye. *Emerg Med Clin North Am* 2008 ; 26 : 35-55, vii. PMID : 18249256 **推奨文献**
2. Cronau H, et al. Diagnosis and management of red eye in primary care. *Am Fam Physician* 2010 ; 81 : 137-44. PMID : 20082509 **推奨文献**

●推奨文献

- 加藤浩晃. プライマリ・ケア医&救急医のための眼科診療ガイド. 大阪 : メディカ出版. 2015.

めまい

●参照文献

1. Welgampola MS, et al. Bedside Assessment of Acute Dizziness and Vertigo. *Neuro Clin* 2015 ; 33 : 551-64, vii. PMID : 26231271
2. 日本神経治療学会治療指針作成委員会編. 標準的神経治療 : めまい, 神経治療 ; 2011 : 28 : 183-212. <<https://www.jsnt.gr.jp/guideline/img/memai.pdf>> **ガイドライン**
3. Schneider JI, et al. Vertigo, vertebrobasilar disease, and posterior circulation ischemic stroke. *Emerg Med Clin North Am* 2012 ; 30 : 681-93. PMID : 22974644
4. Tarnutzer AA, et al. Does my dizzy patient have a stroke? A systematic review of

bedside diagnosis in acute vestibular syndrome. CMAJ 2011 ; 183 : E571-92.

PMID : 21576300

5. Newman-Toker DE, et al. HINTS outperforms ABCD2 to screen for stroke in acute continuous vertigo and dizziness. Acad Emerg Med 2013 ; 20 : 986-96.

PMID : 24127701

6. Hilton MP, et al. The Epley (canalith repositioning) manoeuvre for benign paroxysmal positional vertigo. Cochrane Database Syst Rev 2014 ; (12) : CD003162.

PMID : 25485940

7. Bhattacharyya N, et al. Clinical practice guideline : benign paroxysmal positional vertigo. Otolaryngol Head Neck Surg 2008 ; 139 (5 Suppl 4) : S47-81.

PMID : 18973840 **ガイドライン**

8. Baloh RW. Clinical practice. Vestibular neuritis. N Engl J Med 2003 ; 348 : 1027-32.

PMID : 12637613 **推奨文献**

● リンクページ

- The HINTS exam. <<https://www.youtube.com/watch?v=1q-VTKPweuk>>

急性の聴力低下

● 参照文献

1. Stachler RJ, et al. Clinical practice guideline : sudden hearing loss. Otolaryngol Head Neck Surg 2012 ; 146 (3 Suppl) : S1-35. PMID : 22383545 **ガイドライン**
2. Isaacson JE, et al. Differential diagnosis and treatment of hearing loss. Am Fam Physician 2003 ; 68 : 1125-32. PMID : 14524400

鼻出血

● 参照文献

1. Buttaravoli P. Minor Emergencies : Splinters to fractures. Philadelphia : Mosby/Elsevier, 2007.
2. Kasperek ZA, et al. Epistaxis : an overview. Emerg Med Clin North Am 2013 ; 31 : 443-54. PMID : 23601481
3. Morgan DJ, et al. Epistaxis : evaluation and treatment. Prim Care 2014 ; 41 : 63-73. PMID : 24439881

第2章 リフィーディング症候群

● 参照文献

1. Hearing SD. Refeeding syndrome. BMJ 2004 ; 328 : 908-9. PMID : 15087326
2. National Institute for Health and Care Excellence. Nutrition support for adults : Oral nutrition support, enteral tube feeding and parental nutrition. 2006. <<https://www.nice.org.uk/guidance/cg32/evidence/full-guideline-194889853>> **ガイドライン**
3. Crook MA, et al. The importance of the refeeding syndrome. Nutrition 2001 ; 17 : 632-7. PMID : 11448586
4. Irish Society for Clinical Nutrition and Metabolism. Prevention and treatment of refeeding syndrome in the acute care setting. IrSPEN guideline document No 1. November 2013. <http://www.irspen.ie/wp-content/uploads/2014/10/IrSPEN_Guideline_

Document_No1.pdf>

ガイドライン **推奨文献**

5. 日本静脈経腸栄養学会. 静脈経腸栄養ガイドライン第3版 Quick Reference.<https://www.jspen.jp/wp-content/uploads/2014/04/201404QR_guideline.pdf> **ガイドライン**

第3章 高齢者総合的機能評価 (CGA)

◎参照文献

1. Ellis G, et al. Comprehensive geriatric assessment for older adults admitted to hospital : meta-analysis of randomised controlled trials. *BMJ* 2011 ; 343 : d6553.
PMID : 22034146
2. American Geriatric Society. *Geriatrics Review Syllabus*. 8th ed. New York : American Geriatric Society, 2013 : 52-7.
3. Borson S, et al. The Mini-Cog as a screen for dementia : validation in a population-based sample. *J Am Geriatr Soc* 2003 ; 51 : 1451-4. PMID : 14511167
4. Borson S, et al. The mini-cog : a cognitive 'vital signs' measure for dementia screening in multi-lingual elderly. *Int J Geriatr Psychiatry* 2000 ; 15 : 1021-7.
PMID : 11113982
5. Rinaldi P, et al. Validation of the five-item geriatric depression scale in elderly subjects in three different settings. *J Am Geriatr Soc* 2003 ; 51 : 694-8. PMID : 12752847
6. 安藤高志ほか. 家族を視野に入れて協働するケア. *ジェネラリストマスターズ⑦家庭医療のエッセンス*. 東京 : カイ書林, 2012 : 159-204.
7. Appelbaum PS. Clinical practice. Assessment of patients' competence to consent to treatment. *N Engl J Med* 2007 ; 357 : 1834-40. PMID : 17978292
8. Green MJ, et al. The era of "e" : the use of new technologies in advance care planning. *Nurs Outlook* 2012 ; 60 : 376-383. e2. PMID : 23141197

◎推奨文献

- Rosen SL, et al. Geriatric assessment tools. *Mt Sinai J Med* 2011 ; 78 : 489-97.
PMID : 21748738
- American Geriatric Society. *Geriatrics At Your Fingertips*. 17th ed. New York : American Geriatric Society, 2015 : 188-93, 308-14.
- Holsinger T, et al. Does this patient have dementia? *JAMA* 2007 ; 297 : 2391-404.
PMID : 17551132

第4章 FTT (failure to thrive)

◎参照文献

1. Committee on a National Research Agenda on Aging, Division of Health Promotion and Disease Prevention. *Extending Life, Enhancing Life : A National Research Agenda on Aging*. National Academy of Sciences. Washington, D.C. : National Academy Press, 1991.<<https://www.nap.edu/read/1632/chapter/1>>
2. Verdery RB. Clinical evaluation of failure to thrive in older people. *Clin Geriatr Med* 1997 ; 13 : 769-78. PMID : 9354754
3. Robertson RG, et al. Geriatric failure to thrive. *Am Fam Physician* 2004 ; 70 : 343-50. PMID : 15291092 **推奨文献**

4. Bogardus ST, et al. Goals for the care of frail older adults : do caregivers and clinicians agree? *Am J Med* 2001 ; 110 : 97-102. PMID : 11165550
5. Young KW, et al. Shift in diurnal feeding patterns in nursing home residents with Alzheimer's disease. *J Gerontol A Biol Sci Med Sci* 2001 ; 56 : M700-6. PMID : 11682578
6. Karlawish JH, et al. A consensus-based approach to providing palliative care to patients who lack decision-making capacity. ACP-ASIM End-of-Life Care Consensus Panel. American College of Physicians-American Society of Internal Medicine. *Ann Intern Med* 1999 ; 130 : 835-40. PMID : 10366374

第5章 転倒

◎参照文献

1. Kenny RA. Syncope in the elderly : diagnosis, evaluation, and treatment. *J Cardiovasc Electrophysiol* 2003 ; 14 (9 Suppl) : S74-7. PMID : 12950524
2. Woolcott JC, et al. Meta-analysis of the impact of 9 medication classes on falls in elderly persons. *Arch Intern Med* 2009 ; 169 : 1952-60. PMID : 19933955
3. Tinetti ME. Clinical practice. Preventing falls in elderly persons. *N Engl J Med* 2003 ; 348 : 42-9. PMID : 12510042
4. Fleming KC, et al. Practical functional assessment of elderly persons : a primary-care approach. *Mayo Clin Proc* 1995 ; 70 : 890-910. PMID : 7643645
5. Podsiadlo D, et al. The timed "Up & Go" : a test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc* 1991 ; 39 : 142-8. PMID : 1991946 推奨文献
6. Moncada LV. Management of falls in older persons : a prescription for prevention. *Am Fam Physician* 2011 ; 84 : 1267-76. PMID : 22150660
7. Summary of the Updated American Geriatrics Society/British Geriatrics Society clinical practice guideline for prevention of falls in older persons. *J Am Geriatr Soc* 2011 ; 59 : 148-57. PMID : 21226685 ガイドライン 推奨文献
8. Gillespie LD, et al. Interventions for preventing falls in older people living in the community. *Cochrane Database Syst Rev* 2012 ; (9) : CD007146. PMID : 22972103
9. Prevention of falls in community-dwelling older adults : U.S. Preventive Services Task Force recommendation statement. *Ann Intern Med* 2012 ; 157 : 197-204. PMID : 22868837
10. Clemson L, et al. Integration of balance and strength training into daily life activity to reduce rate of falls in older people (the LiFE study) : randomised parallel trial. *BMJ* 2012 ; 345 : e4547. PMID : 22872695
11. Falls in older people : assessing risk and prevention. Clinical guideline [CG161] Published date : June 2013. <<https://www.nice.org.uk/guidance/cg161?unlid=71530564720162122047>>

ガイドライン

第6章 ポリファーマシー

◎参照文献

1. Budnitz DS, et al. Emergency hospitalizations for adverse drug events in older Americans. *N Engl J Med* 2011 ; 365 : 2002-12. PMID : 22111719

2. Patterson SM, et al. Interventions to improve the appropriate use of polypharmacy for older people. Cochrane Database Syst Rev 2012 : (5) : CD008165.
PMID : 22592727
3. Scott IA, et al. Reducing inappropriate polypharmacy : the process of deprescribing. JAMA Intern Med 2015 : 175 : 827-34. PMID : 25798731 **推奨文献**
4. National Health Service Scotland. Polypharmacy Guidance. 2015.<<http://www.polypharmacy.scot.nhs.uk/>>
5. 日本老年医学会. 高齢者の安全な薬物療法ガイドライン 2015. 東京 : メジカルビュー, 2015. **ガイドライン**
6. American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. J Am Geriatr Soc 2015 : 63 : 2227-46.
PMID : 26446832
7. Gallagher P, et al. STOPP (Screening Tool of Older Person's Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus validation. Int J Clin Pharmacol Ther 2008 ; 46 : 72-83. PMID : 18218287
8. Milton JC, et al. Prescribing for older people. BMJ 2008 ; 336 : 606-9. PMID : 18340075
9. Pretorius RW, et al. Reducing the risk of adverse drug events in older adults. Am Fam Physician 2013 ; 87 : 331-6. PMID : 23547549

第7章 せん妄・不眠症

せん譫妄

●参照文献

1. 川寄弘詔. せん妄の診断・治療. 2007.<http://www.med.kyushu-u.ac.jp/psychiatry/_userdata/delirium.pdf>
2. Inouye SK, et al. Delirium in elderly people. Lancet 2014 ; 383 : 911-22.
PMID : 23992774
3. Inouye SK, et al. Clarifying confusion : the confusion assessment method. A new method for detection of delirium. Ann Intern Med 1990 ; 113 : 941-8. PMID : 2240918
4. Wong CL, et al. Does this patient have delirium? : value of bedside instruments. JAMA 2010 ; 304 : 779-86. PMID : 20716741
5. Inouye SK. Delirium in older persons. N Engl J Med 2006 ; 354 : 1157-65.
PMID : 16540616
6. Lonergan E, et al. Antipsychotics for delirium. Cochrane Database Syst Rev 2007 ; (2) : CD005594. PMID : 17443602

●推奨文献

- Masters PA. In the clinic. Insomnia. Ann Intern Med 2014 ; 161 : ITC1-15 ; quiz ITC16. PMID : 25285559
- Hatta K, et al. Preventive effects of ramelteon on delirium : a randomized placebo-controlled trial. JAMA Psychiatry 2014 ; 71 : 397-403. PMID : 24554232

不眠

● 参照文献

1. Young JS, et al. Sleep in hospitalized medical patients, part 1 : factors affecting sleep. J Hosp Med 2008 ; 3 : 473-82. PMID : 19084897 **推奨文献**
2. Young JS, et al. Sleep in hospitalized medical patients, part 2 : behavioral and pharmacological management of sleep disturbances. J Hosp Med 2009 ; 4 : 50-9. PMID : 19140196 **推奨文献**
3. Kamel NS, et al. Insomnia in the elderly : cause, approach, and treatment. Am J Med 2006 ; 119 : 463-9. PMID : 16750956

● 推奨文献

- Masters PA. In the clinic. Insomnia. Ann Intern Med 2014 ; 161 : ITC1-15 ; quiz ITC16. PMID : 25285559

● リンクページ

- MEDSTOPPER <<http://medstopper.com/>>

第8章 緩和医療

● 参照文献

1. Cook D, et al. Dying with dignity in the intensive care unit. N Engl J Med 2014 ; 370 : 2506-14. PMID : 24963569
2. Schapira L. Communications by professionals in palliative care. Clin Geriatr Med 2015 ; 31 : 231-43. PMID : 25920058 **推奨文献**
3. Kelley AS, et al. Palliative Care for the Seriously Ill. N Engl J Med 2015 ; 373 : 747-55. PMID : 26287850
4. UNIPAC 5. Communication and Teamwork. UNIPAC Self-Study Program, 4th ed. American Academy of Hospice and Palliative Medicine, 2012. <<http://aahpm.org/self-study/unipacs>>
5. Back A, et al. Mastering Communication with Seriously Ill Patients. New York : Cambridge University Press, 2009. **推奨文献**
6. Smith TJ. Symptom management in the older adult : 2015 update. Clin Geriatr Med 2015 ; 31 : 155-75. PMID : 25920053 **推奨文献**
7. UNIPAC 4. Managing Nonpain Symptoms. UNIPAC Self-Study Program, 4th ed. American Academy of Hospice and Palliative Medicine, 2012. <<http://aahpm.org/self-study/unipacs>>
8. von Gunten CF, et al. Treatment of non-pain-related symptoms. Cancer J 2013 ; 19 : 397-404. PMID : 24051612
9. Clary PL, et al. Pharmacologic pearls for end-of-life care. Am Fam Physician 2009 ; 79 : 1059-65. PMID : 19530636
10. Qaseem A, et al. Evidence-based interventions to improve the palliative care of pain, dyspnea, and depression at the end of life : a clinical practice guideline from the American College of Physicians. Ann Intern Med 2008 ; 148 : 141-6. PMID : 18195338 **ガイドライン** **推奨文献**

11. Davies AN. A comparison of artificial saliva and chewing gum in the management of xerostomia in patients with advanced cancer. *Palliat Med* 2000 ; 14 : 197-203.
PMID : 10858827
12. Widera EW, et al. Managing grief and depression at the end of life. *Am Fam Physician* 2012 ; 86 : 259-64.
PMID : 22962989
13. Onishi E, et al. FPIN's Clinical Inquiries. Methylphenidate for management of fatigue in the palliative care setting. *Am Fam Physician* 2014 ; 89 : 124-7.
PMID : 24444582
14. Locke AB, et al. Diagnosis and management of generalized anxiety disorder and panic disorder in adults. *Am Fam Physician* 2015 ; 91 : 617-24. PMID : 25955736
15. American Geriatrics Society feeding tubes in advanced dementia position statement. *J Am Geriatr Soc* 2014 ; 62 : 1590-3. PMID : 25039796
16. Morita T, et al. Artificial hydration therapy, laboratory findings, and fluid balance in terminally ill patients with abdominal malignancies. *J Pain Symptom Manage* 2006 ; 31 : 130-9. PMID : 16488346
17. Lanuke K, et al. Hydration management at the end of life. *J Palliat Med* 2004 ; 7 : 257-63. PMID : 15130203
18. Raijmakers NJ, et al. Artificial nutrition and hydration in the last week of life in cancer patients. A systematic literature review of practices and effects. *Ann Oncol* 2011 ; 22 : 1478-86. PMID : 21199887
19. Larkin PJ, et al. The management of constipation in palliative care : clinical practice recommendations. *Palliat Med* 2008 ; 22 : 796-807. PMID : 18838491

●リンクページ

- 聖隷三方原病院 症状緩和ガイド.<http://www.seirei.or.jp/mikatahara/doc_kanwa/index.html>

第9章 皮膚科救急

薬疹

●参照文献

1. Usatine RP, et al. Dermatologic emergencies. *Am Fam Physician* 2010 ; 82 : 773-80.
PMID : 20879700
2. Ely JW, et al. The generalized rash : part I. Differential diagnosis. *Am Fam Physician* 2010 ; 81 : 726-34.
PMID : 20229971
3. Ely JW, et al. The generalized rash : part II. Diagnostic approach. *Am Fam Physician* 2010 ; 81 : 735-9.
PMID : 20229972
4. Criado PR, et al. Drug reaction with Eosinophilia and Systemic Symptoms (DRESS) / Drug-induced Hypersensitivity Syndrome (DIHS) : a review of current concepts. *An Bras Dermatol* 2012 ; 87 : 435-49. PMID : 22714760
5. Husain Z, et al. DRESS syndrome : Part I. Clinical perspectives. *J Am Acad Dermatol* 2013 ; 68 : 693. e1-14 ; quiz 706-8. PMID : 23602182 **推奨文献**
6. Kardaun SH, et al. Drug reaction with eosinophilia and systemic symptoms (DRESS) : an original multisystem adverse drug reaction. Results from the prospec-

- tive RegiSCAR study. Br J Dermatol 2013 ; 169 : 1071-80. PMID : 23855313
7. Mockenhaupt M, et al. Stevens-Johnson syndrome and toxic epidermal necrolysis : assessment of medication risks with emphasis on recently marketed drugs. The EuroSCAR-study. J Invest Dermatol 2008 ; 128 : 35-44. PMID : 17805350
 8. Hamm RL. Drug-hypersensitivity syndrome : diagnosis and treatment. J Am Coll Clin Wound Spec 2012 ; 3 : 77-81. PMID : 24527369
 9. Schneck J, et al. Effects of treatments on the mortality of Stevens-Johnson syndrome and toxic epidermal necrolysis : A retrospective study on patients included in the prospective EuroSCAR Study. J Am Acad Dermatol 2008 ; 58 : 33-40. PMID : 17919775 **推奨文献**
 10. Huang SH, et al. Aquacel Ag with Vaseline gauze in the management of toxic epidermal necrolysis (TEN). Burns 2010 ; 36 : 121-6. PMID : 19477595
 11. Barron SJ, et al. Intravenous immunoglobulin in the treatment of Stevens-Johnson syndrome and toxic epidermal necrolysis : a meta-analysis with meta-regression of observational studies. Int J Dermatol 2015 ; 54 : 108-15. PMID : 24697283
 12. Descamps V, et al. DRESS syndrome. Joint Bone Spine 2014 ; 81 : 15-21. PMID : 23816504 **推奨文献**

● リンクページ

- 日本形成外科学会. 形成外科で扱う疾患. 広範囲熱傷.<http://www.jsprs.or.jp/member/disease/trauma/trauma_03.html>
- 医薬品医療機器総合機構. 医薬品副作用被害救済制度<http://www.pmda.go.jp/kenkouhigai_camp/index.html>

疥癬

● 参照文献

1. Gunning K, et al. Pediculosis and scabies : treatment update. Am Fam Physician 2012 ; 86 : 535-41. PMID : 23062045
2. Heukelbach J, et al. Scabies. Lancet 2006 ; 367 : 1767-74. PMID : 16731272 **推奨文献**
3. 日本皮膚科学会疥癬診療ガイドライン策定委員会. 疥癬診療ガイドライン (第3版). 日皮会誌 2015 ; 2023-48.<<https://www.dermatol.or.jp/uploads/uploads/files/guideline/kaisenguideline.pdf>> **ガイドライン 推奨文献**
4. Chosidow O. Clinical practices. Scabies. N Engl J Med 2006 ; 354 : 1718-27. PMID : 16625010

● 推奨文献

- Centers for Disease Control and Prevention. Parasite-Scabies.<<http://www.cdc.gov/parasites/scabies/>>

● リンクページ

- 日本皮膚科学会. 皮膚科 Q&A.<<https://www.dermatol.or.jp/qa/qa6/q04.html>>

第10章 急性腰痛

◎参照文献

1. 日本整形外科学会ほか. 腰痛診療ガイドライン 2012. 東京: 南江堂, 2012.<<http://minds.jcqh.or.jp/n/med/4/med0021/G0000533/0001>> **ガイドライン**
2. Della-Giustina D. Evaluation and treatment of acute back pain in the emergency department. *Emerg Med Clin North Am* 2015; 33: 311-26. PMID: 25892724 **推奨文献**
3. Jarvik JG, et al. Association of early imaging for back pain with clinical outcomes in older adults. *JAMA* 2015; 313: 1143-53. PMID: 25781443
4. Casazza BA. Diagnosis and treatment of acute low back pain. *Am Fam Physician* 2012; 85: 343-50. PMID: 22335313 **推奨文献**
5. Vertebral osteomyelitis, discitis, and spinal epidural abscess in adults. Ann Arbor: University of Michigan Health System, 2013.<<http://www.med.umich.edu/linfo/FHP/practiceguides/vertebral/VO.pdf>> **ガイドライン**
6. Old JL, et al. Vertebral compression fractures in the elderly. *Am Fam Physician* 2004; 69: 111-6. PMID: 14727827
7. American Academy of Orthopaedic Surgeons. The treatment of symptomatic osteoporotic spinal compression fractures. Guideline and evidence report. 2010, Sep. 24.<www.aaos.org/research/guidelines/SCFguideline.pdf> **ガイドライン**
8. National Osteoporosis Foundation. Clinician's guide to prevention and treatment of osteoporosis.<emri.tums.ac.ir/upfiles/158936855.pdf> **ガイドライン**
9. Gardner A, et al. Cauda equina syndrome: a review of the current clinical and medico-legal position. *Eur Spine J* 2011; 20: 690-7. PMID: 21193933
10. Longo UG, et al. Conservative management of patients with an osteoporotic vertebral fracture: a review of the literature. *J Bone Joint Surg Br* 2012; 94: 152-7. PMID: 22323677
11. Rzewuska M, et al. The efficacy of conservative treatment of osteoporotic compression fractures on acute pain relief: a systematic review with meta-analysis. *Eur Spine J* 2015; 24: 702-14. PMID: 25725810
12. Giele BM, et al. No evidence for the effectiveness of bracing in patients with thoracolumbar fractures. *Acta Orthop* 2009; 80: 226-32. PMID: 19404808
13. Bailey CS, et al. Orthosis versus no orthosis for the treatment of thoracolumbar burst fractures without neurologic injury: a multicenter prospective randomized equivalence trial. *Spine J* 2014; 14: 2557-64. PMID: 24184649

第11章 向精神薬

◎参照文献

1. Morgan K, et al. Anxiety caused by a short-life hypnotic. *Br Med J (Clin Res Ed)* 1982; 284: 942. PMID: 6121606
2. Wagner AK, et al. Benzodiazepine use and hip fractures in the elderly: who is at greatest risk? *Arch Intern Med* 2004; 164: 1567-72. PMID: 15277291
3. Hampton LM, et al. Emergency department visits by adults for psychiatric medication adverse events. *JAMA Psychiatry* 2014; 71: 1006-14. PMID: 25006837
4. Glass J, et al. Sedative hypnotics in older people with insomnia: meta-analysis of

- risks and benefits. *BMJ* 2005 ; 331 : 1169. PMID : 16284208
5. Weich S, et al. Effect of anxiolytic and hypnotic drug prescriptions on mortality hazards : retrospective cohort study. *BMJ* 2014 ; 348 : g1996. PMID : 24647164
 6. Beach SR, et al. Meta-analysis of selective serotonin reuptake inhibitor-associated QTc prolongation. *J Clin Psychiatry* 2014 ; 75 : e441-9. PMID : 24922496
 7. Birks J. Cholinesterase inhibitors for Alzheimer's disease. *Cochrane Database Syst Rev* 2006 ; (1) : CD005593. PMID : 16437532
 8. McShane R, et al. Memantine for dementia. *Cochrane Database Syst Rev* 2006 ; (2) : CD003154. PMID : 16625572
 9. Farrimond LE, et al. Memantine and cholinesterase inhibitor combination therapy for Alzheimer's disease : a systematic review. *BMJ Open* 2012 ; 2. PMID : 22689908
 10. Straus SM, et al. Antipsychotics and the risk of sudden cardiac death. *Arch Intern Med* 2004 ; 164 : 1293-7. PMID : 15226162
 11. Gill SS, et al. Antipsychotic drug use and mortality in older adults with dementia. *Ann Intern Med* 2007 ; 146 : 775-86. PMID : 17548409
 12. Inada T, et al. Extrapyramidal symptom profiles in Japanese patients with schizophrenia treated with olanzapine or haloperidol. *Schizophr Res* 2002 ; 57 : 227-38. PMID : 12223254
 13. Muench J, et al. Adverse effects of antipsychotic medications. *Am Fam Physician* 2010 ; 81 : 617-22. PMID : 20187598
 14. Perry PJ, et al. Serotonin syndrome vs neuroleptic malignant syndrome : a contrast of causes, diagnoses, and management. *Ann Clin Psychiatry* 2012 ; 24 : 155-62. PMID : 22563571
 15. 西嶋康一. セロトニン症候群. *臨麻* 2000 ; 24 : 695-700.
 16. Huang V, et al. Risk of serotonin syndrome with concomitant administration of linezolid and serotonin agonists. *Pharmacotherapy* 2006 ; 26 : 1784-93. PMID : 17125439
 17. Dunkley EJ, et al. The Hunter Serotonin Toxicity Criteria : simple and accurate diagnostic decision rules for serotonin toxicity. *QJM* 2003 ; 96 : 635-42. PMID : 12925718
 18. Ables AZ, et al. Prevention, recognition, and management of serotonin syndrome. *Am Fam Physician* 2010 ; 81 : 1139-42. PMID : 20433130
 19. 厚生労働省. 重篤副作用疾患別対応マニュアル. セロトニン症候群. 平成 22 年 3 月. <<http://www.mhlw.go.jp/topics/2006/11/dl/tp1122-1j13.pdf>>

● リンクページ

- MEDSTOPPER <<http://medstopper.com/>>

第12章 非心臓手術における術前評価

● 参考文献

1. Laine C, et al. In the clinic. Preoperative evaluation. *Ann Intern Med* 2009 ; 151 : ITC1-15, quiz ITC16. PMID : 19581642 **推奨文献**
2. Fleisher LA, et al. 2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery : a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. *J Am Coll Cardiol* 2014 ; 64 : e77-137. PMID : 25091544 **ガイドライン**

3. 2012-2013 年度合同研究班報告. 非心臓手術における合併心疾患の評価と管理に関するガイドライン (2014 年改訂版). <http://www.j-circ.or.jp/guideline/pdf/JCS2014_kyo_h.pdf> **ガイドライン** **推奨文献**
4. Tonnesen H, et al. Preoperative alcoholism and postoperative morbidity. *Br J Surg* 1999; 86: 869-74. PMID: 10417555
5. Silvestri L, et al. Usefulness of routine pre-operative chest radiography for anaesthetic management: a prospective multicentre pilot study. *Eur J Anaesthesiol* 1999; 16: 749-60. PMID: 10713868
6. Kristensen SD, et al. 2014 ESC/ESA Guidelines on non-cardiac surgery: cardiovascular assessment and management: The Joint Task Force on non-cardiac surgery: cardiovascular assessment and management of the European Society of Cardiology (ESC) and the European Society of Anaesthesiology (ESA). *Eur Heart J* 2014; 35: 2383-431. PMID: 25086026 **ガイドライン**
7. Karthikeyan G, et al. Is a pre-operative brain natriuretic peptide or N-terminal pro-B-type natriuretic peptide measurement an independent predictor of adverse cardiovascular outcomes within 30 days of noncardiac surgery? A systematic review and meta-analysis of observational studies. *J Am Coll Cardiol* 2009; 54: 1599-606. PMID: 19833258
8. Smetana GW. Postoperative pulmonary complications: an update on risk assessment and reduction. *Cleve Clin J Med* 2009; 76 Suppl 4: S60-5. PMID: 19880838 **推奨文献**
9. Qaseem A, et al. Risk assessment for and strategies to reduce perioperative pulmonary complications for patients undergoing noncardiothoracic surgery: a guideline from the American College of Physicians. *Ann Intern Med* 2006; 144: 575-80. PMID: 16618955 **ガイドライン**
10. Hwang D, et al. Association of sleep-disordered breathing with postoperative complications. *Chest* 2008; 133: 1128-34. PMID: 18339794
11. 循環器病の診断と治療に関するガイドライン (2008 年度合同研究班報告). 循環器疾患における抗凝固・抗血小板療法に関するガイドライン (2009 年改訂版). <http://www.j-circ.or.jp/guideline/pdf/JCS2009_hori_h.pdf> **ガイドライン**
12. Mans CM, et al. Postoperative outcomes following preoperative inspiratory muscle training in patients undergoing cardiothoracic or upper abdominal surgery: a systematic review and meta analysis. *Clin Rehabil* 2015; 29: 426-38. PMID: 25160007
13. National Kidney Foundation. KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Anemia in Chronic Kidney Disease. *Am J Kidney Dis* 2006; 47 (suppl 3): S1-S146. <<https://www.kidney.org/sites/default/files/docs/anemiaickd.pdf>> **ガイドライン**
14. Tonnesen H, et al. Effect of preoperative abstinence on poor postoperative outcome in alcohol misusers: randomised controlled trial. *BMJ* 1999; 318: 1311-6. PMID: 10323814
15. Kelly KN, et al. Perioperative stress-dose steroids. *Clin Colon Rectal Surg* 2013; 26: 163-7. PMID: 24436668
16. Dhatariya K, et al. NHS Diabetes guideline for the perioperative management of the adult patient with diabetes. *Diabet Med* 2012; 29: 420-33. PMID: 22288687 **ガイドライン**
17. Australian Diabetes Society. Peri-operative diabetes management guidelines. July

2012. <<https://diabetessociety.com.au/documents/PerioperativeDiabetesManagementGuidelinesFINALCleanJuly2012.pdf>> **ガイドライン**

● リンクページ

- DAS-I (Duke Activity Status Index) <<http://www.phsoregon.org/newsletters/ecardiovascular-beat/assets/downloads/Duke-Activity-Status-Index.pdf>>
- 簡易栄養状態評価表：MNA-SF (Mini Nutritional Assessment-Short Form) <http://www.mna-elderly.com/forms/mini/mna_mini_japanese.pdf>
- NSQIP MICA (ACS Surgical Risk Calculator) <<http://riskcalculator.facs.org/RiskCalculator/>>
- Mayo clinic：肝機能低下症例における術前リスク評価.<<http://www.mayoclinic.org/medical-professionals/model-end-stage-liver-disease/post-operative-mortality-risk-patients-cirrhosis>>

第13章 アルコール使用障害

● 参考文献

1. Bayard M, et al. Alcohol withdrawal syndrome. Am Fam Physician 2004 ; 69 : 1443-50. PMID : 15053409 **推奨文献**
2. Saitz R, et al. Individualized treatment for alcohol withdrawal. A randomized double-blind controlled trial. JAMA 1994 ; 272 : 519-23. PMID : 8046805
3. Mayo-Smith MF, et al. Management of alcohol withdrawal delirium. An evidence-based practice guideline. Arch Intern Med 2004 ; 164 : 1405-12. PMID : 15249349
4. Daepfen JB, et al. Symptom-triggered vs fixed-schedule doses of benzodiazepine for alcohol withdrawal : a randomized treatment trial. Arch Intern Med 2002 ; 162 : 1117-21. PMID : 12020181
5. Sechi G, et al. Wernicke's encephalopathy : new clinical settings and recent advances in diagnosis and management. Lancet Neurol 2007 ; 6 : 442-55. PMID : 17434099 **推奨文献**
6. Kopelman MD, et al. The Korsakoff syndrome : clinical aspects, psychology and treatment. Alcohol Alcohol 2009 ; 44 : 148-54. PMID : 19151162
7. Moyer VA. Screening and behavioral counseling interventions in primary care to reduce alcohol misuse : U.S. preventive services task force recommendation statement. Ann Intern Med 2013 ; 159 : 210-8. PMID : 23698791
8. Alcohol-Use Disorders : Diagnosis, Assessment and Management of Harmful Drinking and Alcohol Dependence. National Collaborating Centre for Mental Health (UK). PMID : 22624177

● リンクページ

- 飲酒習慣スクリーニングテスト (AUDIT) (AUDITの紹介サイト) <http://www.kirin.co.jp/csv/arp/self_check/audit.html>
- Effective Professional Interactions (AUDIT-Cの紹介サイト) <http://www.effectivepi.co.uk/files/AUDIT-C%20and%20the%20other%20AUDIT%20questions%20EPI%20version_Mar%202009.pdf>

第14章 尿閉

◎参考文献

1. Abrams P, et al. The standardisation of terminology of lower urinary tract function : report from the Standardisation Sub-committee of the International Continence Society. *Neurourol Urodyn* 2002 ; 21 : 167-78. PMID : 11857671
2. 本間之夫ほか. 下部尿路機能に関する用語基準 : 国際禁制学会標準化部会報告. *日排尿機能会誌* 2003 ; 14 : 278-89.
3. 日本排尿機能学会. 男性下部尿路症状診療ガイドライン. *ブラックウェルパブリッシング*, 2008. <<http://minds.jcqh.or.jp/n/med/4/med0128/G0000425/0001>>
ガイドライン
4. Armitage JN, et al. Mortality in men admitted to hospital with acute urinary retention : database analysis. *BMJ* 2007 ; 335 : 1199-202. PMID : 17991937
5. Jacobsen SJ, et al. Natural history of prostatism : risk factors for acute urinary retention. *J Urol* 1997 ; 158 : 481-7. PMID : 9224329
6. Klarskov P, et al. Acute urinary retention in women : a prospective study of 18 consecutive cases. *Scand J Urol Nephrol* 1987 ; 21 : 29-31. PMID : 3589520
7. Vilke GM, et al. Evaluation and treatment of acute urinary retention. *J Emerg Med* 2008 ; 35 : 193-8. PMID : 18280090 **推奨文献**
8. Ramsey S, et al. The management of female urinary retention. *Int Urol Nephrol* 2006 ; 38 : 533-5. PMID : 17124624 **推奨文献**
9. Huang YW, et al. The clinical characteristics of uterine tumor-related bladder outlet obstruction. *Int Urogynecol J* 2012 ; 23 : 105-10. PMID : 21887546
10. Marshall JR, et al. An evidence-based approach to emergency department management of acute urinary retention. *Emerg Med Pract* 2014 ; 16 : 1-20 ; quiz 21. PMID : 24804332 **推奨文献**
11. 日本泌尿器科学会. 前立腺肥大症診療ガイドライン. 東京 : リッチヒルメディカル, 2011. <http://www.urol.or.jp/info/guideline/data/08_prostatic_hyperplasia.pdf>
ガイドライン 推奨文献
12. McNeill SA, et al. Alfuzosin once daily facilitates return to voiding in patients in acute urinary retention. *J Urol* 2004 ; 171 : 2316-20. PMID : 15126812
13. Lucas MG, et al. Tamsulosin in the management of patients in acute urinary retention from benign prostatic hyperplasia. *BJU Int* 2005 ; 95 : 354-7. PMID : 15679793
14. Tsukamoto T, et al. Efficacy and safety of dutasteride in Japanese men with benign prostatic hyperplasia. *Int J Urol* 2009 ; 16 : 745-50. PMID : 19674165
15. Naslund M, et al. Impact of delaying 5-alpha reductase inhibitor therapy in men on alpha-blocker therapy to treat BPH : assessment of acute urinary retention and prostate-related surgery. *Curr Med Res Opin* 2009 ; 25 : 2663-9. PMID : 19757985
16. Abrams P, et al. Tamsulosin : efficacy and safety in patients with neurogenic lower urinary tract dysfunction due to suprasacral spinal cord injury. *J Urol* 2003 ; 170 : 1242-51. PMID : 14501734
17. Barendrecht MM, et al. Is the use of parasympathomimetics for treating an underactive urinary bladder evidence-based? *BJU Int* 2007 ; 99 : 749-52. PMID : 17233798

● 推奨文献

- 日本排尿機能学会. 過活動膀胱診療ガイドライン 第2版. 東京: リッチヒルメディカル, 2015. ガイドライン

第15章 漢方の活用方法と副作用

● 参考文献

1. Matsuda Y, et al. Yokukansan in the treatment of behavioral and psychological symptoms of dementia: a systematic review and meta-analysis of randomized controlled trials. *Hum Psychopharmacol* 2013; 28: 80-6. PMID: 23359469
2. Cheng CW, et al. Efficacy of a Chinese herbal proprietary medicine (Hemp Seed Pill) for functional constipation. *Am J Gastroenterol* 2011; 106: 120-9. PMID: 21045817
3. 熊田 卓ほか. Tj-68 ツムラ芍薬甘草湯の筋痙攣 (肝硬変に伴うもの) に対するプラセボ対照二重盲検群間比較試験. *臨医薬* 1999; 15: 499-523.
4. 牧 綾子ほか. ツムラ芍薬甘草湯エキス顆粒 (医療用) の副作用発現頻度調査. *診断と治療* 2016; 104: 947-58.
5. Yoshida T, et al. The efficacy of prophylactic Shakuyaku-Kanzo-to for myalgia and arthralgia following carboplatin and paclitaxel combination chemotherapy for non-small cell lung cancer. *Support Care Cancer* 2009, 17 (3): 315-320.
6. 今津嘉宏ほか. 漢方の消化管手術における臨床成績. *臨外* 2008; 63: 479-86.
7. Mori K, et al. Preventive effect of Kampo medicine (Hangeshashin-to) against irinotecan-induced diarrhea in advanced non-small-cell lung cancer. *Cancer Chemother Pharmacol* 2003; 51: 403-6. PMID: 12687289
8. Matsuda C, et al. Double-blind, placebo-controlled, randomized phase II study of TJ-14 (Hangeshashinto) for infusional fluorinated-pyrimidine-based colorectal cancer chemotherapy-induced oral mucositis. *Cancer Chemother Pharmacol* 2015; 76: 97-103. PMID: 25983022
9. Aoyama T, et al. Double-blind, placebo-controlled, randomized phase II study of TJ-14 (hangeshashinto) for gastric cancer chemotherapy-induced oral mucositis. *Cancer Chemother Pharmacol* 2014; 73: 1047-54. PMID: 24652604
10. Tominaga K, et al. Rikkunshito improves symptoms in PPI-refractory GERD patients: a prospective, randomized, multicenter trial in Japan. *J Gastroenterol* 2012; 47: 284-92. PMID: 22081052
11. Suzuki H, et al. Randomized clinical trial: rikkunshito in the treatment of functional dyspepsia—a multicenter, double-blind, randomized, placebo-controlled study. *Neurogastroenterol Motil* 2014; 26: 950-61. PMID: 24766295
12. Kono T, et al. Goshajinkigan oxaliplatin neurotoxicity evaluation (GONE): a phase 2, multicenter, randomized, doubleblind, placebocontrolled trial of goshajinkigan to prevent oxaliplatininduced neuropathy. *Cancer Chemother Pharmacol* 2013; 72: 1283-90. PMID: 24121454
13. Oki E, et al. Preventive effect of Goshajinkigan on peripheral neurotoxicity of FOLFOX therapy (GENIUS trial): a placebo-controlled, double-blind, randomized phase III study. *Int J Clin Oncol* 2015; 20: 767-75. PMID: 25627820
14. Yoshino T, et al. Risk Factors for Pseudoaldosteronism with Rhabdomyolysis Caused

- by Consumption of Drugs Containing Licorice and Differences Between Incidence of These Conditions in Japan and Other Countries : Case Report and Literature Review. *J Altern Complement Med* 2014 ; 20 : 516-20. PMID : 24620820
15. Yoshino T, et al. Elevated direct bilirubin—Possible predictors for pseudoaldosteronism : Case-control study. *Traditional and Kampo Medicine* 2016 ; 2 : 174-6.

●推奨文献

- 樫尾明彦. 先生, 漢方を鍼灸を試してみたいんですけど……患者さんにいわれて困ったときに読む本. 東京: 南山堂, 2015.
- 渡辺賢治. マトリックスでわかる! 漢方薬使い分けの極意. 東京: 南江堂, 2013.
- 樫尾明彦ほか. スーパー★ジェネラリストに必要なモダン・カンボウ クリニカル・パール集&総合医の実体験. 東京: 新興医学出版社, 2014.
- 日本東洋医学会 EBM 委員会. 「漢方治療エビデンスレポート 2013」<<http://www.jsom.or.jp/medical/ebm/>>
- 日本東洋医学会 EBM 委員会. 「漢方製剤の記載を含む診療ガイドライン 2013」<<http://www.jsom.or.jp/medical/ebm/>> **ガイドライン**

●リンクページ

- 日本東洋医学会の EBM 委員会による, 漢方薬に関するヒトを対象とした臨床試験の結果: 漢方薬治療エビデンスレポート 2013-402 の RCT-(EKAT 2013) (Evidence reports of Kampo Treatment) <<http://www.jsom.or.jp/medical/ebm/er/index.html>>

第16章 不明熱

●参照文献

1. Cunha BA. Fever of unknown origin : clinical overview of classic and current concepts. *Infect Dis Clin North Am* 2007 ; 21 : 867-915, vii. PMID : 18061081
2. Naito T, et al. Diagnostic workup for fever of unknown origin : a multicenter collaborative retrospective study. *BMJ Open* 2013 ; 3 : e003971. PMID : 24362014 **推奨文献**
3. Hayakawa K, et al. Fever of unknown origin : an evidence-based review. *Am J Med Sci* 2012 ; 344 : 307-16. PMID : 22475734
4. Vanderschueren S, et al. Mortality in patients presenting with fever of unknown origin. *Acta Clin Belg* 2014 ; 69 : 12-6. PMID : 24635393
5. Arnow PM, et al. Fever of unknown origin. *Lancet* 1997 ; 350 : 575-80. PMID : 9284789
6. Speil C, et al. Fever of unknown origin in the returning traveler. *Infect Dis Clin North Am* 2007 ; 21 : 1091-113, x. PMID : 18061090
7. Fever of Unknown Origin : A Clinical Approach. *Am J Med.* 2015 ; 128 : 1138, e1-1138, e15. PMID : 26093175 **推奨文献**
8. Tsujioka T, et al. The impact of serum soluble interleukin-2 receptor levels on the diagnosis of malignant lymphoma. *Kawasaki Medical Journal* 2011 ; 37 : 19-27.
9. Masaki Y, et al. Intravascular large B cell lymphoma : proposed of the strategy for early diagnosis and treatment of patients with rapid deteriorating condition. *Int J Hematol* 2009 ; 89 : 600-10. PMID : 19363707
10. Knockaert DC, et al. Long-term follow-up of patients with undiagnosed fever of un-

known origin. Arch Intern Med 1996 ; 156 : 618-20.

PMID : 8629872

● 推奨文献

- 山本舜悟. 入院患者の不明熱. Hospitalist 2013 ; 2 : 169-78.

● リンクページ

- 厚生労働省検疫所 (FORTH) <<http://www.forth.go.jp>>

第17章 食べられない

● 参考文献

1. Gaddey HL, et al. Unintentional weight loss in older adults. Am Fam Physician 2014 ; 89 : 718-22. PMID : 24784334 **推奨文献**
2. McMinn J, et al. Investigation and management of unintentional weight loss in older adults. BMJ 2011 ; 342 : d1732. PMID : 21447571 **推奨文献**
3. Moyer VA, Preventive Services Task Force. Screening and behavioral counseling interventions in primary care to reduce alcohol misuse : U.S. preventive services task force recommendation statement. Ann Intern Med 2013 ; 159 : 210-8. PMID : 23698791 **ガイドライン**
4. Arroll B, et al. Screening for depression in primary care with two verbally asked questions : cross sectional study. BMJ 2003 ; 327 : 1144-6. PMID : 14615341
5. Camilleri M. Clinical practice. Diabetic gastroparesis. N Engl J Med 2007 ; 356 : 820-9. PMID : 17314341
6. Maeda K, et al. Tentative nil per os leads to poor outcomes in older adults with aspiration pneumonia. Clin Nutr 2016 ; 35 : 1147-52. PMID : 26481947
7. Oguchi K, et al. The Repetitive Saliva Swallowing Test (RSST) as a Screening Test of Functional Dysphagia. Jpn J Rehabil Med 2000 ; 37 : 375-82.
8. Tohara H, et al. Three tests for predicting aspiration without videofluorography. Dysphagia 2003 ; 18 : 126-34. PMID : 12825906
9. American Gastroenterological Association medical position statement : evaluation of dyspepsia. Gastroenterology 2005 ; 129 : 1753-5. PMID : 16285970 **ガイドライン**
10. Cook IJ, et al. AGA technical review on management of oropharyngeal dysphagia. Gastroenterology 1999 ; 116 : 455-78. PMID : 9922328
11. Alibhai SM, et al. An approach to the management of unintentional weight loss in elderly people. CMAJ 2005 ; 172 : 773-80. PMID : 15767612