

Part**7 GIM (General Internal Medicine)****第1章 眼・耳・鼻の緊急病態****視力低下****●参考文献**

1. Schrag M, et al. Intravenous Fibrinolytic Therapy in Central Retinal Artery Occlusion : A Patient-Level Meta-analysis. *JAMA Neurol* 2015 ; 72 : 1148-54.
PMID : 26258861

●推奨文献

- Pokhrel PK, et al. Ocular emergencies. *Am Fam Physician* 2007 ; 76 : 829-36.
PMID : 17910297
- Deibel JP, et al. Ocular inflammation and infection. *Emerg Med Clin North Am* 2013 ; 31 : 387-97.
PMID : 23601478
- Romaniuk VM. Ocular trauma and other catastrophes. *Emerg Med Clin North Am* 2013 ; 31 : 399-411.
PMID : 23601479
- Addis VM, et al. Acute visual changes in the elderly. *Clin Geriatr Med* 2013 ; 29 : 165-80.
PMID : 23177606
- Gelston CD. Common eye emergencies. *Am Fam Physician* 2013 ; 88 : 515-9.
PMID : 24364572
- 加藤浩晃. プライマリ・ケア医&救急医のための眼科診療ガイド. 大阪：メディカ出版. 2015.
- Magauran B, et al. Conditions requiring emergency ophthalmologic consultation. *Emerg Med Clin North Am* 2008 ; 26 : 233-8, viii.
PMID : 18249265
- Bagheri N, et al. Acute Vision Loss. *Prim Care* 2015 ; 42 : 347-61.
PMID : 26319342
- 日本緑内障学会. 緑内障診療ガイドライン（第4版）. 日眼会誌 2018 ; 122 : 5-53.
<https://www.ryokunaisho.jp/guidelines/data/guidelines_all.pdf> ガイドライン

レッドアイ(充血)**●参考文献**

1. Mahmood AR, et al. Diagnosis and management of the acute red eye. *Emerg Med Clin North Am* 2008 ; 26 : 35-55, vi.
PMID : 18249256 推奨文献
2. Cronau H, et al. Diagnosis and management of red eye in primary care. *Am Fam Physician* 2010 ; 81 : 137-44.
PMID : 20082509 推奨文献
3. 2007 Guideline for Isolation Precautions : Preventing Transmission of Infectious Agents in Healthcare Settings.<<https://www.cdc.gov/infectioncontrol/pdf/guidelines/isolation-guidelines-H.pdf>> ガイドライン
4. 日本眼科学会. アデノウイルス結膜炎院内感染対策ガイドライン 平成21年1月10日.

<<https://www.nichigan.or.jp/member/journal/guideline/detail.html?ItemId=2838&dispmid=909>>

ガイドライン

● 推奨文献

- 加藤浩晃. プライマリ・ケア医&救急医のための眼科診療ガイド. 大阪：メディカ出版. 2015.
- Narayana S, et al. Bedside Diagnosis of the 'Red Eye' : A Systematic Review. Am J Med 2015 ; 128 : 1220-4.e1. PMID : 26169885

めまい

● 参照文献

1. Welgampola MS, et al. Bedside Assessment of Acute Dizziness and Vertigo. Neurol Clin 2015 ; 33 : 551-64, vii. PMID : 26231271
2. 日本神経治療学会治療指針作成委員会編. 標準的神經治療：めまい. 神經治療；2011 ; 28 : 183-212.<<https://www.jsnt.gr.jp/guideline/img/memai.pdf>> ガイドライン
3. Schneider JI, et al. Vertigo, vertebrobasilar disease, and posterior circulation ischemic stroke. Emerg Med Clin North Am 2012 ; 30 : 681-93. PMID : 22974644
4. Tarnutzer AA, et al. Does my dizzy patient have a stroke? A systematic review of bedside diagnosis in acute vestibular syndrome. CMAJ 2011 ; 183 : E571-92. PMID : 21576300
5. Newman-Toker DE, et al. Imprecision in patient reports of dizziness symptom quality : a cross-sectional study conducted in an acute care setting. Mayo Clin Proc 2007 ; 82 : 1329-40. PMID : 17976352
6. Muncie HL, et al. Dizziness : Approach to Evaluation and Management. Am Fam Physician 2017 ; 95 : 154-62. PMID : 28145669
7. Kattah JC, et al. HINTS to diagnose stroke in the acute vestibular syndrome : three-step bedside oculomotor examination more sensitive than early MRI diffusion-weighted imaging. Stroke 2009 ; 40 : 3504-10. PMID : 19762709
8. Post RE, et al. Dizziness : a diagnostic approach. Am Fam Physician 2010 ; 82 : 361-8, 369. PMID : 20704166
9. Hilton MP, et al. The Epley (canalith repositioning) manoeuvre for benign paroxysmal positional vertigo. Cochrane Database Syst Rev 2014 ; (12) : CD003162. PMID : 25485940
10. Bhattacharyya N, et al. Clinical practice guideline : benign paroxysmal positional vertigo. Otolaryngol Head Neck Surg 2008 ; 139 (5 Suppl 4) : S47-81. PMID : 18973840 ガイドライン
11. Baloh RW. Clinical practice. Vestibular neuritis. N Engl J Med 2003 ; 348 : 1027-32. PMID : 12637613 推奨文献

● 参考リンク

- The HINTS exam.
<<https://www.youtube.com/watch?v=1q-VTKPweuk>>

急性の聴力低下

● 参照文献

1. Stachler RJ, et al. Clinical practice guideline : sudden hearing loss. Otolaryngol Head Neck Surg 2012; 146 (3 Suppl) : S1-35. PMID : 22383545 ガイドライン
2. Isaacson JE, et al. Differential diagnosis and treatment of hearing loss. Am Fam Physician 2003; 68 : 1125-32. PMID : 14524400

鼻出血

● 推奨文献

- Buttaravoli P. Minor Emergencies : Splinters to fractures. Philadelphia : Mosby/Elsevier, 2007.
- Kasperek ZA, et al. Epistaxis : an overview. Emerg Med Clin North Am 2013; 31 : 443-54. PMID : 23601481
- Morgan DJ, et al. Epistaxis : evaluation and treatment. Prim Care 2014; 41 : 63-73. PMID : 24439881

第2章 病棟で遭遇する皮疹

重症薬疹

● 参照文献

1. Usatine RP, et al. Dermatologic emergencies. Am Fam Physician 2010; 82 : 773-80. PMID : 20879700
2. Ely JW, et al. The generalized rash : part I. Differential diagnosis. Am Fam Physician 2010; 81 : 726-34. PMID : 20229971
3. Ely JW, et al. The generalized rash : part II. Diagnostic approach. Am Fam Physician 2010; 81 : 735-9. PMID : 20229972
4. Criado PR, et al. Drug reaction with Eosinophilia and Systemic Symptoms (DRESS) / Drug-induced Hypersensitivity Syndrome (DIHS) : a review of current concepts. An Bras Dermatol 2012; 87 : 435-49. PMID : 22714760
5. Husain Z, et al. DRESS syndrome : Part I. Clinical perspectives. J Am Acad Dermatol 2013; 68 : 693. e1-14 ; quiz 706-8. PMID : 23602182 推奨文献
6. Kardaun SH, et al. Drug reaction with eosinophilia and systemic symptoms (DRESS) : an original multisystem adverse drug reaction. Results from the prospective RegiSCAR study. Br J Dermatol 2013; 169 : 1071-80. PMID : 23855313
7. Mockenhaupt M, et al. Stevens-Johnson syndrome and toxic epidermal necrolysis : assessment of medication risks with emphasis on recently marketed drugs. The EuroSCAR-study. J Invest Dermatol 2008; 128 : 35-44. PMID : 17805350
8. 日本皮膚科学会ガイドライン 重症多形滲出性紅斑 スティーヴンス・ジョンソン症候群・中毒性表皮壊死症診療ガイドライン. 日皮会誌 2016; 126 : 1637-85. <<https://www.dermatol.or.jp/uploads/uploads/files/EM%20major%281%29.pdf>>
9. Hamm RL. Drug-hypersensitivity syndrome : diagnosis and treatment. J Am Coll Clin Wound Spec 2012; 3 : 77-81. PMID : 24527369
10. Schneck J, et al. Effects of treatments on the mortality of Stevens-Johnson syn-

drome and toxic epidermal necrolysis : A retrospective study on patients included in the prospective EuroSCAR Study. J Am Acad Dermatol 2008 ; 58 : 33–40.

PMID : 17919775 推奨文献

11. Huang SH, et al. Aquacel Ag with Vaseline gauze in the management of toxic epidermal necrolysis (TEN). Burns 2010 ; 36 : 121–6. PMID : 19477595
12. Barron SJ, et al. Intravenous immunoglobulin in the treatment of Stevens–Johnson syndrome and toxic epidermal necrolysis : a meta-analysis with meta-regression of observational studies. Int J Dermatol 2015 ; 54 : 108–15. PMID : 24697283
13. Descamps V, et al. DRESS syndrome. Joint Bone Spine 2014 ; 81 : 15–21. PMID : 23816504 推奨文献

●参考リンク

- ・日本形成外科学会. 形成外科で扱う疾患.
<<https://www.jsprs.or.jp/member/disease/>>
- ・医薬品医療機器総合機構. 医薬品副作用被害救済制度
<http://www.pmda.go.jp/kenkouhigai_camp/index.html>

疥癬

●参照文献

1. Gunning K, et al. Pediculosis and scabies : treatment update. Am Fam Physician 2012 ; 86 : 535–41. PMID : 23062045
2. Heukelbach J, et al. Scabies. Lancet 2006 ; 367 : 1767–74. PMID : 16731272 推奨文献
3. 日本皮膚科学会疥癬診療ガイドライン策定委員会. 疥癬診療ガイドライン（第3版）. 日皮会誌 2015 ; 2023–48.<<https://www.dermatol.or.jp/uploads/uploads/files/guideline/kaisenguideline.pdf>> ガイドライン 推奨文献
4. Chosidow O. Clinical practices. Scabies. N Engl J Med 2006 ; 354 : 1718–27. PMID : 16625010

●推奨文献

- ・Centers for Disease Control and Prevention. Parasite–Scabies.<<https://www.cdc.gov/parasites/scabies/>>

●参考リンク

- ・日本皮膚科学会. 皮膚科 Q&A
<<https://www.dermatol.or.jp/qa/qa6/q04.html>>

第3章 急性腰痛

●参照文献

1. 日本整形外科学会ほか. 腰痛診療ガイドライン 2019. 改訂第2版. 東京 : 南江堂, 2019.<https://minds.jcqhc.or.jp/docs/gl_pdf/G0001110/4/Low_back_pain.pdf> ガイドライン
2. Della-Giustina D. Evaluation and treatment of acute back pain in the emergency department. Emerg Med Clin North Am 2015 ; 33 : 311–26. PMID : 25892724 推奨文献
3. Jarvik JG, et al. Association of early imaging for back pain with clinical outcomes in

- older adults. JAMA 2015; 313: 1143–53. PMID : 25781443
4. Oliveira CB, et al. Clinical practice guidelines for the management of non-specific low back pain in primary care: an updated overview. Eur Spine J 2018; 27: 2791–803. PMID : 29971708
 5. Berbari EF, et al. 2015 Infectious Diseases Society of America (IDSA) Clinical Practice Guidelines for the Diagnosis and Treatment of Native Vertebral Osteomyelitis in Adults. Clin Infect Dis 2015; 61: e26–46. PMID : 26229122 ガイドライン
 6. Old JL, et al. Vertebral compression fractures in the elderly. Am Fam Physician 2004; 69: 111–6. PMID : 14727827
 7. American Academy of Orthopaedic Surgeons. The treatment of symptomatic osteoporotic spinal compression fractures. Guideline and evidence report. 2010, Sep. 24. <https://www5.aaos.org/uploadedFiles/PreProduction/Quality/Guidelines_and_Reviews/spinal-compression-fractures-cpg%204-23-19.pdf> ガイドライン
 8. National Osteoporosis Fundation. Clinician's guide to prevention and treatment of osteoporosis. Osteoporos Int 2014; 25: 2359–81. PMID : 25182228 ガイドライン
 9. Greenhalgh S, et al. Assessment and management of cauda equina syndrome. Musculoskelet Sci Pract 2018; 37: 69–74. PMID : 29935940
 10. McCarthy J, et al. Diagnosis and Management of Vertebral Compression Fractures. Am Fam Physician 2016; 94: 44–50. PMID : 27386723
 11. Rzewuska M, et al. The efficacy of conservative treatment of osteoporotic compression fractures on acute pain relief: a systematic review with meta-analysis. Eur Spine J 2015; 24: 702–14. PMID : 25725810
 12. Parreira PCS, et al. An overview of clinical guidelines for the management of vertebral compression fracture: a systematic review. Spine J 2017; 17: 1932–8. PMID : 28739478 ガイドライン
 13. Jeremiah MP, et al. Diagnosis and Management of Osteoporosis. Am Fam Physician 2015; 92: 261–8. PMID : 26280231
 14. 骨粗鬆症の予防と治療ガイドライン作成委員会. 骨粗鬆症の予防と治療ガイドライン 2015年版.<http://www.josteo.com/ja/guideline/doc/15_1.pdf> ガイドライン

第4章 アルコール離脱症候群

○参考文献

1. Bayard M, et al. Alcohol withdrawal syndrome. Am Fam Physician 2004; 69: 1443–50. PMID : 15053409 推奨文献
2. Saitz R, et al. Individualized treatment for alcohol withdrawal. A randomized double-blind controlled trial. JAMA 1994; 272: 519–23. PMID : 8046805
3. Mayo-Smith MF, et al. Management of alcohol withdrawal delirium. An evidence-based practice guideline. Arch Intern Med 2004; 164: 1405–12. PMID : 15249349 ガイドライン
4. Daeppen JB, et al. Symptom-triggered vs fixed-schedule doses of benzodiazepine for alcohol withdrawal: a randomized treatment trial. Arch Intern Med 2002; 162: 1117–21. PMID : 12020181
5. Sechi G, et al. Wernicke's encephalopathy: new clinical settings and recent advances in diagnosis and management. Lancet Neurol 2007; 6: 442–55.

PMID : 17434099 推奨文献

6. Kopelman MD, et al. The Korsakoff syndrome : clinical aspects, psychology and treatment. *Alcohol Alcohol* 2009 ; 44 : 148-54. PMID : 19151162
7. 樋口 進ほか. 新アルコール・薬物使用障害の診断治療ガイドライン. 東京 : 新興医学出版社, 2018. ガイドライン
8. 融 道男ほか. ICD-10 精神および行動の障害 : 臨床記述と診断ガイドライン. 東京 : 医学書院, 2005. ガイドライン
9. American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders, 5th ed. (DSM-5), 2013.
10. Osaki Y, et al. Prevalence and Trends in Alcohol Dependence and Alcohol Use Disorders in Japanese Adults : Results from Periodical Nationwide Surveys. *Alcohol Alcohol* 2016 ; 51 : 465-73. PMID : 26873982
11. Moyer VA. Screening and behavioral counseling interventions in primary care to reduce alcohol misuse : U.S. preventive services task force recommendation statement. *Ann Intern Med* 2013 ; 159 : 210-8. PMID : 23698791
12. Alcohol-Use Disorders : Diagnosis, Assessment and Management of Harmful Drinking and Alcohol Dependence. National Collaborating Centre for Mental Health (UK). PMID : 22624177

●参考リンク

- 飲酒習慣スクリーニングテスト (AUDIT) (AUDIT の紹介サイト)
 <https://www.kirinholdings.com/jp/impact/alcohol/0_1/proper/audit/>
- MD + CALC AUDIT-C for Alcohol Use (AUDIT-C の計算サイト)
 <<https://www.mdcalc.com/audit-c-alcohol-use>>

第5章 尿閉

●参照文献

1. Abrams P, et al. The standardisation of terminology of lower urinary tract function : report from the Standardisation Sub-committee of the International Continence Society. *Neurourol Urodyn* 2002 ; 21 : 167-78. PMID : 11857671
2. 本間之夫ほか. 下部尿路機能に関する用語基準 : 国際禁制学会標準化部会報告. 日排尿機能会誌 2003 ; 14 : 278-89.
3. 日本泌尿器科学会. 男性下部尿路症状・前立腺肥大症診療ガイドライン. 東京 : リッチヒルメディカル, 2016.<https://www.urol.or.jp/lib/files/other/guideline/27_lower-urinary_prostatic-hyperplasia.pdf> ガイドライン
4. Armitage JN, et al. Mortality in men admitted to hospital with acute urinary retention : database analysis. *BMJ* 2007 ; 335 : 1199-202. PMID : 17991937
5. Jacobsen SJ, et al. Natural history of prostatism : risk factors for acute urinary retention. *J Urol* 1997 ; 158 : 481-7. PMID : 9224329
6. Klarskov P, et al. Acute urinary retention in women : a prospective study of 18 consecutive cases. *Scand J Urol Nephrol* 1987 ; 21 : 29-31. PMID : 3589520
7. Vilke GM, et al. Evaluation and treatment of acute urinary retention. *J Emerg Med* 2008 ; 35 : 193-8. PMID : 18280090 推奨文献
8. Ramsey S, et al. The management of female urinary retention. *Int Urol Nephrol*

- 2006;38:533-5. PMID: 17124624 推奨文献
9. Huang YW, et al. The clinical characteristics of uterine tumor-related bladder outlet obstruction. Int Urogynecol J 2012;23:105-10. PMID: 21887546
 10. Marshall JR, et al. An evidence-based approach to emergency department management of acute urinary retention. Emerg Med Pract 2014;16:1-20:quiz 21. PMID: 24804332 推奨文献
 11. Lucas MG, et al. Tamsulosin in the management of patients in acute urinary retention from benign prostatic hyperplasia. BJU Int 2005;95:354-7. PMID: 15679793
 12. 日本泌尿器科学会. 男性下部尿路症状・前立腺肥大症診療ガイドライン. 東京: リッチヒルメディカル, 2016.<https://www.urol.or.jp/lib/files/other/guideline/27_lower-urinary_prostatic-hyperplasia.pdf> ガイドライン
 13. McNeill SA, et al. Alfuzosin once daily facilitates return to voiding in patients in acute urinary retention. J Urol 2004;171:2316-20. PMID: 15126812
 14. Tsukamoto T, et al. Efficacy and safety of dutasteride in Japanese men with benign prostatic hyperplasia. Int J Urol 2009;16:745-50. PMID: 19674165
 15. Naslund M, et al. Impact of delaying 5-alpha reductase inhibitor therapy in men on alpha-blocker therapy to treat BPH: assessment of acute urinary retention and prostate-related surgery. Curr Med Res Opin 2009;25:2663-9. PMID: 19757985
 16. Abrams P, et al. Tamsulosin: efficacy and safety in patients with neurogenic lower urinary tract dysfunction due to suprasacral spinal cord injury. J Urol 2003;170:1242-51. PMID: 14501734
 17. Barendrecht MM, et al. Is the use of parasympathomimetics for treating an underactive urinary bladder evidence-based? BJU Int 2007;99:749-52. PMID: 17233798

●推奨文献

- 日本排尿機能学会. 過活動膀胱診療ガイドライン 第2版. 東京: リッチヒルメディカル, 2015. ガイドライン

第6章 不明熱

●参照文献

1. Cunha BA. Fever of unknown origin: clinical overview of classic and current concepts. Infect Dis Clin North Am 2007;21:867-915, vii. PMID: 18061081
2. Naito T, et al. Diagnostic workup for fever of unknown origin: a multicenter collaborative retrospective study. BMJ Open 2013;3:e003971. PMID: 24362014 推奨文献
3. Hayakawa K, et al. Fever of unknown origin: an evidence-based review. Am J Med Sci 2012;344:307-16. PMID: 22475734
4. Vanderschueren S, et al. Mortality in patients presenting with fever of unknown origin. Acta Clin Belg 2014;69:12-6. PMID: 24635393
5. Arnow PM, et al. Fever of unknown origin. Lancet 1997;350:575-80. PMID: 9284789
6. Speil C, et al. Fever of unknown origin in the returning traveler. Infect Dis Clin North Am 2007;21:1091-113, x. PMID: 18061090
7. Fever of Unknown Origin: A Clinical Approach. Am J Med. 2015;128:1138.e1-1138.e15. PMID: 26093175 推奨文献

8. Tsujioka T, et al. The impact of serum soluble interleukin-2 receptor levels on the diagnosis of malignant lymphoma. *Kawasaki Medical Journal* 2011; 37: 19-27.
9. Masaki Y, et al. Intravascular large B cell lymphoma : proposed of the strategy for early diagnosis and treatment of patients with rapid deteriorating condition. *Int J Hematol* 2009; 89: 600-10. PMID: 19363707
10. Knockaert DC, et al. Long-term follow-up of patients with undiagnosed fever of unknown origin. *Arch Intern Med* 1996; 156: 618-20. PMID: 8629872
11. Wright WF, et al. Fever and Fever of Unknown Origin : Review, Recent Advances, and Lingering Dogma. *Open Forum Infect Dis* 2020; 7: ofaa132. PMID: 32462043

●推奨文献

- 山本舜悟. 入院患者の不明熱. *Hospitalist* 2013; 2: 169-78.

●参考リンク

- 厚生労働省検疫所 (FORTH)
<http://www.forth.go.jp>

第7章 高齢者の「元気がない」

●参照文献

1. Anderson RS Jr, et al. Generalized weakness in the geriatric emergency department patient : an approach to initial management. *Clin Geriatr Med* 2013; 29: 91-100. PMID: 23177602
2. Clegg A, et al. Frailty in elderly people. *Lancet* 2013; 381: 752-62. PMID: 23395245
3. Nickel CH, et al. Weakness as presenting symptom in the emergency department. *Swiss Med Wkly* 2009; 139: 271-2. PMID: 19418310
4. Nemec M, et al. Patients presenting to the emergency department with non-specific complaints : the Basel Non-specific Complaints (BANC) study. *Acad Emerg Med* 2010; 17: 284-92. PMID: 20370761
5. Bhalla MC, et al. Weakness and fatigue in older ED patients in the United States. *Am J Emerg Med* 2014; 32: 1395-8. PMID: 25205614
6. Kongkaew C, et al. Hospital admissions associated with adverse drug reactions : a systematic review of prospective observational studies. *Ann Pharmacother* 2008; 42: 1017-25. PMID: 18594048
7. Sarkisian CA, et al. "Failure to thrive" in older adults. *Ann Intern Med* 1996; 124: 1072-8. PMID: 8633822
8. Singer M, et al. The Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA* 2016; 315: 801-10. PMID: 26903338
9. High KP, et al. Clinical practice guideline for the evaluation of fever and infection in older adult residents of long-term care facilities : 2008 update by the Infectious Diseases Society of America. *Clin Infect Dis* 2009; 48: 149-71. PMID: 19072244 ガイドライン
10. Creditor MC. Hazards of hospitalization of the elderly. *Ann Intern Med* 1993; 118: 219-23. PMID: 8417639
11. Asomaning N, et al. Identification of seniors at risk (ISAR)screening tool in the

- emergency department : implementation using the plan-do-study-act model and validation results. *J Emerg Nurs* 2014 ; 40 : 357-64.e1. PMID : 24144796
12. Turner G, et al. Best practice guidelines for the management of frailty : a British Geriatrics Society, Age UK and Royal College of General Practitioners report. *Age Ageing* 2014 ; 43 : 744-7. PMID : 25336440 ガイドライン
13. Young KW, et al. Shift in diurnal feeding patterns in nursing home residents with Alzheimer's disease. *J Gerontol A Biol Sci Med Sci* 2001 ; 56 : M700-6. PMID : 11682578
14. SNLG Regions 21. Frailty in elderly people guideline. Regional Health Council 2015. <<https://www.regione.toscana.it/documents/10180/320308/Frailty+in+elderly+people/9327bb85-6d3c-4e1b-a398-669e76ce5b01?version=1.0>> PMID : 25336440 ガイドライン
15. Karlawish JH, et al. A consensus-based approach to providing palliative care to patients who lack decision-making capacity. ACP-ASIM End-of-Life Care Consensus Panel. American College of Physicians-American Society of Internal Medicine. *Ann Intern Med* 1999 ; 130 : 835-40. PMID : 10366374

第8章 高齢者の「食べられない」

● 参照文献

1. Gaddey HL, et al. Unintentional weight loss in older adults. *Am Fam Physician* 2014 ; 89 : 718-22. PMID : 24784334 推奨文献
2. McMinn J, et al. Investigation and management of unintentional weight loss in older adults. *BMJ* 2011 ; 342 : d1732. PMID : 21447571 推奨文献
3. Arroll B, et al. Screening for depression in primary care with two verbally asked questions : cross sectional study. *BMJ* 2003 ; 327 : 1144-6. PMID : 14615341
4. Moyer VA, Preventive Services Task Force. Screening and behavioral counseling interventions in primary care to reduce alcohol misuse : U.S. preventive services task force recommendation statement. *Ann Intern Med* 2013 ; 159 : 210-8. PMID : 23698791 ガイドライン
5. Camilleri M. Clinical practice. Diabetic gastroparesis. *N Engl J Med* 2007 ; 356 : 820-9. PMID : 17314341
6. Maeda K, et al. Tentative nil per os leads to poor outcomes in older adults with aspiration pneumonia. *Clin Nutr* 2016 ; 35 : 1147-52. PMID : 26481947
7. Oguchi K, et al. The Repetitive Saliva Swallowing Test (RSST) as a Screening Test of Functional Dysphagia. *Jpn J Rehabil Med* 2000 ; 37 : 375-82.
8. Tohara H, et al. Three tests for predicting aspiration without videofluorography. *Dysphagia* 2003 ; 18 : 126-34. PMID : 12825906
9. Cook IJ, et al. AGA technical review on management of oropharyngeal dysphagia. *Gastroenterology* 1999 ; 116 : 455-78. PMID : 9922328
10. Alibhai SM, et al. An approach to the management of unintentional weight loss in elderly people. *CMAJ* 2005 ; 172 : 773-80. PMID : 15767612

第9章 高齢者の「動けない」

● 推奨文献

- Anderson RS Jr, et al. Generalized weakness in the geriatric emergency department patient : an approach to initial management. Clin Geriatr Med 2013;29:91-100.
PMID:23177602
- Saguil A, et al. Evaluation of the patient with muscle weakness. Am Fam Physician 2005;71:1327-36.
PMID:15832536
- Asimos AW. Weakness : A Systematic Approach To Acute, Non-traumatic, Neurologic And Neuromuscular Causes. Emerg Med Pract 2002;4:1-28.