

## Part

## 4 入院診療(高齢者)

## 4-1 高齢者入院合併症の予防, 対応

## ◎参照文献

1. Clegg A, et al. Frailty in elderly people. *Lancet* 2013; 381: 752-62. PMID: 23395245
2. Creditor MC. Hazards of hospitalization of the elderly. *Ann Intern Med* 1993; 118: 219-23. PMID: 8417639
3. Corcoran PJ. Use it or lose it—the hazards of bed rest and inactivity. *West J Med* 1991; 154: 536-8. PMID: 1866946
4. Landefeld CS, et al. A randomized trial of care in a hospital medical unit especially designed to improve the functional outcomes of acutely ill older patients. *N Engl J Med* 1995; 332: 1338-44. PMID: 7715644
5. Mattison MLP, et al. A standardized, bundled approach to providing geriatric-focused acute care. *J Am Geriatr Soc* 2014; 62: 936-42. PMID: 24749723
6. 許 智栄ほか. すべてのスタッフで高齢者を大切にしたい! *Hospitalist* 2017; 5: 583-7.
7. Barry LC, et al. Depression and functional recovery after a disabling hospitalization in older persons. *J Am Geriatr Soc* 2011; 59: 1320-5. PMID: 21668916
8. Bogardus Jr ST, et al. What does the medical record reveal about functional status? A comparison of medical record and interview data. *J Gen Intern Med* 2001; 16: 728-36. PMID: 11722685
9. Covinsky KE, et al. Hospitalization-associated disability: "She was probably able to ambulate, but I'm not sure". *JAMA* 2011; 306: 1782-93. PMID: 22028354
10. Ettinger WH. Can hospitalization-associated disability be prevented? *JAMA* 2011; 306: 1800-1. PMID: 22028358
11. Brown CJ, et al. Prevalence and outcomes of low mobility in hospitalized older patients. *J Am Geriatr Soc* 2004; 52: 1263-70. PMID: 15271112
12. Kannus P, et al. Prevention of falls and consequent injuries in elderly people. *Lancet* 2005; 366: 1885-93. PMID: 16310556
13. Zuckerman JD. Hip fracture. *N Engl J Med* 1996; 334: 1519-25. PMID: 8618608
14. NICE. Falls in older people: assessing risk and prevention. Clinical guideline Published: 12 June 2013. <<https://www.nice.org.uk/guidance/cg161/resources/falls-in-older-people-assessing-risk-and-prevention-pdf-35109686728645>> **ガイドライン**
15. Wesselius HM, et al. Quality and Quantity of Sleep and Factors Associated With Sleep Disturbance in Hospitalized Patients. *JAMA Intern Med* 2018; 178: 1201-8. PMID: 30014139
16. Stewart NH, et al. Sleep in Hospitalized Older Adults. *Sleep Med Clin* 2018; 13: 127-35. PMID: 29412979
17. Growdon ME, et al. Minimizing Sleep Disruption for Hospitalized Patients: A Wake-

- up Call. JAMA Intern Med 2018 ; 178 : 1208-9. PMID : 30014149
18. Inouye SK, et al. The Hospital Elder Life Program : a model of care to prevent cognitive and functional decline in older hospitalized patients. Hospital Elder Life Program. J Am Geriatr Soc 2000 ; 48 : 1697-706. PMID : 11129764
  19. de Luis D, et al. Nutritional status of adult patients admitted to internal medicine departments in public hospitals in Castilla y Leon, Spain—A multi-center study. Eur J Intern Med 2006 ; 17 : 556-60. PMID : 17142174
  20. Barker LA, et al. Hospital malnutrition : prevalence, identification and impact on patients and the healthcare system. Int J Environ Res Public Health 2011 ; 8 : 514-27. PMID : 21556200
  21. Whittington K, et al. A national study of pressure ulcer prevalence and incidence in acute care hospitals. J Wound Ostomy Continence Nurs 2000 ; 27 : 209-15. PMID : 10896746
  22. Qaseem A, et al. Risk assessment and prevention of pressure ulcers : a clinical practice guideline from the American College of Physicians. Ann Intern Med 2015 ; 162 : 359-69. PMID : 25732278 **ガイドライン**
  23. Marcantonio ER. Delirium in Hospitalized Older Adults. N Engl J Med 2017 ; 377 : 1456-66. PMID : 29020579
  24. Oh ES, et al. Delirium in Older Persons : Advances in Diagnosis and Treatment. JAMA 2017 ; 318 : 1161-74. PMID : 28973626
  25. Witlox J, et al. Delirium in elderly patients and the risk of postdischarge mortality, institutionalization, and dementia : a meta-analysis. JAMA 2010 ; 304 : 443-51. PMID : 20664045
  26. Steinman MA, et al. Managing medications in clinically complex elders : "There's got to be a happy medium". JAMA 2010 ; 304 : 1592-601. PMID : 20940385

### ● リンクページ

- Hospitalist 付録. 高齢入院患者の回診における極意 : 「実践回診! 高齢者」.<[http://www.medsico.jp/Download\\_files/Hospitalistvol5no4.pdf](http://www.medsico.jp/Download_files/Hospitalistvol5no4.pdf)>

## 4-2 フレイル

### ● 参考文献

1. Clegg A. Frailty in elderly people. Lancet 2013 ; 381 : 752-62. PMID : 23395245 **推奨文献**
2. Morley JE, et al. Frailty consensus : a call to action. J Am Med Dir Assoc 2013 ; 14 : 392-7. PMID : 23764209 **推奨文献**
3. Turner G, et al. Best practice guidelines for the management of frailty : a British Geriatrics Society, Age UK and Royal College of General Practitioners report. Age Ageing 2014 ; 43 : 744-7. PMID : 25336440 **推奨文献**
4. Yamada M, et al. Predictive Value of Frailty Scores for Healthy Life Expectancy in Community-Dwelling Older Japanese Adults. J Am Med Dir Assoc 2015 ; 16 : 1002.e7-11. PMID : 26385303
5. Robertson RG, et al. Geriatric failure to thrive. Am Fam Physician 2004 ; 70 : 343-50. PMID : 15291092

6. Egbert AM. The dwindles : failure to thrive in older patients. *Nutr Rev* 1996 ; 54 : S25-30. PMID : 8919675
7. Lee L, et al. Frailty : Identifying elderly patients at high risk of poor outcomes. *Can Fam Physician* 2015 ; 61 : 227-31. PMID : 25767167
8. Clegg A, et al. Diagnostic test accuracy of simple instruments for identifying frailty in community-dwelling older people : a systematic review. *Age Ageing* 2015 ; 44 : 148-52. PMID : 25355618
9. Egbert AM. 'The dwindles'. Failure to thrive in older patients. *Postgrad Med* 1993 ; 94 : 199-201, 204-6, 210-2. PMID : 8415333

## 4-3 高齢者総合的機能評価 (CGA)

### ◎参考文献

1. Ellis G, et al. Comprehensive geriatric assessment for older adults admitted to hospital : meta-analysis of randomised controlled trials. *BMJ* 2011 ; 343 : d6553. PMID : 22034146
2. Agarwal K. Failure to thrive in older adults. UpToDate.<<https://www.uptodate.com/contents/failure-to-thrive-in-older-adults-management>>
3. CGA-Indications for Referral. UpToDate.
4. British Geriatrics Society. Comprehensive Geriatric Assessment Toolkit for Primary Care Practitioners 2019.<<https://www.bgs.org.uk/resources/resource-series/comprehensive-geriatric-assessment-toolkit-for-primary-care-practitioners>>
5. Toba K, et al. Vitality Index as a useful tool to assess elderly with dementia. *Geriatrics Gerontology* 2002 ; 2 : 23-9.
6. Appelbaum PS. Clinical practice. Assessment of patients' competence to consent to treatment. *N Engl J Med* 2007 ; 357 : 1834-40. PMID : 17978292
7. Borson A, et al. The Mini-Cog as a screen for dementia : validation in a population-based sample. *J Am Geriatr Soc* 2003 ; 51 : 1451-4. PMID : 14511167
8. Borson A, et al. The mini-cog : a cognitive 'vital signs' measure for dementia screening in multi-lingual elderly. *Int J Geriatr Psychiatry* 2000 ; 15 : 1021-7. PMID : 11113982
9. Rinaldi P, et al. Validation of the five-item geriatric depression scale in elderly subjects in three different settings. *J Am Geriatr Soc* 2003 ; 51 : 694-8. PMID : 12752847

## 4-4 せん妄

### ◎参考文献

1. 川寄弘詔. せん妄の診断・治療. 2007. <[http://nishi.kcho.jp/images/2017/07/liezon\\_senmou.pdf](http://nishi.kcho.jp/images/2017/07/liezon_senmou.pdf)>
2. Inouye SK, et al. Delirium in elderly people. *Lancet* 2014 ; 383 : 911-22. PMID : 23992774
3. 渡邊 明. The Confusion Assessment Method (CAM) 日本語版の妥当性 診断・症状の評価. *総合病院精神医学* 2013 ; 25 : 165-70
4. Wong CL, et al. Does this patient have delirium? : value of bedside instruments. *JAMA* 2010 ; 304 : 779-86. PMID : 20716741

5. Inouye SK, et al. Clarifying confusion : the confusion assessment method. A new method for detection of delirium. *Ann Intern Med* 1990 ; 113 : 941-8. PMID : 2240918
6. Oh ES, et al. Delirium in Older Persons : Advances in Diagnosis and Treatment. *JAMA* 2017 ; 318 : 1161-74. PMID : 28973626
7. Lindroth H, et al. Systematic review of prediction models for delirium in the older adult inpatient. *BMJ Open* 2018 ; 8 : e019223. PMID : 29705752
8. Ryan DJ, et al. Delirium in an adult acute hospital population : predictors, prevalence and detection. *BMJ Open* 2013 ; 3 : e001772. PMID : 23299110
9. Avelino-Silva TJ, et al. Association between delirium superimposed on dementia and mortality in hospitalized older adults : A prospective cohort study. *PLoS Med* 2017 ; 14 : e1002264. PMID : 28350792
10. Ahmed S, et al. Risk factors for incident delirium among older people in acute hospital medical units : a systematic review and meta-analysis. *Age Ageing* 2014 ; 43 : 326-33. PMID : 24610863
11. Siddiqi N, et al. Interventions for preventing delirium in hospitalised non-ICU patients. *Cochrane Database Syst Rev* 2016 ; 3 : CD005563. PMID : 26967259
12. American Geriatrics Society Expert Panel on Postoperative Delirium in Older Adults. American Geriatrics Society abstracted clinical practice guideline for postoperative delirium in older adults. *J Am Geriatr Soc* 2015 ; 63 : 142-50. PMID : 25495432 **ガイドライン**
13. Burry L, et al. Antipsychotics for treatment of delirium in hospitalised non-ICU patients. *Cochrane Database Syst Rev* 2018 ; 6 : CD005594. PMID : 29920656

#### ◎推奨文献

- Marcantonio ER. Delirium in Hospitalized Older Adults. *N Engl J Med* 2017 ; 377 : 1456-66. PMID : 29020579

## 4-4 不眠症

#### ◎参照文献

1. Ho A, et al. New onset of insomnia in hospitalized patients in general medical wards : incidence, causes, and resolution rate. *J Community Hosp Intern Med Perspect* 2017 ; 7 : 309-13. PMID : 29147474
2. Kokras N, et al. Predicting insomnia in medical wards : the effect of anxiety, depression and admission diagnosis. *Gen Hosp Psychiatry* 2011 ; 33 : 78-81. PMID : 21353132
3. Isaia G, et al. Insomnia among hospitalized elderly patients : prevalence, clinical characteristics and risk factors. *Arch Gerontol Geriatr* 2011 ; 52 : 133-7. PMID : 20338647
4. Wesselius HM, et al. Quality and Quantity of Sleep and Factors Associated With Sleep Disturbance in Hospitalized Patients. *JAMA Intern Med* 2018 ; 178 : 1201-8. PMID : 30014139
5. Doblin S, et al. Sleep Quality and Factors Influencing Self-Reported Sleep Duration and Quality in the General Internal Medicine Inpatient Population. *PLoS One* 2016 ; 11 : e0156735. PMID : 27280292
6. Grossman MN, et al. Awakenings? Patient and Hospital Staff Perceptions of Night-

- time Disruptions and Their Effect on Patient Sleep. *J Clin Sleep Med* 2017 ; 13 : 301-6. PMID : 27923432
7. Young JS, et al. Sleep in hospitalized medical patients, part 1 : factors affecting sleep. *J Hosp Med* 2008 ; 3 : 473-82. PMID : 19084897
8. Arora VM, et al. Effectiveness of SIESTA on Objective and Subjective Metrics of Nighttime Hospital Sleep Disruptors. *J Hosp Med* 2019 ; 14 : 38-41. PMID : 30667409
9. Milani RV, et al. Reducing Hospital Toxicity : Impact on Patient Outcomes. *Am J Med* 2018 ; 131 : 961-6. PMID : 29729240
10. Tamrat R, et al. Non-pharmacologic interventions to improve the sleep of hospitalized patients : a systematic review. *J Gen Intern Med* 2014 ; 29 : 788-95. PMID : 24113807
11. Lareau R, et al. Examining the feasibility of implementing specific nursing interventions to promote sleep in hospitalized elderly patients. *Geriatr Nurs* 2008 ; 29 : 197-206. PMID : 18555161
12. Kanji S, et al. Pharmacological interventions to improve sleep in hospitalised adults : a systematic review. *BMJ Open* 2016 ; 6 : e012108. PMID : 27473952

## 4-5 褥瘡

### ◎ 推奨文献

- 日本褥瘡学会教育委員会ガイドライン改訂委員会. 褥瘡予防・管理ガイドライン (第4版). 褥瘡会誌 2015 ; 17 : 487-557. <<http://www.jspu.org/jpn/info/pdf/guideline4.pdf>>  
**ガイドライン**
- 日本褥瘡学会. 改定 DESIGN-R 2020 コンセンサス・ドキュメント. <[http://www.jspu.org/jpn/member/pdf/design-r2020\\_doc.pdf](http://www.jspu.org/jpn/member/pdf/design-r2020_doc.pdf)>
- 日本皮膚科学会. 創傷・褥瘡・熱傷ガイドライン—1 : 創傷一般ガイドライン. <[https://www.dermatol.or.jp/uploads/uploads/files/guideline/wound\\_guideline.pdf](https://www.dermatol.or.jp/uploads/uploads/files/guideline/wound_guideline.pdf)>

## 4-6 転倒

### ◎ 参照文献

1. Kenny RA. Syncope in the elderly : diagnosis, evaluation, and treatment. *J Cardiovasc Electrophysiol* 2003 ; 14 (9 Suppl) : S74-7. PMID : 12950524
2. Woolcott JC, et al. Meta-analysis of the impact of 9 medication classes on falls in elderly persons. *Arch Intern Med* 2009 ; 169 : 1952-60. PMID : 19933955
3. Kistler BM, et al. Falls and Fall-Related Injuries Among US Adults Aged 65 or Older With Chronic Kidney Disease. *Prev Chronic Dis* 2018 ; 15 : E82. PMID : 29935079
4. Tinetti ME. Clinical practice. Preventing falls in elderly persons. *N Engl J Med* 2003 ; 348 : 42-9. PMID : 12510042
5. Fleming KC, et al. Practical functional assessment of elderly persons : a primary-care approach. *Mayo Clin Proc* 1995 ; 70 : 890-910. PMID : 7643645
6. Podsiadlo D, et al. The timed "Up & Go" : a test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc* 1991 ; 39 : 142-8. PMID : 1991946 **推奨文献**
7. Moncada LV. Management of falls in older persons : a prescription for prevention. *Am Fam Physician* 2011 ; 84 : 1267-76. PMID : 22150660

8. Summary of the Updated American Geriatrics Society/British Geriatrics Society clinical practice guideline for prevention of falls in older persons. J Am Geriatr Soc 2011 ; 59 : 148-57. PMID : 21226685 **ガイドライン** **推奨文献**
9. Gillespie LD, et al. Interventions for preventing falls in older people living in the community. Cochrane Database Syst Rev 2012 ; (9) : CD007146. PMID : 22972103
10. Prevention of falls in community-dwelling older adults : U.S. Preventive Services Task Force recommendation statement. Ann Intern Med 2012 ; 157 : 197-204. PMID : 22868837
11. Clemson L, et al. Integration of balance and strength training into daily life activity to reduce rate of falls in older people (the LiFE study) : randomised parallel trial. BMJ 2012 ; 345 : e4547. PMID : 22872695
12. Falls in older people : assessing risk and prevention. Clinical guideline [CG161] Published date : June 2013.<<https://www.nice.org.uk/guidance/cg161?unlid=71530564720162122047>> **ガイドライン**