

Developmental Biology 13e, Chapter 15 Literature Cited

Alvarez, I. S. and G. C. Schoenwolf. 1992. Expansion of surface epithelium provides the major extrinsic force for bending of the neural plate. *J. Exp. Zool.* 261: 340–348.

Anderson, D. D., C. F. Woeller, E. P. Chiang, B. Shane and P. J. Stover. 2012. Serine hydroxymethyltransferase anchors de novo thymidylate synthesis pathway to nuclear lamina for DNA synthesis. *J. Biol. Chem.* 287: 7051–7062.

Archer, T. C., J. Jin and E. S. Casey. 2011. Interaction of Sox1, Sox2, Sox3 and Oct4 during primary neurogenesis. *Dev. Biol.* 350: 429–40.

Artama, M., A. Auvinen, T. Raudaskoski, I. Isojärvi, and J. Isojärvi. 2005. Antiepileptic drug use of women with epilepsy and congenital malformations in offspring. *Neurology* 64: 1874–1878.

Balinsky, B. I. 1981. *Introduction to Embryology*, 5th Ed. Saunders, Philadelphia, PA.

Bassuk, A. G. and Z. Kibar. 2009. Genetic basis of neural tube defects. *Semin. Pediatr. Neurol.* 16: 101–110.

Briscoe, J., L. Sussel, P. Serup, D. Hartigan-O'Connor, T. M. Jessell, J. L. R. Rubenstein and J. Ericson. 1999. Homeobox gene *Nkx2.2* and specification of neuronal identity by graded Sonic hedgehog signaling. *Nature* 398: 622–627.

Bu, P., Y. A. Evrard, G. Lozano, and S. Y. R. Dent. 2007. Loss of Gcn5 acetyltransferase activity leads to neural tube closure defects and exencephaly in mouse embryos. *Mol. Cell. Biol.* 27: 3405–3416.

Cambray, N. and V. Wilson. 2007. Two distinct sources for a population of maturing axial progenitors. *Development* 134: 2829–2840.

Catala, M., M.-A. Teillet and N. M. Le Douarin. 1995. Organization and development of the tailbud analyzed with the quail-chick chimera system. *Mech. Dev.* 51: 51–65.

Catala, M., M.-A. Teillet, E. M. De Robertis and N. M. Le Douarin. 1996. A spinal cord fate map in the avian embryo: While regressing, Hensen's node lays down the notochord and floor

plate thus joining the spinal cord lateral walls. *Development* 122: 2599–2610.

Catela, C., M. M. Shin, and J. S. Dasen. 2015. Assembly and function of spinal circuits for motor control. *Annu. Rev. Cell Dev. Biol.* 31: 669–698.

CDC (Centers for Disease Control). 1992. Recommendations for the use of folic acid to reduce the number of cases of spina bifida and other neural tube defects. *Morb. Mortal. Wkly. Rep.* 41: 1–7.

Chapman, D. L. and V. E. Papaioannou. 1998. Three neural tubes in mouse embryos with mutations in the T-box gene *Tbx6*. *Nature* 391: 695–697.

Cohen, M., A. Kicheva, A. Ribeiro, R. Blassberg, K. M. Page, C. P. Barnes, and J. Briscoe. 2015. Ptch1 and Gli regulate Shh signalling dynamics via multiple mechanisms. *Nat. Commun.* 6: 6709.

Copp, A. J., N. D. E. Greene and J. N. Murdoch. 2003. The genetic basis of mammalian neurulation. *Nat. Rev. Genet.* 4: 784–93.

Czeizel, A. E. and I. Dudás. 1992. Prevention of first occurrence of neural tube defects by periconceptional vitamin supplementation. *N. Engl. J. Med.* 327: 1832–1835.

Dady, A., E. Havis, V. ESCRIOU, M. Catala, and J. L. Duband. 2014. Junctional neurulation: a unique developmental program shaping a discrete region of the spinal cord highly susceptible to neural tube defects. *J. Neurosci.* 34: 13208–13221.

De Crescenzo, H. and 9 others. 2021. Deficient or excess folic acid supply during pregnancy alter cortical neurodevelopment in mouse offspring. *Cereb. Cortex* 31: 635–649.

Dessaud, E., L. and 8 others. 2007. Interpretation of the Sonic hedgehog morphogen gradient by a temporal adaptation mechanism. *Nature* 450: 717–720.

Detrick, R. J., D. Dickey and C. R. Kintner. 1990. The effects of N-cadherin misexpression on morphogenesis in *Xenopus* embryos. *Neuron* 4: 493–506.

Echelard, Y., D. J. Epstein, B. St.-Jacques, L. Shen, J. Mohler, J. A. McMahon and A. McMahon. 1993. Sonic hedgehog, a member of a family of putative signaling molecules, is

implicated in the regulation of CNS polarity. *Cell* 75: 1417–1430.

Feil, R., R. A. Waterland, M. F. Fraga, and R. L. Jirtle. 2012. Epigenetics and the environment: Emerging patterns and implications. *Nat. Rev. Genet.* 13: 97–109.

Fournier-Thibault, C., C. Blavet, A. Jarov, F. Bajanca, S. Thorsteinsdóttir and J. L. Duband. 2009. Sonic hedgehog regulates integrin activity, cadherin contacts, and cell polarity to orchestrate neural tube morphogenesis. *J. Neurosci.* 29: 12506–12520.

Fujimori, T., S. Miyatani and M. Takeichi. 1990. Ectopic expression of N-cadherin perturbs histogenesis in *Xenopus* embryos. *Development* 110: 97–104.

Gallera, J. 1971. Primary induction in birds. *Adv. Morphogenet.* 9: 149–180.

Gont, L. K., H. Steinbeisser, B. Blumberg and E. M. De Robertis. 1993. Tail formation as a continuation of gastrulation: The multiple cell populations of the *Xenopus* tailbud derive from the late blastopore lip. *Development* 119: 991–1004.

Gouti, M., V. Metzis, and J. Briscoe. 2015. The route to spinal cord cell types: A tale of signals and switches. *Trends Genet.* 31: 282–289.

Guthrie, S. and A. Lumsden. 1991. Formation and regeneration of rhombomere boundaries in the developing chick hindbrain. *Development* 112: 221–229.

Handrigan, G. R. 2003. Concordia discors: Duality in the origin of the vertebrate tail. *J. Anat.* 202: 255–67.

Harland, R. 2000. Neural induction. *Curr. Opin. Genet. Dev.* 10: 357–362.

Harrington, M. J., E. Hong and R. Brewster. 2009. Comparative analysis of neurulation: First impressions do not count. *Mol. Reprod. Dev.* 76: 954–965.

Harris, M. J. and D. M. Juriloff. 2010. An update to the list of mouse mutants with neural tube closure defects and advances toward a complete genetic perspective of neural tube closure. *Birth Defects Res. A: Clin. Mol. Teratol.* 88: 653–669.

Hashimoto, H., F. B. Robin, K. M. Sherrard, and E. M. Munro. 2015. Sequential contraction and exchange of apical junctions drives zippering and neural tube closure in a simple chordate. *Dev. Cell.* 32: 241–255.

Henrique, D., E. Abranches, L. Verrier and K. G. Storey. 2015. Neuromesodermal progenitors and the making of the spinal cord. *Development* 142: 2864–2875.

Jacobson, A. G. and J. G. Moury. 1995. Tissue boundaries and cell behavior during neurulation. *Dev. Biol.* 171: 98–110.

Jessell, T. M. 2000. Neuronal specification in the spinal cord: Inductive signals and transcriptional codes. *Nat. Rev. Genet.* 1: 20–29.

Kancherla, V., K. Wagh, P. Priyadarshini, H. Pachón and G. P. Oakley Jr. 2022. A global update on the status of prevention of folic acid-preventable spina bifida and anencephaly in year 2020. *Birth Defects Res.* 114: 1392–1403.

Lawson, A., H. Anderson and G. C. Schoenwolf. 2001. Cellular mechanisms of neural fold formation and morphogenesis in the chick embryo. *Anat. Rec.* 262: 153–168.

Lee, S.-K. and S. L. Pfaff. 2001. Transcriptional networks regulating neuronal identity in the developing spinal cord. *Nat. Neurosci. Suppl.* 4: 1183–1191.

Lele, Z. and 7 others. 2002. Parachute/N-cadherin is required for morphogenesis and maintained integrity of the zebrafish neural tube. *Development* 129: 3281–3294.

Li, B., L. Brusman, J. Dahlka and L. A. Niswander LA. 2022. TMEM132A ensures mouse caudal neural tube closure and regulates integrin-based mesodermal migration. *Development* 149: dev200442.

Li, H., J. Zhang and L. Niswander. 2018. Zinc deficiency causes neural tube defects through attenuation of p53 ubiquitylation. *Development* 145: dev169797.

Liem, K. F., Jr., G. Tremml and T. M. Jessell. 1997. A role for the roof plate and its resident TGF-beta-related proteins in neuronal patterning in the dorsal spinal cord. *Cell* 91: 127–138.

Liem, K. F., Jr., G. Tremml, H. Roelink and T. M. Jessell. 1995. Dorsal differentiation of neural plate cells induced by BMP-mediated signals from epidermal ectoderm. *Cell* 82: 969–979.

Liem, K. F., Jr., T. M. Jessell and J. Briscoe. 2000. Regulation of the neural patterning activity of Sonic hedgehog by secreted BMP inhibitors expressed by notochord and somites. *Development* 127: 4855–4866.

Lowery, L. A. and H. Sive. 2004. Strategies of neurulation and a re-evaluation of teleost neural tube formation. *Mech. Dev.* 121: 1189–1197.

Lumsden, A. 2004. Segmentation and compartmentation in the early avian hindbrain. *Mech. Dev.* 121: 1081–1088.

Lumsden, A. and R. Keynes. 1989. Segmental patterns of neuronal development in the chick hindbrain. *Nature* 337: 424–428.

Marean, A., A. Graf, Y. Zhang and L. Niswander. 2011. Folic acid supplementation can adversely affect murine neural tube closure and embryonic survival. *Hum. Molec. Genet.* 20: 3678–3683.

Massarwa, R. and L. Niswander. 2013. In toto live imaging of mouse morphogenesis and new insights into neural tube closure. *Development* 140: 226–236.

McShane, S. G., M. A. Molè, D. Savery, N. D. Greene, P. P. Tam, and A. J. Copp. 2015. Cellular basis of neuroepithelial bending during mouse spinal neural tube closure. *Dev. Biol.* 404: 113–124.

Milunsky, A., H. Jick, S. S. Jick, C. L. Bruell, D. S. Maclaughlen, K. J. Rothman and W. Willett. 1989. Multivitamin folic acid supplementation in early pregnancy reduces the prevalence of neural tube defects. *J. Am. Med. Assoc.* 262: 2847–2852.

Moore, K. L. and T. V. N. Persaud. 1993. *Before We Are Born: Essentials of Embryology and Birth Defects*. W. B. Saunders, Philadelphia, PA.

Moury, J. D. and G. C. Schoenwolf. 1995. Cooperative model of epithelial shaping and bending during avian neurulation: Autonomous movements of the neural plate, autonomous movements of the epidermis, and interactions in the neural plate/epidermis transition zone. *Dev. Dyn.* 204: 323–337.

Muhr, J., E. Andersson, M. Persson, T. M. Jessell and J. Ericson. 2001. Groucho-mediated transcriptional repression establishes progenitor cell pattern and neuronal fate in the ventral spinal cord. *Cell* 104: 861–873.

Murko, C., S. Lager, M. Steiner, C. Seiser, C. Schoefer, and O. Pusch. 2013. Histone deacetylase inhibitor trichostatin A induces neural tube defects and promotes neural crest specification in the chicken neural tube. *Differentiation* 85: 55–66.

Nakatsu, T., C. Uwabe and K. Shiota. 2000. Neural tube closure in humans initiates at multiple sites: Evidence from human embryos and implications for the pathogenesis of neural tube defects. *Anat. Embryol.* 201: 455–466.

Nguyen, V. H., J. Trout, S. A. Connors, P. Andermann, E. Weinberg and M. C. Mullins. 2000. Dorsal and intermediate neuronal cell types of the spinal cord are established by a BMP signaling pathway. *Development* 127:1209–1220.

Nievelstein, R. A. J., N. G. Hartwig, C. Vermeij-Keers and J. Valk. 1993. Embryonic development of the mammalian caudal neural tube. *Teratology* 48: 21–31.

Niwa, M. and 10 others. 2013. Adolescent stress-induced epigenetic control of dopaminergic neurons via glucocorticoids. *Science* 339: 335–339.

O’Rahilly, R. and F. Müller. 2002. The two sites of fusion of the neural folds and the two neuropores of the human embryo. *Teratology* 65: 162–170.

Pasteels, J. 1937. Etudes sur la gastrulation des vertébrés méroblastiques. III. Oiseaux. IV. Conclusions générales. *Arch. Biol.* 48: 381–488.

Patten, B. M. 1971. *Early Embryology of the Chick*, 5th Ed. McGraw-Hill, New York.

Pei, P. and 7 others. 2019. Folate deficiency induced H2A ubiquitination to lead to downregulated expression of genes involved in neural tube defects. *Epigenetics Chromatin* 12: 69.

Placzek, M., M. Tessier-Lavigne, T. Yamada, T. Jessell and J. Dodd. 1990. Mesodermal control of neural cell identity: Floor plate induction by the notochord. *Science* 250: 985–988.

Pyrgaki, C., A. Liu, and L. Niswander. 2011. Grainyhead-like 2 regulates neural tube closure and adhesion molecule expression during neural fold fusion. *Dev. Biol.* 353: 38–49.

Pyrgaki, C., P. Trainor, A. K. Hadjantonakis and L. Niswander. 2010. Dynamic imaging of mammalian neural tube closure. *Dev. Biol.* 344: 941–947.

Rifat, Y. and 7 others. 2010. Regional neural tube closure defined by the Grainy head-like transcription factors. *Dev. Biol.* 345: 237–245.

Roelink, H., J. A. Porter, C. Chiang, Y. Tanabe, D. T. Chang, P. A. Beachy and T. M. Jessell. 1995. Floor plate and motor neuron induction by different concentrations of amino-terminal cleavage product of Sonic hedgehog autoproteolysis. *Cell* 81: 445–455.

Sasai, N., E. Kutejova, and J. Briscoe. 2014. Integration of signals along orthogonal axes of the vertebrate neural tube controls progenitor competence and increases cell diversity. *PLOS Biol.* 12: e1001907.

Sausedo, R. A., J. L. Smith and G. C. Schoenwolf. 1997. Role of oriented cell division in shaping and bending of the neural plate. *J. Comp. Neurol.* 381: 473–488.

Schoenwolf, G. C. 1984. Histological and ultrastructural studies of secondary neurulation in mouse embryos. *Am. J. Anat.* 169: 361–376.

Schoenwolf, G. C. 1991a. Cell movements driving neurulation in avian embryos. *Development* 2: 157–168.

Schoenwolf, G. C. 1991b. Cell movements in the epiblast during gastrulation and neurulation in avian embryos. In R. Keller et al. (eds.), *Gastrulation*. Plenum, New York, 1–28.

Schoenwolf, G. C. and J. Delongo. 1980. Ultrastructure of secondary neurulation in the chick embryo. *Am. J. Anat.* 158: 43–63.

Schoenwolf, G. C. and J. L. Smith. 1990. Epithelial cell wedging: A fundamental cell behavior contributing to hinge point formation during epithelial morphogenesis. In R. E. Keller and D. Fristrom (eds.). *Control of Morphogenesis, Vol. 1*. Saunders, London, 325–334.

Schoenwolf, G. C. and M. V. Franks. 1984. Quantitative analyses of changes in cell shapes during bending of the avian neural plate. *Dev. Biol.* 105: 257–272.

Shimokita, E., I. Kashin and Y. Takahashi. 2010. Secondary neurulation: A novel model to study tubulogenesis. Poster presentation.

Shpargel, K. B., T. Sengoku, S. Yokoyama, and T. Magnuson. 2012. UTX and UTY demonstrate histone demethylase-independent function in mouse embryonic development. *PLOS Genet.* 8: e1002964.

Shyamasundar, S., S. P. Jadhav, B. H. Bay, S. S. W. Tay, S. D. Kumar, D. Rangasamy, and S. T. Thameem Dheen. 2013. Analysis of epigenetic factors in mouse embryonic neural stem cells exposed to hyperglycemia. *PLOS ONE* 8: e65945.

Smith, J. L. and G. C. Schoenwolf. 1987. Cell cycle and neuroepithelial cell shape during bending of the chick neural plate. *Anat. Rec.* 218: 196–206.

Smith, J. L. and G. C. Schoenwolf. 1988. Role of cell cycle in regulating neuroepithelial cell shape during bending of the chick neural plate. *Cell Tissue Res.* 252: 491–500.

Smith, J. L. and G. C. Schoenwolf. 1991. Further evidence of extrinsic forces in bending of the neural plate. *J. Comp. Neurol.* 307: 225–236.

Smith, J. L. and G. C. Schoenwolf. 1997. Neurulation: Coming to closure. *Trends Neurosci.* 20: 510–517.

Stern, C. D. 2005. Neural induction: Old problem, new findings, yet more questions. *Development* 132: 2007–2021.

Steventon, B. and A. Martinez Arias. 2017. Evo-engineering and the cellular and molecular origins of the vertebrate spinal cord. *Dev. Biol.* 432: 3–13.

Takemoto, T., M. Uchikawa, M. Yoshida, D. M. Bell, R. Lovell-Badge, V. E. Papaioannou and H. Kondoh. 2011. Tbx6-dependent Sox2 regulation determines neural or mesodermal fate in axial stem cells. *Nature* 470: 394–398.

Tye, K. M. and 12 others. 2013. Dopamine neurons modulate neural encoding and expression of depression-related behaviour. *Nature* 493: 537–541.

Tzouanacou, E., A. Wegener, F. J. Wymeersch, V. Wilson and J. F. Nicolas. 2009. Defining the progression of lineage segregations during mammalian embryogenesis by clonal analysis. *Dev.*

Cell 17: 365–376.

Welstead, G. G., M. P. Creighton, S. Bilodeau, A. W. Cheng, S. Markoulaki, R. A. Young, and R. Jaenisch. 2012. X-linked H3K27me3 demethylase Utx is required for embryonic development in a sex-specific manner. *Proc. Natl. Acad. Sci.* 109: 13004–13009.

Werth, M. and 13 others. 2010. The transcription factor grainyhead-like 2 regulates the molecular composition of the epithelial apical junctional complex. *Development* 137: 3835–3845.

Wilde, J. J., J. R. Petersen, and L. Niswander. 2014. Genetic, epigenetic, and environmental contributions to neural tube closure. *Annu. Rev. Genet.* 48: 583–611.

Wilson, S. I. and T. Edlund. 2001. Neural induction: Toward a unifying mechanism. *Nat. Neurosci.* 4: 1161–1168.

Wilson, V., I. Olivera-Martinez and K. G. Storey. 2009. Stem cells, signals and vertebrate body axis extension. *Development* 136: 1591–1604.

Xiong, F. and 11 others. 2013. Specified neural progenitors sort to form sharp domains after noisy Shh signaling. *Cell* 153: 550–561. s