

Part

3 救急・集中治療

第1章 ICUでのBy system評価

●参考文献

1. Ely EW. The ABCDEF Bundle : Science and Philosophy of How ICU Liberation Serves Patients and Families. Crit Care Med 2017;45:321-30. PMID:28098628
2. Singer P, et al. ESPEN guideline on clinical nutrition in the intensive care unit. Clin Nutr 2019;38:48-79. PMID:30348463 ガイドライン
3. Taylor BE, et al. Guidelines for the Provision and Assessment of Nutrition Support Therapy in the Adult Critically Ill Patient : Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.). Crit Care Med 2016;44:390-438. PMID:26771786 ガイドライン
4. 日本集中治療医学会重症患者の栄養管理ガイドライン作成委員会. 日本版重症患者の栄養療法ガイドライン. 日集中医誌 2016;23:185-281. ガイドライン
5. Chapman M, et al. Energy-Dense versus Routine Enteral Nutrition in the Critically Ill. N Engl J Med 2018;379:1823-34. PMID:30346225
6. Reignier J, et al. Enteral versus parenteral early nutrition in ventilated adults with shock : a randomised, controlled, multicentre, open-label, parallel-group study (NUTRIREA-2). Lancet 2018;391:133-43. PMID:29128300
7. ASHP Therapeutic Guidelines on Stress Ulcer Prophylaxis. ASHP Commission on Therapeutics and approved by the ASHP Board of Directors on November 14, 1998. Am J Health Syst Pharm 1999;56:347-79. PMID:10690219 ガイドライン
8. Young PJ, et al. Effect of Stress Ulcer Prophylaxis With Proton Pump Inhibitors vs Histamine-2 Receptor Blockers on In-Hospital Mortality Among ICU Patients Receiving Invasive Mechanical Ventilation : The PEPTIC Randomized Clinical Trial. JAMA 2020;323:616-26. PMID:31950977
9. Krag M, et al. Pantoprazole in Patients at Risk for Gastrointestinal Bleeding in the ICU. N Engl J Med 2018;379:2199-208. PMID:30354950
10. Geerts W, et al. Prevention of venous thromboembolism in the ICU. Chest 2003;124 (6 Suppl):357-63S. PMID:14668418

第2章 鎮痛、鎮静の評価・コントロール

●参考文献

1. 日本集中治療医学会 J-PAD ガイドライン作成委員会. 日本版・集中治療室における成人重症患者に対する痛み・不穏・せん妄管理のための臨床ガイドライン. 日集中医誌 2014;21:539-79. ガイドライン
2. Devlin JW, et al. Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Pa-

- tients in the ICU. Crit Care Med 2018; 46: e825-73. PMID: 30113379 ガイドライン
3. Riker RR, et al. Dexmedetomidine vs midazolam for sedation of critically ill patients: a randomized trial. JAMA 2009; 301: 489-99. PMID: 19188334
 4. Pandharipande PP, et al. Long-term cognitive impairment after critical illness. N Engl J Med 2013; 369: 1306-16. PMID: 24088092
 5. Nishikimi M, et al. Effect of Administration of Ramelteon, a Melatonin Receptor Agonist, on the Duration of Stay in the ICU: A Single-Center Randomized Placebo-Controlled Trial. Crit Care Med 2018; 46: 1099-105. PMID: 29595562
 6. Skrobik Y, et al. Low-Dose Nocturnal Dexmedetomidine Prevents ICU Delirium. A Randomized, Placebo-controlled Trial. Am J Respir Crit Care Med 2018; 197: 1147-56. PMID: 29498534
 7. Schweickert WD, et al. Early physical and occupational therapy in mechanically ventilated, critically ill patients: a randomised controlled trial. Lancet 2009; 373: 1874-82. PMID: 19446324
 8. Vasilevskis EE, et al. Reducing iatrogenic risks: ICU-acquired delirium and weakness—crossing the quality chasm. Chest 2010; 138: 1224-33. PMID: 21051398
 9. Balas MC, et al. Effectiveness and safety of the awakening and breathing coordination, delirium monitoring/management, and early exercise/mobility bundle. Crit Care Med 2014; 42: 1024-36. PMID: 24394627
 10. Pun BT, et al. Caring for Critically Ill Patients With the ABCDEF Bundle: Results of the ICU Liberation Collaborative in Over 15,000 Adults. Crit Care Med 2019; 47: 3-14. PMID: 30339549
 11. 森川大樹ほか. ABCDEFGH バンドル. INTENSIVIST 2018; 10: 107-17.

●リンクページ

- CPOT

<<https://www.mdcalc.com/critical-care-pain-observation-tool-cpot#why-use>>

第3章 急性呼吸不全

●参照文献

1. West JB. Pulmonary Pathophysiology: The Essentials. 8th ed. Philadelphia: Lippincott Williams & Wilkins, 2012.
2. West JB. Pulmonary Physiology and Pathophysiology: An Integrated, Case-Based Approach. 2nd ed. Philadelphia: Lippincott Williams & Wilkins, 2007.
3. Marino PL. Marino's The ICU Book 4th ed. Philadelphia: Lippincott Williams & Wilkins, 2013.
4. 仁科有加ほか. 急性呼吸不全の鑑別とマネジメント Part1. INTENSIVIST 2013; 5: 879-85.
5. Ram FSF, et al. Non-invasive Positive Pressure Ventilation for Treatment of Respiratory Failure Due to Exacerbations of Chronic Obstructive Pulmonary Disease. Cochrane Database Syst Rev 2004; (1): CD004104. PMID: 14974057
6. Mehta S. Neuromuscular Disease Causing Acute Respiratory Failure. Respir Care 2006; 51: 1016-21; discussion 1021-3. PMID: 16934165
7. Vital FMR, et al. Non-invasive Positive Pressure Ventilation (CPAP or Bi-level

- NPPV) for Cardiogenic Pulmonary Oedema. Cochrane Database Syst Rev 2013 ; (5) : CD005351. PMID : 23728654
8. Bellani G, et al. Noninvasive Ventilation of Patients With Acute Respiratory Distress Syndrome. Insights From the LUNG SAFE Study. Am J Respir Crit Care Med 2017 ; 195 : 67-77. PMID : 27753501

●リンクページ

- PNEUMOTOX ON LINE. The Drug-Induced Respiratory Disease Website
<http://www.pneumotox.com>

第4章 插管

●参考文献

- 志賀 隆ほか. 必勝！気道管理術 ABC ははずさない. 東京：学研メディカル秀潤社, 2015.
- Detsky ME, et al. Will This Patient Be Difficult to Intubate? : The Rational Clinical Examination Systematic Review. JAMA 2019 ; 321 : 493-503. PMID : 30721300
- Driver BE, et al. Effect of Use of a Bougie vs Endotracheal Tube and Stylet on First-Attempt Intubation Success Among Patients With Difficult Airways Undergoing Emergency Intubation : A Randomized Clinical Trial. JAMA 2018 ; 319 : 2179-89. PMID : 29800096
- Hasegawa K, et al. Emergency airway management in Japan : Interim analysis of a multi-center prospective observational study. Resuscitation 2012 ; 83 : 428-33. PMID : 22155701
- Frat JP, et al. Non-invasive Ventilation Versus High-Flow Nasal Cannula Oxygen Therapy With Apnoeic Oxygenation for Preoxygenation Before Intubation of Patients With Acute Hypoxaemic Respiratory Failure : A Randomised, Multicentre, Open-Label Trial. Lancet Respir Med 2019 ; 7 : 303-12. PMID : 30898520
- Casey JD, et al. Bag-Mask Ventilation During Tracheal Intubation of Critically Ill Adults. N Engl J Med 2019 ; 380 : 811-21. PMID : 30779528
- Perbet S, et al. Incidence of and Risk Factors for Severe Cardiovascular Collapse After Endotracheal Intubation in the ICU : A Multicenter Observational Study. Crit Care 2015 ; 19 : 257. PMID : 26084896
- Frerk C, et al. Difficult Airway Society 2015 Guidelines for Management of Unanticipated Difficult Intubation in Adults. Br J Anaesth 2015 ; 115 : 827-48. PMID : 26556848 ガイドライン

第5章 酸素療法

●参考文献

- Siemieniuk RAC, et al. Oxygen Therapy for Acutely Ill Medical Patients : A Clinical Practice Guideline. BMJ 2018 ; 363 : k4169. PMID : 30355567 ガイドライン
- O'Driscoll BR, et al. British Thoracic Society Guideline for oxygen use in adults in healthcare and emergency settings. BMJ Open Respir Res 2017 ; 4 : e000170. PMID : 28883921

3. Chu DK, et al. Mortality and Morbidity in Acutely Ill Adults Treated With Liberal Versus Conservative Oxygen Therapy (IOTA) : A Systematic Review and Meta-Analysis. *Lancet* 2018 ; 391 : 1693-705. PMID : 29726345
4. Frat JP, et al. High-flow Oxygen Through Nasal Cannula in Acute Hypoxic Respiratory Failure. *N Engl J Med* 2015 ; 372 : 2185-96. PMID : 25981908
5. Hernández G, et al. Effect of Postextubation High-Flow Nasal Cannula vs Conventional Oxygen Therapy on Reintubation in Low-Risk Patients : A Randomized Clinical Trial. *JAMA* 2016 ; 315 : 1354-61. PMID : 26975498
6. Hernández G, et al. Effect of Postextubation High-Flow Nasal Cannula vs Noninvasive Ventilation on Reintubation and Postextubation Respiratory Failure in High-Risk Patients : A Randomized Clinical Trial. *JAMA* 2016 ; 316 : 1565-74. PMID : 27706464
7. Ram FSF, et al. Non-invasive Positive Pressure Ventilation for Treatment of Respiratory Failure Due to Exacerbations of Chronic Obstructive Pulmonary Disease. *Cochrane Database Syst Rev* 2004 ; (3) : CD004104. PMID : 15266518
8. Vital FMR, et al. Non-invasive Positive Pressure Ventilation (CPAP or Bi-level NPPV) for Cardiogenic Pulmonary Edema. *Cochrane Database Syst Rev* 2008 ; (3) : CD005351. PMID : 18646124

第6章 人工呼吸器

○参照文献

1. NIH NHLBI ARDS Clinical Network Mechanical Ventilation Protocol Summary. <http://www.ardsnet.org/files/ventilator_protocol_2008-07.pdf>
2. Esteban A, et al. Extubation outcome after spontaneous breathing trials with T-tube or pressure support ventilation. The Spanish Lung Failure Collaborative Group. *Am J Respir Crit Care Med* 1997 ; 156 : 459-65. Erratum in : *Am J Respir Crit Care Med* 1997 ; 156 : 2028. PMID : 9279224 推奨文献
3. Chacko B, et al. Pressure-controlled versus volume-controlled ventilation for acute respiratory failure due to acute lung injury (ALI) or acute respiratory distress syndrome (ARDS). *Cochrane Database Syst Rev* 2015 ; 1 (1) : CD008807. PMID : 25586462
4. Ouellette DR, et al. Liberation From Mechanical Ventilation in Critically Ill Adults : An Official American College of Chest Physicians/American Thoracic Society Clinical Practice Guideline : Inspiratory Pressure Augmentation During Spontaneous Breathing Trials, Protocols Minimizing Sedation, and Noninvasive Ventilation Immediately After Extubation. *Chest* 2017 ; 151 : 166-80. PMID : 27818331 ガイドライン
5. Schmidt GA, et al. Liberation From Mechanical Ventilation in Critically Ill Adults : Executive Summary of an Official American College of Chest Physicians/American Thoracic Society Clinical Practice Guideline. *Chest* 2017 ; 151 : 160-5. PMID : 27818329 ガイドライン
6. Ferrer M, et al. Non-invasive ventilation after extubation in hypercapnic patients with chronic respiratory disorders : randomised controlled trial. *Lancet* 2009 ; 374 : 1082-8. PMID : 19682735
7. Hernández G, et al. Effect of Postextubation High-Flow Nasal Cannula vs Noninva-

sive Ventilation on Reintubation and Postextubation Respiratory Failure in High-Risk Patients : A Randomized Clinical Trial. JAMA 2016 ; 316 : 1565-74.

PMID : 27706464

● 推奨文献

- Slutsky AS, et al. Ventilator-induced lung injury. N Engl J Med 2013 ; 369 : 2126-36.

PMID : 24283226

第7章 急性呼吸窮迫症候群 (ARDS)

● 参照文献

- Ashbaugh DG, et al. Acute respiratory distress in adults. Lancet 1967 ; 2 : 319-23. PMID : 4143721
- Rocco PR, et al. Pulmonary and extrapulmonary acute respiratory distress syndrome : are they different? Curr Opin Crit Care 2005 ; 11 : 10-7. PMID : 15659940
- Bernard GR. Acute respiratory distress syndrome : a historical perspective. Am J Respir Crit Care Med 2005 ; 172 : 798-806. PMID : 16020801
- Bernard GR, et al. The American-European Consensus Conference on ARDS. Definitions, mechanisms, relevant outcomes, and clinical trial coordination. Am J Respir Crit Care Med 1994 ; 149 : 818-24. PMID : 7509706 ガイドライン
- ARDS Definition Task Force, et al. Acute respiratory distress syndrome : the Berlin Definition. JAMA 2012 ; 307 : 2526-33. PMID : 22797452 ガイドライン
- Biehl M, et al. Ventilator-induced lung injury : minimizing its impact in patients with or at risk for ARDS. Respir Care 2013 ; 58 : 927-37. PMID : 23709192
- Girard TD, et al. Mechanical ventilation in ARDS : a state-of-the-art review. Chest 2007 ; 131 : 921-9. PMID : 17356115
- Ventilation with lower tidal volumes as compared with traditional tidal volumes for acute lung injury and the acute respiratory distress syndrome. The Acute Respiratory Distress Syndrome Network. N Engl J Med 2000 ; 342 : 1301-8. PMID : 10793162
- NIH NHLBI ARDS Clinical Network Mechanical Ventilation Protocol Summary. <http://www.ardsnet.org/files/ventilator_protocol_2008-07.pdf> 推奨文献
- Fan E, et al. An Official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine Clinical Practice Guideline : Mechanical Ventilation in Adult Patients with Acute Respiratory Distress Syndrome. Am J Respir Crit Care Med 2017 ; 195 : 1253-63. PMID : 28459336 ガイドライン
- Hashimoto S, et al. The clinical practice guideline for the management of ARDS in Japan. J Intensive Care 2017 ; 5 : 50. PMID : 28770093 ガイドライン
- National Heart, Lung, and Blood Institute Acute Respiratory Distress Syndrome (ARDS) Clinical Trials Network1, et al. Comparison of two fluid-management strategies in acute lung injury. N Engl J Med 2006 ; 354 : 2564-75. PMID : 16714767
- Papazian L, et al. Neuromuscular blockers in early acute respiratory distress syndrome. N Engl J Med 2010 ; 363 : 1107-16. PMID : 20843245
- Yoshida T, et al. Fifty Years of Research in ARDS. Spontaneous Breathing during Mechanical Ventilation. Risks, Mechanisms, and Management. Am J Respir Crit Care Med 2017 ; 195 : 985-92. PMID : 27786562

15. Guérin C, et al. Prone positioning in severe acute respiratory distress syndrome. *N Engl J Med* 2013; 368: 2159–68. PMID: 23688302
16. Peek GJ, et al. Efficacy and economic assessment of conventional ventilatory support versus extracorporeal membrane oxygenation for severe adult respiratory failure (CESAR) : a multicentre randomised controlled trial. *Lancet* 2009; 374: 1351–63. PMID: 19762075
17. Steinberg KP, et al. Efficacy and safety of corticosteroids for persistent acute respiratory distress syndrome. *N Engl J Med* 2006; 354: 1671–84. PMID: 16625008
18. Lim WS, et al. Dexamethasone in Hospitalized Patients with Covid-19. *N Engl J Med* 2021; 384: 693–704. PMID: 32678530
19. Zeiher BG, et al. Neutrophil elastase inhibition in acute lung injury : results of the STRIVE study. *Crit Care Med* 2004; 32: 1695–702. PMID: 15286546
20. 日本呼吸器学会ほか. ARDS 診療ガイドライン 2016.<www.jsicm.org/ARDSGL/ARDSGL_2016.pdf> ガイドライン

● 推奨文献

- 則末泰博ほか編. INTENSIVIST vol.7 no.1 特集「ARDS Berlin その後」. 東京：メディカル・サイエンス・インターナショナル, 2015.

第8章 ショック

● 参照文献

1. Vincent JL, et al. Circulatory shock. *N Engl J Med* 2013; 369: 1726–34. PMID: 24171518
2. 仁科有加ほか. 急性呼吸不全の鑑別とマネジメント Part1. *INTENSIVIST* 2013; 5: 879–85.
3. Perera P, et al. The RUSH exam : rapid ultrasound in shock in the evaluation of the critically ill. *Emerg Med Clin North Am* 2010; 28: 29–56, vii. PMID: 19945597
4. Preau S, et al. Passive leg raising is predictive of fluid responsiveness in spontaneously breathing patients with severe sepsis or acute pancreatitis. *Crit Care Med* 2010; 38: 819–25. PMID: 20016380
5. Ludikhuijze J, et al. Outcomes associated with the nationwide introduction of rapid response systems in the Netherlands. *Crit Care Med* 2015; 43: 2544–51. PMID: 26317569

第9章 循環サポート

● 参照文献

1. Cardenas-Garcia J, et al. Safety of peripheral intravenous administration of vasoactive medication. *J Hosp Med* 2015; 10: 581–5. PMID: 26014852
2. Russell JA. Vasopressor therapy in critically ill patients with shock. *Intensive Care Med* 2019; 45: 1503–17. PMID: 31464370 推奨文献
3. Rhodes A, et al. Surviving Sepsis Campaign : International Guidelines for Management of Sepsis and Septic Shock : 2016. *Crit Care Med* 2017; 45: 486–552. PMID: 28098591 ガイドライン

4. De Backer D, et al. Comparison of dopamine and norepinephrine in the treatment of shock. *N Engl J Med* 2010; 362: 779-89. PMID : 20200382
5. Russell JA, et al. Vasopressin versus norepinephrine infusion in patients with septic shock. *N Engl J Med* 2008; 358: 877-87. PMID : 18305265
6. Gordon AC, et al. Effect of Early Vasopressin vs Norepinephrine on Kidney Failure in Patients With Septic Shock : The VANISH Randomized Clinical Trial. *JAMA* 2016; 316: 509-18. PMID : 27483065
7. Myburgh JA, et al. A comparison of epinephrine and norepinephrine in critically ill patients. *Intensive Care Med* 2008; 34: 2226-34. PMID : 18654759
8. Annane D, et al. Norepinephrine plus dobutamine versus epinephrine alone for management of septic shock : a randomised trial. *Lancet* 2007; 370: 676-84. PMID : 17720019
9. Levy MM, et al. The Surviving Sepsis Campaign Bundle : 2018 update. *Intensive Care Med* 2018; 44: 925-8. PMID : 29675566
10. Permpikul C, et al. Early Use of Norepinephrine in Septic Shock Resuscitation (CENSER). A Randomized Trial. *Am J Respir Crit Care Med* 2019; 199: 1097-105. PMID : 30704260
11. Patel BM, et al. Beneficial effects of short-term vasopressin infusion during severe septic shock. *Anesthesiology* 2002; 96: 576-82. PMID : 11873030
12. Dünser MW, et al. Arginine vasopressin in advanced vasodilatory shock : a prospective, randomized, controlled study. *Circulation* 2003; 107: 2313-9. PMID : 12732600
13. Lauzier F, et al. Vasopressin or norepinephrine in early hyperdynamic septic shock : a randomized clinical trial. *Intensive Care Med* 2006; 32: 1782-9. PMID : 17019548
14. Holmes CL, et al. The effects of vasopressin on hemodynamics and renal function in severe septic shock : a case series. *Intensive Care Med* 2001; 27: 1416-21. PMID : 11511958
15. Gordon AC, et al. The effects of vasopressin on acute kidney injury in septic shock. *Intensive Care Med* 2010; 36: 83-91. PMID : 19841897
16. Gordon AC, et al. Effect of Early Vasopressin vs Norepinephrine on Kidney Failure in Patients With Septic Shock : The VANISH Randomized Clinical Trial. *JAMA* 2016; 316: 509-18. PMID : 27483065
17. Bauer SR, et al. Discontinuation of vasopressin before norepinephrine increases the incidence of hypotension in patients recovering from septic shock : a retrospective cohort study. *J Crit Care* 2010; 25: 362.e7-362.e11. PMID : 19926252
18. Link MS, et al. Part 7 : Adult advanced cardiovascular life support : 2015 American Heart Association guidelines update for cardiopulmonary resuscitation and emergency cardiovascular care. *Circulation* 2015; 132: S444-S464. PMID : 26472995
19. Vail E, et al. Association Between US Norepinephrine Shortage and Mortality Among Patients With Septic Shock. *JAMA* 2017; 317: 1433-42. PMID : 28322415
20. Bellomo R, et al. Low-dose dopamine in patients with early renal dysfunction : a placebo-controlled randomised trial. Australian and New Zealand Intensive Care Society (ANZICS) Clinical Trials Group. *Lancet*. 2000 Dec 23-30; 356 (9248) : 2139-43. PMID : 11191541
21. Rhodes A, et al. Surviving Sepsis Campaign : International Guidelines for Manage-

- ment of Sepsis and Septic Shock : 2016. Crit Care Med. 2017;45:486-552.
PMID: 28098591 ガイドライン
22. Akhtar N, et al. Hemodynamic effect of dobutamine in patients with severe heart failure. Am J Cardiol 1975;36:202-5. PMID: 1155341
23. Cuffe MS, et al. Short-term intravenous milrinone for acute exacerbation of chronic heart failure: a randomized controlled trial. JAMA 2002;287:1541-7.
PMID: 11911756
24. Bayram M, et al. Reassessment of dobutamine, dopamine, and milrinone in the management of acute heart failure syndromes. Am J Cardiol 2005;96:47-58G.
PMID: 16181823
25. Cuffe MS, et al. Short-term intravenous milrinone for acute exacerbation of chronic heart failure: a randomized controlled trial. JAMA 2002;287:1541-7.
PMID: 11911756
26. Felker GM, et al. Heart failure etiology and response to milrinone in decompensated heart failure: results from the OPTIME-CHF study. J Am Coll Cardiol 2003;41:997-1003.
PMID: 12651048
27. Abraham WT, et al. In-hospital mortality in patients with acute decompensated heart failure requiring intravenous vasoactive medications: an analysis from the Acute Decompensated Heart Failure National Registry (ADHERE). J Am Coll Cardiol 2005;46:57-64.
PMID: 15992636
28. Coletta AP, et al. Clinical trials update from the European Society of Cardiology Heart Failure meeting: SHAPE, BRING-UP 2 VAS, COLA II, FOSIDIAL, BETAC-AR, CASINO and meta-analysis of cardiac resynchronization therapy. Eur J Heart Fail 2004;6:673-6.
PMID: 15302018
29. O'Connor CM, et al. Continuous intravenous dobutamine is associated with an increased risk of death in patients with advanced heart failure: insights from the Flolan International Randomized Survival Trial (FIRST). Am Heart J 1999;138:78-86.
PMID: 10385768
30. Packer M, et al. Effect of oral milrinone on mortality in severe chronic heart failure. The PROMISE Study Research Group. N Engl J Med 1991;325:1468-75.
PMID: 1944425
31. Ponikowski P, et al. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC) Developed with the special contribution of the Heart Failure Association (HFA) of the ESC. Eur Heart J 2016;37:2129-200.
PMID: 27206819 ガイドライン
32. Thiele H, et al. Intraaortic balloon support for myocardial infarction with cardiogenic shock. N Engl J Med 2012;367:1287-96.
PMID: 22920912
33. Combes A, et al. Outcomes and long-term quality-of-life of patients supported by extracorporeal membrane oxygenation for refractory cardiogenic shock. Crit Care Med 2008;36:1404-11.
PMID: 18434909
34. Percutaneous left ventricular assist devices vs. intra-aortic balloon pump counter-pulsation for treatment of cardiogenic shock: a meta-analysis of controlled trials. Eur Heart J 2009;30:2102-8.
PMID: 19617601
35. Ruiz FP, et al. Nodular regenerative hyperplasia of the liver in rheumatic diseases:

- report of seven cases and review of the literature. Review Semin Arthritis Rheum 1991; 21: 47-54. PMID : 1948101
36. Petersen JW, et al. Inotropes in the management of acute heart failure. Crit Care Med 2008; 36 (1 Suppl) : S106-11. PMID : 18158469

● 推奨文献

- Rihal CS, et al. 2015 SCAI/ACC/HFSA/STS Clinical Expert Consensus Statement on the Use of Percutaneous Mechanical Circulatory Support Devices in Cardiovascular Care : Endorsed by the American Heart Association, the Cardiological Society of India, and Sociedad Latino Americana de Cardiología Intervencion : Affirmation of Value by the Canadian Association of Interventional Cardiology-Association Canadienne de Cardiologie d'intervention. J Am Coll Cardiol 2015; 65 : e7-26. PMID : 25861963

第10章 敗血症・敗血症性ショック

○ 参照文献

- Miyamoto Y, et al. Association between iv thiamine and mortality in patients with septic shock : A nationwide observational study. Crit Care Med 2020 May 11. PMID : 32398479
- Kushimoto S, et al. Impact of body temperature abnormalities on the implementation of sepsis bundles and outcomes in patients with severe sepsis : A retrospective sub-analysis of the Focused Outcome Research on Emergency Care for Acute respiratory distress syndrome, Sepsis and Trauma Study. Crit Care Med 2019; 47 : 691-9. PMID : 30789402
- Rhodes A, et al. Surviving Sepsis Campaign : International guidelines for management of sepsis and septic shock : 2016. Intensive Care Med 2017; 43 : 304-77. PMID : 28101605 ガイドライン
- Levy MM, et al. The Surviving Sepsis Campaign Bundle : 2018 update. Intensive Care Med 2018; 44 : 925-8. PMID : 29675566
- 江木盛時ほか. 日本版敗血症診療ガイドライン 2020. 日集中医誌 第28巻 Supplement 2021年2月25日発行 ガイドライン
- Seymour CW, et al. Assessment of clinical criteria for sepsis : for the third international consensus definitions for Sepsis and Septic Shock (Sepsis-3). JAMA 2016 ; 315 : 762-74. PMID : 26903335
- Vincent JL, et al. Use of the SOFA score to assess the incidence of organ dysfunction/failure in intensive care units : results of a multicenter, prospective study. Working group on "sepsis-related problems" of the European Society of Intensive Care Medicine. Crit Care Med 1998; 26 : 1793-800. PMID : 9824069
- Singer M, et al. The third international consensus definitions for Sepsis and Septic Shock (Sepsis-3). JAMA 2016; 315 : 801-10. PMID : 26903338
- Jones AE, et al. Lactate clearance vs central venous oxygen saturation as goals of early sepsis therapy : a randomized clinical trial. JAMA 2010; 303 : 739-46. PMID : 20179283
- Semler MW, et al. Balanced crystalloids versus saline in critically ill adults. N Engl J Med 2018; 378 : 829-39. PMID : 29485925

11. Boyd JH, et al. Fluid resuscitation in septic shock : a positive fluid balance and elevated central venous pressure are associated with increased mortality. Crit Care Med 2011 ; 39 : 259-65. PMID : 20975548
12. Yang X, et al. Does pulse pressure variation predict fluid responsiveness in critically ill patients? A systematic review and meta-analysis. Crit Care 2014 ; 18 : 650. PMID : 25427970
13. Zhang Z, et al. Ultrasonographic measurement of the respiratory variation in the inferior vena cava diameter is predictive of fluid responsiveness in critically ill patients : systematic review and meta-analysis. Ultrasound Med Biol 2014 ; 40 : 845-53. PMID : 24495437
14. Cherpanath TGV, et al. Predicting fluid responsiveness by passive leg raising : A systematic review and meta-analysis of 23 clinical trials. Crit Care Med 2016 ; 44 : 981-91. PMID : 26741579
15. De Backer D, et al. Comparison of dopamine and norepinephrine in the treatment of shock. N Engl J Med 2010 ; 362 : 779-89. PMID : 20200382
16. McIntyre WF, et al. Association of vasopressin plus catecholamine vasopressors vs catecholamines alone with atrial fibrillation in patients with distributive shock : A systematic review and meta-analysis. JAMA 2018 ; 319 : 1889-900. PMID : 29801010
17. Venkatesh B, et al. Adjunctive Glucocorticoid Therapy in Patients with Septic Shock. N Engl J Med 2018 ; 378 : 797-808. PMID : 29347874
18. Annane D, et al. Hydrocortisone plus Fludrocortisone for Adults with Septic Shock. N Engl J Med 2018 ; 378 : 809-18. PMID : 29490185
19. Finfer S, et al. Intensive versus conventional glucose control in critically ill patients. N Engl J Med 2009 ; 360 : 1283-97. PMID : 19318384

第11章 アナフィラキシー

○参照文献

1. 日本アレルギー学会 Anaphylaxis 対策特別委員会. アナフィラキシーガイドライン第1版. 2014年11月<https://anaphylaxis-guideline.jp/pdf/anaphylaxis_guideline.PDF> ガイドライン
2. Ellis AK, et al. Incidence and characteristics of biphasic anaphylaxis : a prospective evaluation of 103 patients. Ann Allergy Asthma Immunol 2007 ; 98 : 64-9. PMID : 17225722
3. Soar J, et al. Emergency treatment of anaphylactic reactions—guidelines for health-care providers. Resuscitation 2008 ; 77 : 157-69. PMID : 18358585
4. Lin RY, et al. Improved outcomes in patients with acute allergic syndromes who are treated with combined H₁ and H₂ antagonists. Ann Emerg Med 2000 ; 36 : 462-8. PMID : 11054200
5. Choo KJL, et al. Glucocorticoids for the treatment of anaphylaxis. Cochrane Database Syst Rev 2012 ; 2012 (4) : CD007596. PMID : 22513951
6. Campbell RL et al. Emergency department diagnosis and treatment of anaphylaxis : a practice parameter. Ann Allergy Asthma Immunol 2014 ; 113 : 599-608. PMID : 25466802
7. Nassiri M, et al. Ramipril and metoprolol intake aggravate human and murine ana-

- phylaxis : evidence for direct mast cell priming. *J Allergy Clin Immunol* 2015; 135: 491-9. PMID: 25441633
8. Lieberman P, et al. SAFE : a multidisciplinary approach to anaphylaxis education in the emergency department. *Ann Allergy Asthma Immunol* 2007; 98: 519-23. PMID: 17601263

第12章 急性腹症

○参考文献

1. 急性腹症診療ガイドライン出版委員会. 急性腹症診療ガイドライン 2015. 東京：医学書院, 2015. **ガイドライン**
2. Irvin TT. Abdominal pain : a surgical audit of 1190 emergency admissions. *Br J Surg* 1989; 76: 1121-5. PMID: 2597964
3. 立澤直子ほか. 大学附属病院全診療部門支援型 ER における急性腹症：性差からみた検討. *帝京医誌* 2013; 36: 93-100.

第13章 中毒

○参考文献

1. Wright N. An assessment of the unreliability of the history given by self-poisoned patients. *Clin Toxicol* 1980; 16: 381-4. PMID: 7398227
2. Mokhlesi B, et al. Adult toxicology in critical care : part I : general approach to the intoxicated patient. *Chest* 2003; 123: 577-92. PMID: 12576382
3. Vale JA. Position statement : gastric lavage. American Academy of Clinical Toxicology ; European Association of Poisons Centres and Clinical Toxicologists. *J Toxicol Clin Toxicol* 1997; 35: 711-9. PMID: 9482426 **ガイドライン**
4. Benson BE, et al. Position paper update : gastlic lavage for gastrointestinal decontamination. *Clin Toxicol (Phila)* 2013; 51: 140-6. PMID: 23418938
5. Chyka PA, et al. Position statement : single-dose activated charcoal. American Academy of Clinical Toxicology ; European Association of Poisons Centres and Clinical Toxicologists. *J Toxicol Clin Toxicol* 1997; 35: 721-41. PMID: 9482427 **ガイドライン**
6. Position statement and practice guidelines on the use of multi-dose activated charcoal in the treatment of acute poisoning. American Academy of Clinical Toxicology ; European Association of Poisons Centres and Clinical Toxicologists. *J Toxicol Clin Toxicol* 1999; 37: 731-51. PMID: 10584586 **ガイドライン**
7. Eddleston M, et al. Multiple-dose activated charcoal in acute self-poisoning : a randomised controlled trial. *Lancet* 2008; 371: 579-87. PMID: 18280328
8. Proudfoot AT, et al. Position Paper on urine alkalinization. *J Toxicol Clin Toxicol* 2004; 42: 1-26. PMID: 15083932 **ガイドライン**
9. 上條吉人. 臨床中毒学. 東京：医学書院, 2009.
10. EXTRIP ホームページ. Executive summary of recommendations.<<http://www.extrip-workgroup.org/recommendations>>
11. Mokhlesi B, et al. Adult toxicology in critical care : Part II : specific poisonings. *Chest* 2003; 123: 897-922. PMID: 12628894

12. Emamhadi M, et al. Tricyclic antidepressant poisoning treated by magnesium sulfate : a randomized, clinical trial. *Drug Chem Toxicol* 2012 ; 35 : 300-3. PMID 22309432
13. Jones PB, et al. Randomized controlled trial of the effect on Quality of Life of second- vs first-generation antipsychotic drugs in schizophrenia : Cost Utility of the Latest Antipsychotic Drugs in Schizophrenia Study (CUTLASS 1). *Arch Gen Psychiatry* 2006 ; 63 : 1079-87. PMID 17015810
14. Mordel A, et al. Seizures after flumazenil administration in a case of combined benzodiazepine and tricyclic antidepressant overdose. *Crit Care Med* 1992 ; 20 : 1733-4. PMID : 1458953
15. Ohbe H, et al. Cholinergic Crisis Caused by Cholinesterase Inhibitors : A Retrospective Nationwide Database Study. *J Med Toxicol* 2018 ; 14 : 237-41. PMID : 29907949

●リンクページ

- 日本中毒情報センター
<https://www.j-poison-ic.jp/>

第14章 溫度調整障害

○参照文献

1. 日本救急医学会. 熱中症診療ガイドライン 2015.<[www.mhlw.go.jp/file/06-Seisaku-jouhou-10800000-Iseikyoku/heatstroke2015.pdf](http://www.mhlw.go.jp/stf/seisaku-jouhou-10800000-Iseikyoku/heatstroke2015.pdf)> ガイドライン
2. Lipman GS, et al. Wilderness Medical Society practice guidelines for the prevention and treatment of heat-related illness. *Wilderness Environ Med* 2013 ; 24 : 351-61. PMID : 24140191 ガイドライン
3. Bouchama A, et al. Cooling and hemodynamic management in heatstroke : practical recommendations. *Crit Care* 2007 ; 11 : R54. PMID : 17498312 ガイドライン
4. 日本集中治療医学会. 集中治療専門医テキスト（電子版）第2版. 東京：総合医学社. 2015.
5. Brown DJ, et al. Accidental hypothermia. *N Engl J Med* 2012 ; 367 : 1930-8. PMID : 23150960

○推奨文献

- 厚生労働省. 重篤副作用疾患別対応マニュアル. 悪性症候群. 2008.<www.mhlw.go.jp/topics/2006/11/dl/tp1122-1j02.pdf> ガイドライン
- 厚生労働省. 重篤副作用疾患別対応マニュアル. セロトニン症候群. 平成22年3月(令和3年4月改定).<<https://www.mhlw.go.jp/topics/2006/11/dl/tp1122-1j13-r03.pdf>> ガイドライン

第15章 高血圧緊急症

○参照文献

1. Katz JN, et al. Practice patterns, outcomes, and end-organ dysfunction for patients with acute severe hypertension : the Studying the Treatment of Acute hyperTension (STAT) registry. *Am Heart J* 2009 ; 158 : 599-606. e1. PMID : 19781420

2. 日本高血圧学会. 高血圧治療ガイドライン 2014. 東京：ライフサイエンス出版. 2014.
3. Elliott WJ. Clinical features in the management of selected hypertensive emergencies. *Prog Cardiovasc Dis* 2006; 48: 316–25. PMID : 16627047
4. Breu AC, et al. Acute treatment of hypertensive urgency. *J Hosp Med* 2018; 13: 860–2. PMID : 30379139 推奨文献
5. Whelton PK, et al. 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol* 2018; 71: e127–248. PMID : 29146535
6. Johnson W, et al. Hypertension crisis in the emergency department. *Cardiol Clin* 2012; 30: 533–43. PMID : 23102030
7. Mayer SA, et al. Clinical practices, complications, and mortality in neurological patients with acute severe hypertension: the Studying the Treatment of Acute hypertension registry. *Crit Care Med* 2011; 39: 2330–6. PMID : 21664448
8. Osterberg L, et al. Adherence to medication. *N Engl J Med* 2005; 353: 487–97. PMID : 16079372

●推奨文献

- Adebayo O, et al. Hypertensive Emergencies in the Emergency Department. *Emerg Med Clin North Am* 2015; 33: 539–51. PMID : 26226865