

Developmental Biology 13e, Chapter 20 Literature Cited

Abu-Issa, R. and M. L. Kirby. 2008. Patterning of the heart field in the chick. *Dev. Biol.* 319: 223–233.

Adamo, L. and 11 others. 2009. Biomechanical forces promote embryonic haematopoiesis. *Nature* 459: 1131–1135.

Adamo, L. and G. García-Cardena. 2012. The vascular origin of hematopoietic cells. *Dev. Biol.* 362: 1–10.

Adams, R. H. and K. Alitalo. 2007. Molecular regulation of angiogenesis and lymphangiogenesis. *Nat. Rev. Mol. Cell Biol.* 8: 464–478.

Alsan, B. H. and T. M. Schultheiss. 2002. Regulation of avian cardiogenesis by Fgf8 signaling. *Development* 129: 1935–1943.

Ambati, B. K. and 36 others. 2006. Corneal avascularity is due to soluble VEGF receptor-1. *Nature* 443: 993–997.

Andrée, B., D. Duprez, B. Vorbusch, H.-H. Arnold and T. Brand. 1998. BMP-2 induces ectopic expression of cardiac lineage markers and interferes with somite formation in chicken embryos. *Mech. Dev.* 70: 119–131.

Anton, R., M. Köhl and P. Pandur. 2007. A molecular signature for the “master” heart cell. *BioEssays* 29: 422–426.

Armstrong, E. J. and J. Bischoff. 2004. Heart valve development: Endothelial cell signaling and differentiation. *Circ. Res.* 95: 459–470.

Barak, H., L. Rosenfelder, T. M. Schultheiss and R. Reshef. 2005. Cell fate specification along the anterior-posterior axis of the intermediate mesoderm. *Dev. Dyn.* 232: 901–914.

Bard, J. B. L. and A. S. A. Ross. 1991. LIF, the ES cell inhibition factor, reversibly blocks nephrogenesis in cultured mouse kidney rudiments. *Development* 113: 193–198.

Bard, J. B. L., A. Gordon, L. Sharp and W. Sellers. 2001. Early nephron formation in the developing mouse kidney. *J. Anat.* 199: 385–392.

Bard, J. B. L., J. A. Davies, I. Karavanova, E. Lehtonen, H. Sariola and S. Vainio. 1996. Kidney development: The inductive interactions. *Semin. Cell Dev. Biol.* 7: 195–202.

Barnett, J.V. and J. S. Desgrosellier. 2003. Early events in valvulogenesis: A signaling perspective. *Birth Defects Res. C. Embryo Today* 69: 58–72.

Batourina, E. and 8 others. 2002. Distal ureter morphogenesis depends on epithelial cell remodeling mediated by vitamin A and Ret. *Nat. Genet.* 32: 109–115.

Berardi, A. C., A. Wang, J. D. Levine, P. Lopez and D. T. Scadden. 1995. Functional characterization of human hematopoietic stem cells. *Science* 267: 104–108.

Bertrand, J. Y., N. C. Chi, B. Santoso, S. Teng, D. Y. Stainier and D. Traver. 2010. Haematopoietic stem cells derive directly from aortic endothelium during development. *Nature* 464: 108–111.

Bertrand, N. and 7 others. 2011. Hox genes define distinct progenitor sub-domains within the second heart field. *Dev. Biol.* 353: 266–274.

Bondue, A. and C. Blanpain. 2010. Mesp1: A key regulator of cardiovascular lineage commitment. *Circ. Res.* 107: 1414–1427.

Bouchard, M., A. Souabni, M. Mandler, A. Neubüser and M. Busslinger. 2002. Nephric lineage specification by Pax2 and Pax8. *Genes Dev.* 16: 2958–2970.

Bouthillier, A. and 8 others. 2020. Distinguishing familial from acquired traits in the retinal blood vessel arborization. *Transl Vis Sci Technol* 9: 27.

Bressan, M., G. Liu and T. Mikawa. 2013. Early mesodermal cues assign avian cardiac pacemaker fate potential in a tertiary heart field. *Science* 340: 744–748.

Bruneau, B. G., M. Logan, N. Davis, T. Levi, C. J. Tabin, J. G. Seidman and C. E. Seidman. 1999. Chamber-specific cardiac expression of Tbx5 and heart defects in Holt-Oram syndrome. *Dev. Biol.* 211: 100–108.

Burns, C. E. and 8 others. 2009. A genetic screen in zebrafish defines a hierarchical network of pathways required for hematopoietic stem cell emergence. *Blood* 113: 5776–5782.

Burns, C. E., D. Traver, E. Mayhall, J. L. Shepard and L. I. Zon. 2005. Hematopoietic stem cell fate is established by the Notch-Runx pathway. *Genes Dev.* 19: 2331–2342.

Cao, Y. and R. Cao. 1999. Angiogenesis inhibited by drinking tea. *Nature* 398: 381.

Carlson, B. M. 2019. *Human Embryology and Developmental Biology*. (6th ed.) Elsevier, New York.

Carmeliet, P. and M. Tessier-Lavigne. 2005. Common mechanisms of nerve and blood vessel wiring. *Nature* 436: 193–200.

Carroll, T. J., J. S. Park, S. Hayashi, A. Majumdar and A. P. McMahon. 2005. Wnt9b plays a central role in the regulation of mesenchymal to epithelial transitions underlying the organogenesis of the mammalian urogenital system. *Dev. Cell* 9: 283–292.

Cebrian, C., R. Guillaume, P. Charles, A. Bikkal and D. Herzlinger. 2004. Cellular interactions and signals controlling urinary tract segmentation. In G. R. Martin and C. Tabin (eds.), *Signaling in Vertebrate Organogenesis*. Abstract, Keystone Symposium. p. 33.

Chen, M. J., T. Yokomizo, B. M. Zeigler, E. Dzierzak and N. A. Speck. 2009. Runx1 is required for the endothelial to haematopoietic cell transition but not thereafter. *Nature* 457: 887–891.

Chen, Y. H., M. Ishii, J. Sun, H. M., Sucov and R. E. Maxson, Jr. 2007. Msx1 and Msx2 regulate survival of secondary heart field precursors and postmigratory proliferation of cardiac neural crest in the outflow tract. *Dev. Biol.* 308: 421–437.

Chi, L. and 6 others. 2008. Sprouty proteins regulate ureteric branching by coordinating reciprocal epithelial Wnt11, mesenchymal Gdnf and stromal Fgf7 signalling during kidney development. *Development* 131: 3345–3356.

Chi, X. and 11 others. 2009. Ret-dependent cell rearrangements in the Wolffian duct epithelium initiate ureteric bud morphogenesis. *Dev. Cell* 17: 199–209.

Cirio, M. C. and 8 others. 2011. Lhx1 is required for specification of the renal progenitor cell field. *PLoS ONE* 6: e18858.

Cochard, L. R. 2002. *Netter's Atlas of Human Embryology*. MediMedia USA, Peterboro, NJ.

Colas, J. F., A. Lawson and G. C. Schoenwolf. 2000. Evidence that translation of smooth muscle alpha-actin mRNA is delayed in the chick promyocardium until fusion of the bilateral heart-forming regions. *Dev. Dyn.* 218: 316–330.

Cooley, J., S. Whitaker, S. Sweeney, S. Fraser and B. Davidson. 2011. Cytoskeletal polarity mediates localized induction of the heart progenitor lineage. *Nat. Cell Biol.* 13: 952–957.

Coskun, S. and K. K. Hirschi. 2010. Establishment and regulation of the HSC niche: Roles of osteoblastic and vascular compartments. *Birth Defects Res. C: Embryo Today* 90: 229–242.

Costantini, F. 2012. Genetic controls and cellular behaviors in branching morphogenesis of the renal collecting system. *Wiley Interdiscip. Rev. Dev. Biol.* 1: 693–713.

Costantini, F. and R. Kopan. 2010. Patterning a complex organ: Branching morphogenesis and nephron segmentation in kidney development. *Dev. Cell.* 18: 698–712.

Costello, I., I. M. Pimeisl, S. Dräger, E. K. Bikoff, E. J. Robertson and S. J. Arnold. 2011. The T-box transcription factor Eomesodermin acts upstream of Mesp1 to specify cardiac mesoderm during mouse gastrulation. *Nat. Cell Biol.* 13: 1084–1091.

Cota, C. D. and B. Davidson. 2015. Mitotic membrane turnover coordinates differential induction of the heart progenitor lineage. *Dev. Cell* 34: 505–519.

Cullen, S. M., A. Mayle, L. Rossi and M. A. Goodell. 2014. Hematopoietic stem cell development: An epigenetic journey. *Curr. Top. Dev. Biol.* 107: 39–75.

Cumano, A., F. Dieterlen-Lievre and I. Godin. 1996. Lymphoid potential, probed before circulation in mouse, is restricted to caudal intraembryonic splanchnopleura. *Cell* 86: 907–916.

David, R. and 11 others. 2008. MesP1 drives vertebrate cardiovascular differentiation through Dkk-1-mediated blockade of Wnt-signalling. *Nat. Cell Biol.* 10: 338–345.

Davidson, A. J., P. Lewis, A. Przepiorski and V. Sander. 2019. Turning mesoderm into kidney. *Semin. Cell Dev. Biol.* 91: 86–93.

Davidson, B. and M. Levine. 2003. Evolutionary origins of the vertebrate heart: Specification of the cardiac lineage in *Ciona intestinalis*. *Proc. Natl. Acad. Sci. USA* 100: 11469–11473.

Davidson, B., W. Shi and M. Levine. 2005. Uncoupling heart cell specification and migration in the simple chordate *Ciona intestinalis*. *Development* 132: 4811–4818.

Davidson, E. H. 2006. *The Regulatory Genome*. Academic Press, New York.

Davis, S. and 10 others. 1996. Isolation of angiopoietin-1, a ligand for the TIE2 receptor, by secretion trap expression cloning. *Cell* 87: 1161–1169.

de la Cruz, M. V. and C. Sanchez-Gomez. 1998. Straight tube heart. Primitive cardiac cavities vs. primitive cardiac segments. In M. V. de la Cruz and R. R. Markwald (eds.), *Living Morphogenesis of the Heart*. Birkhauser, Boston, 85–90.

de la Cruz, M. V., C. Sánchez-Gómez and M. A. Palomino. 1989. The primitive cardiac regions in the straight tube heart (stage 9) and their anatomical expression in the mature heart: An experimental study in the chick embryo. *J. Anat.* 165: 121–131.

DeHaan, R. L. 1959. Cardia bifida and the development of pacemaker function in the early chicken heart. *Dev. Biol.* 1: 586–602.

DeLaughter, D. M., L. Saint-Jean, H. S. Baldwin and J. V. Barnett. 2011. What chick and mouse models have taught us about the role of the endocardium in congenital heart disease. *Birth Defects Res. A: Clin. Mol. Teratol.* 91: 511–525.

Denkers, N., P. Garcia-Villalba, C. K. Rodesch, K. R. Nielson and T. J. Mauch. 2004. FISHing for chick genes: Triple-label whole mount fluorescence in situ hybridization detects simultaneous and overlapping gene expression in avian embryos. *Dev. Dyn.* 229: 651–657.

Dieterlen-Lièvre, F. and C. Martin. 1981. Diffuse intraembryonic hemopoiesis in normal and chimeric avian development. *Dev. Biol.* 88: 180–191.

Diman, N. Y., S. Remacle, N. Bertrand, J. J. Picard, S. Zaffran and R. Rezsohazy. 2011. A retinoic acid responsive Hoxa3 transgene expressed in embryonic pharyngeal endoderm, cardiac neural crest and a subdomain of the second heart field. *PLOS ONE* 6: e27624.

Ding, L., T. L. Saunders, G. Enikolopov and S. J. Morrison. 2012. Endothelial and perivascular cells maintain haematopoietic stem cells. *Nature* 481: 457–462.

Diogo, R., and 7 others. 2015. A new heart for a new head in vertebrate cardiopharyngeal evolution. *Nature* 520: 466–473.

Dudley, A. T., K. M. Lyons and E. J. Robertson. 1995. A requirement for bone morphogenesis protein-7 during development of the mammalian kidney and eye. *Genes Dev.* 9: 2795–2807.

Eichmann, A., T. Makinen and K. Alitalo. 2005. Neural guidance molecules regulate vascular remodeling and vessel navigation. *Genes Dev.* 19: 1013–1021.

Eilken, H. M., S. Nishikawa and T. Schroeder. 2009. Continuous single-cell imaging of blood generation from haemogenic endothelium. *Nature* 457: 896–900.

Fayez, S. S. and 7 others. 2022. Role of different types of miRNAs in some cardiovascular diseases and therapy-based miRNA strategies: A mini review. *Biomed Res Int.* 2022:2738119.

Ferrara, N. and 8 others. 1996. Heterozygous embryonic lethality induced by targeted inactivation of the VEGF gene. *Nature* 380: 439–442.

Ferrara, N. and K. Alitalo. 1999. Clinical applications of angiogenic growth factors and their inhibitors. *Nat. Med.* 5: 1359–1364.

Flamme, I. and W. Risau. 1992. Induction of vasculogenesis and hematogenesis in vitro. *Development* 116: 435–439.

Fong, G.-H., J. Rossant, M. Gertenstein and M. L. Breitman. 1995. Role of the Flt1 receptor tyrosine kinase in regulating the assembly of vascular endothelium. *Nature* 376: 66–70.

Frame, J. M., K. H. Fegan, S. J. Conway, K. E. McGrath and J. Palis. 2016. Definitive hematopoiesis in the yolk sac emerges from Wnt-responsive hemogenic endothelium

independently of circulation and arterial identity. *Stem Cells* 34: 431–444.

Galli, D., J. N. Domínguez, S. Zaffran, A. Munk, N. A. Brown and M. E. Buckingham. 2008. Atrial myocardium derives from the posterior region of the second heart field, which acquires left-right identity as *Pitx2c* is expressed. *Development* 135: 1157–1167.

Garita, B. and 8 others. 2011. Blood flow dynamics of one cardiac cycle and relationship to mechanotransduction and trabeculation during heart looping. *Am. J. Physiol. Heart Circ. Physiol.* 300: H879–H891.

Georgas, K. and 14 others. 2009. Analysis of early nephron patterning reveals a role for distal RV proliferation in fusion to the ureteric tip via a cap mesenchyme-derived connecting segment. *Dev. Biol.* 332: 273–286.

Gerhart, J. and 9 others. 2011. Myo/Nog cell regulation of bone morphogenetic protein signaling in the blastocyst is essential for normal morphogenesis and striated muscle lineage specification. *Dev. Biol.* 359: 12–25.

Godin, I. E., J. A. Garcia-Porrero, A. Coutinho, F. Dieterlen-Lièvre and M. A. Marcos. 1993. Para-aortic splanchnopleura from early mouse embryos contains B1a cell progenitors. *Nature* 364: 67–70.

Gordon, M. Y., G. P. Riley, S. M. Watt and M. F. Greaves. 1987. Compartmentalization of a haematopoietic growth factor (GM-CSF) by glycosaminoglycans in the bone marrow microenvironment. *Nature* 326: 403–405.

Gräper, L. 1907. Untersuchungen über die Herzbildung der Vögel. *Wilhelm Roux Arch. Entwicklungsmech. Org.* 24: 375–410.

Gratwohl A. and 13 others. 2010. Hematopoietic stem cell transplantation: A global perspective. *JAMA* 303: 1617–1624.

Grobstein, C. 1955. Induction interaction in the development of the mouse metanephros. *J. Exp. Zool.* 130: 319–340.

Grobstein, C. 1956. Trans-filter induction of tubules in mouse metanephrogenic mesenchyme. *Exp. Cell Res.* 10: 424–440.

Groenendijk, B. C. and 6 others. 2005. Changes in shear stress-related gene expression after experimentally altered venous return in the chicken embryo. *Circ. Res.* 96: 1291–1298.

Hanahan, D. 1997. Signaling vascular morphogenesis and maintenance. *Science* 277: 48–50.

Hart, D. O., T. Raha, N. D. Lawson and M. R. Green. 2007. Initiation of zebrafish haematopoiesis by the TATA-box-binding protein-related factor Trf3. *Nature* 450: 1082–1085.

Harvey, W. 1651. *Exercitationes de Generatione Animalium*. Jansson, Amsterdam. Quoted in J. Needham, *A History of Embryology*. Abelard-Schuman, New York, 133–153.

Hellström, M. and 15 others. 2007. Dll4 signalling through Notch1 regulates formation of tip cells during angiogenesis. *Nature* 445: 776–780.

Hemmati-Brivanlou, A. and G. H. Thomsen. 1995. Ventral mesodermal patterning in *Xenopus* embryos: Expression patterns and activities of BMP2 and BMP4. *Dev. Genet.* 17: 78–89.

Ho, J. and J. A. Kreidberg. 2013. MicroRNAs in renal development. *Pediatr. Nephrol.* 28: 219–225.

Hochgreb, T. and 7 others. 2003. A caudalrostral wave of RALDH2 conveys anteroposterior information to the cardiac field. *Development* 130: 5363–5374.

Hove, J. R., R. W. Koster, A. S. Forouhar, G. Acevedo-Bolton, S. E. Fraser and M. Gharib. 2003. Intracardiac fluid forces are an essential epigenetic factor for embryonic cardiogenesis. *Nature* 424: 172–177.

Hunt, P., D. Robertson, D. Weiss, D. Rennick, F. Lee and O. N. Witte. 1987. A single bone marrow-derived stromal cell type supports the in vitro growth of early lymphoid and myeloid cells. *Cell* 48: 997–1007.

Huxley, A. 1923. *Antic Hay*. George Duran, New York, p. 55.

Itäranta, P., Y. Lin, J. Peräsäari, G. Roël, O. Destrée and S. Vainio. 2002. Wnt6 is expressed in the ureter bud and induces kidney tubule development in vitro. *Genesis* 32: 259–268.

Jaffredo, T. and 6 others. 2010. Aortic remodelling during hemogenesis: Is the chicken paradigm unique? *Int. J. Dev. Biol.* 54: 1045–1054.

Junt, T. and 10 others. 2007. Dynamic visualization of thrombopoiesis within bone marrow. *Science* 317: 1767–1770.

Kao, R. M., A. Vasilyev, A. Miyawaki, I. A. Drummond and A. P. McMahon. 2012. Invasion of distal nephron precursors associates with tubular interconnection during nephrogenesis. *J. Am. Soc. Nephrol.* 23: 1682–1690.

Karavanov, A. A., I. Karavanova, A. Perantoni and I. B. Dawid. 1998. Expression pattern of the rat Lim-1 homeobox gene suggests a dual role during kidney development. *Int. J. Dev. Biol.* 42: 61–66.

Katayama, I. and H. Kayano. 1999. Yolk sac with blood island. *New Engl. J. Med.* 340: 617.

Kattman, S. J., T. L. Huber and G. M. Keller. 2006. Multipotent *flk-1*+cardiovascular progenitor cells give rise to the cardiomyocyte, endothelial, and vascular smooth muscle lineages. *Dev. Cell* 11: 723–732.

Kelly, R. G. 2012. The second heart field. *Curr. Top. Dev. Biol.* 100: 33–65.

Kispert, A., S. Vainio and A. P. McMahon. 1998. Wnt-4 is a mesenchymal signal for epithelial transformation of metanephric mesenchyme in the developing kidney. *Development* 125: 4225–4234.

Kissa, K. and P. Herbomel. 2010. Blood stem cells emerge from aortic endothelium by a novel type of cell transition. *Nature* 464: 112–115.

Klattenhoff, C. A. and 14 others. 2013. *Braveheart*, a long noncoding RNA required for cardiovascular lineage commitment. *Cell* 152: 570–583.

Klimchenko, O. and 9 others. 2009. A common bipotent progenitor generates the erythroid and megakaryocyte lineages in embryonic stem cell-derived primitive hematopoiesis. *Blood* 114: 1506–1517.

Kluger, Y., Z. Lian, X. Zang, P. E. Newburger and S. M. Weissman. 2004. A panorama of lineage-specific transcription in hematopoiesis. *BioEssays* 26: 1276–1287.

Kobayashi, A., K.-M. Kwan, T. J. Carroll, A. P. McMahon, C. L. Mendelsohn and R. R. Behringer. 2005. Distinct and sequential tissue-specific activities of the LIM-class homeobox gene *Lim1* for tubular morphogenesis during kidney development. *Development* 132: 2809–2823.

Komuro, I. and S. Izumo. 1993. *Csx*: A murine homeobox-containing gene specifically expressed in the developing heart. *Proc. Natl. Acad. Sci. USA* 90: 8145–8149.

Koseki, C., D. Herzlinger and Q. Al-Auqati. 1992. Apoptosis in metanephric development. *J. Cell Biol.* 119: 1327–1333.

Koshiba-Takeuchi, K. and 15 others. 2009. Reptilian heart development and the molecular basis of cardiac chamber evolution. *Nature* 461: 95–98.

Krause, M. and 8 others. 2018. Exosomes as secondary inductive signals involved in kidney organogenesis. *J. Extracell. Vesicles* 7: 1422675.

Krause, M., A. Rak-Raszewska, I. Pietilä, S. E. Quaggin and S. Vainio. 2015a. Signaling during kidney development. *Cells* 4: 112–132.

Krause, M., A. Samoylenko and S. J. Vainio. 2015b. Exosomes as renal inductive signals in health and disease, and their application as diagnostic markers and therapeutic agents. *Front. Cell Dev. Biol.* 3:65.

Krumsiek, J., C. Marr, T. Schroeder and F. J. Theis. 2011. Hierarchical differentiation of myeloid progenitors is encoded in the transcription factor network. *PLOS ONE* 6: e22649.

Kupperman, E., S. An, N. Osborne, S. Waldron and D. Y. Stainier. 2000. A sphingosine-1-phosphate receptor regulates cell migration during vertebrate heart development. *Nature* 406: 192–195.

Kuure, S., A. Popsueva, M. Jakobson, K. Sainio and H. Sariola. 2007. Glycogen synthase kinase-3 inactivation and stabilization of b-catenin induce nephron differentiation in isolated mouse and rat kidney mesenchymes. *J. Am. Soc. Nephrol.* 18: 1130–1139.

Lancrin, C., P. Sroczynska, C. Stephenson, T. Allen, V. Kouskoff and G. Lacaud. 2009. The haemangioblast generates haematopoietic cells through a haemogenic endothelium stage. *Nature* 457: 892–895.

Langman, J. 1981. *Medical Embryology*, 4th Ed. Williams & Wilkins, Baltimore, MD.

Lee, C. Y., K. M. Vogeli, S. H. Kim, S. W. Chong, Y. J. Jiang, D. Y. Stainier and S. W. Jin. 2009. Notch signaling functions as a cell-fate switch between the endothelial and hematopoietic lineages. *Curr. Biol.* 19: 1616–1622.

Lescroart, F., R. G. Kelly, J. F. Le Garrec, J. F. Nicolas, S. M. Meilhac and M. Buckingham. 2010. Clonal analysis reveals common lineage relationships between head muscles and second heart field derivatives in the mouse embryo. *Development* 137: 3269–3279.

Lescroart, F., W. Hamou, A. Francou, M. Théveniau-Ruissy, R. G. Kelly and M. Buckingham. 2015. Clonal analysis reveals a common origin between nonsomite-derived neck muscles and heart myocardium. *Proc. Natl. Acad. Sci. USA* 112: 1446–1451.

Levine, R. J. and 12 others. 2006. Soluble endoglin and other circulating antiangiogenic factors in preeclampsia. *New Engl. J. Med.* 355: 992–1005.

Li, S., D. Zhou, M. M. Lu and E. E. Morrisey. 2004. Advanced cardiac morphogenesis does not require heart tube fusion. *Science* 305: 1619–1622.

Lin, L. and 12 others. 2007. Beta-catenin directly regulates Islet1 expression in cardiovascular progenitors and is required for multiple aspects of cardiogenesis. *Proc. Natl. Acad. Sci. USA* 104: 9313–9318.

Lin, Y. and 8 others. 2001. Induced repatterning of type XVIII collagen expression in ureter bud from kidney to lung: Association with Sonic hedgehog and ectopic surfactant protein C. *Development* 128: 1573–1585.

Linask, K. K. 1992. N-cadherin localization in early heart development and polar expression of Na, K-ATPase, and integrin during pericardial coelom formation and epithelialization of the differentiating myocardium. *Dev. Biol.* 151: 213–224.

Linask, K. K. 2003. Regulation of heart morphology: Current molecular and cellular perspectives on the coordinated emergence of cardiac form and function. *Birth Defects Res. C: Embryo Today*

69: 14–24.

Linask, K. K. and J. W. Lash. 1986. Precardiac cell migration: Fibronectin localization at mesoderm-endoderm interface during directional movement. *Dev. Biol.* 114: 87–101.

Linask, K. K. and J. W. Lash. 1988. A role for fibronectin in the migration of avian precardiac cells. I. Dose-dependent effects of fibronectin antibody. *Dev. Biol.* 129: 315–323.

Linask, K. K. and M. Watanabe. 2015. Mechanotransduction and development of cardiovascular form and function. *Frontiers Physiol.* 6: 131.

Linask, K. K., M. D. Han, M. Cai, P. Brauer and S. Manisastry. 2005. Cardiac morphogenesis: MMP-2 involvement in cellular mechanisms underlying heart tube formation and looping. *Dev. Dyn.* 233: 739–753.

Lints, T. J., L. M. Parsons, L. Hartley, I. Lyons and R. P. Harvey. 1993. Nkx2.5: A novel murine homeobox gene expressed in early heart progenitor cells and their myogenic descendants. *Development* 119: 419–431.

Liu, J., and D. Y. R. Stainier. 2012. Zebrafish in the study of early cardiac development. *Circ. Res.* 110: 870–874.

Lu, W. and 10 others. 2008. Cellular nonmuscle myosins NMHC-IIA and NMHC-IIB and vertebrate heart looping. *Dev. Dyn.* 237: 3577–3590.

Lucitti, J. L., E. A. Jones, C. Huang, J. Chen, S. E. Fraser and M. E. Dickinson. 2007. Vascular remodeling of the mouse yolk sac requires hemodynamic force. *Development* 134: 3317–3326.

Luo, G., C. Hofmann, A. L. J. J. Bronckers, M. Sohocki, A. Bradley and G. Karsenty. 1995. BMP-7 is an inducer of nephrogenesis and is also required for eye development and skeletal patterning. *Genes Dev.* 9: 2808–2820.

Maéno, M., R. C. Ong, A. Suzuki, N. Ueno and H. F. Kung. 1994. A truncated BMP4 receptor alters the fate of ventral mesoderm to dorsal mesoderm: Roles of animal pole tissue in the development of ventral mesoderm. *Proc. Natl. Acad. Sci. USA* 91: 10260–10264.

- Maeshima, A., D. A. Vaughn, Y. Choi and S. K. Nigam. 2006. Activin A is an endogenous inhibitor of ureteric bud outgrowth from the Wolffian duct. *Dev. Biol.* 295: 473–485.
- Mahtal, N., O. Lenoir, C. Tinel, D. Anglicheau and P. L. Tharaux. 2022. MicroRNAs in kidney injury and disease. *Nature Rev. Nephrol.* 18: 643–662.
- Majumdar, A., S. Vauinio, A. Kispert, J. McMahon and A. McMahon. 2003. *Wnt11* and *Ret/Gdnf* pathways cooperate in regulating ureteric branching during metanephric kidney development. *Development* 130: 3175–3185.
- Marvin, M. J., G. Di Rocco, A. Gardiner, S. M. Bush and A. B. Lassar. 2001. Inhibition of *Wnt* activity induces heart formation from posterior mesoderm. *Genes Dev.* 15: 316–327.
- Matsui, T. and 6 others. 2007. *miles-apart*-Mediated regulation of cell-fibronectin interaction and myocardial migration in zebrafish. *Nat. Clin. Pract. Cardiovasc. Med.* 1: S77–S82.
- Mauch, T. J., G. Yang, M. Wright, D. Smith and G. C. Schoenwolf. 2000. Signals from trunk paraxial mesoderm induce pronephros formation in chick intermediate mesoderm. *Dev. Biol.* 220: 62–75.
- May, D. and 16 others. 2012. Large-scale discovery of enhancers from human heart tissue. *Nat. Genet.* 44: 89–93.
- McMahon, A. 2016. Development of the mammalian kidney. *Curr. Top. Dev. Biol.* 117: 31–64.
- Medvinsky, A. L. and E. Dzierzak. 1996. Definitive hematopoiesis is autonomously initiated by the AGM region. *Cell* 86: 897–906.
- Medvinsky, A. L., N. L. Samoylina, A. M. Müller and E. A. Dzierzak. 1993. An early pre-liver intraembryonic source of CFU-S in the developing mouse. *Nature* 364: 64–67.
- Meilhac, S. M., F. Lescroart, C. Blanpain and M. E. Buckingham. 2015. Cardiac cell lineages that form the heart. *Cold Spring Harb. Perspect. Med.* 5: a026344.
- Mendelsohn, C. 2009. Using mouse models to understand normal and abnormal urogenital tract development. *Organogenesis* 5: 306–314.

- Mikawa, T. 1999. Determination of heart cell lineages. In S. A. Moody (ed.), *Cell Lineage and Fate Determination*. Academic Press, San Diego. 451–462.
- Millauer, B. and 6 others. 1993. High-affinity VEGF binding and developmental expression suggest flk-1 as a major regulator of vasculogenesis and angiogenesis. *Cell* 72: 835–846.
- Miller, J. W., J. Le Couter, E. C. Strauss and N. Ferrara. 2013. Vascular endothelial growth factor a in intraocular vascular disease. *Ophthalmology* 120: 106–114.
- Mironov, V., R. P. Visconti and R. R. Markwald. 2005. On the role of shear stress in cardiogenesis. *Endothelium* 12: 259–261.
- Miyazaki, Y., K. Oshima, A. Fogo, B. L. Hogan and I. Ichikawa. 2000. Bone morphogenetic protein 4 regulates the budding site and elongation of the mouse ureter. *J. Clin. Invest.* 105: 863–873.
- Moore, M. W. and 9 others. 1996. Renal and neuronal abnormalities in mice lacking GDNF. *Nature* 382: 76–79.
- Moretti, A. and 13 others. 2006. Multipotent embryonic isl1+ progenitor cells lead to cardiac, smooth muscle, and endothelial cell diversification. *Cell* 127: 1151–1165.
- Morrison, S. J. and D. T. Scadden. 2014. The bone marrow niche for haematopoietic stem cells. *Nature* 505: 327–334.
- Moyon, D., L. Pardanaud, L. Yuan, C. Breant and A. Eichmann. 2001. Selective expression of angiopoietin 1 and 2 in mesenchymal cells surrounding veins and arteries of the avian embryo. *Mech. Dev.* 106: 133–136.
- Mugford, J. W., J. Yu, A. Kobayashi and A. P. McMahon. 2009. High-resolution gene expression analysis of the developing mouse kidney defines novel cellular compartments within the nephron progenitor population. *Dev. Biol.* 333: 312–323.
- Mullins, M. C. and 12 others. 1996. Genes establishing dorsoventral pattern formation in the zebrafish embryo: The ventral specifying genes. *Development* 123: 81–93.

Mutter, W. P. and S. A. Karumanchi. 2008. Molecular mechanisms of preeclampsia. *Microvasc. Res.* 75: 1–8.

Nascone, N. and M. Mercola. 1995. An inductive role for the endoderm in *Xenopus* cardiogenesis. *Development* 121: 515–523.

Noguera-Troise, I. and 8 others. 2006. Blockade of Dll4 inhibits tumour growth by promoting non-productive angiogenesis. *Nature* 444: 1032–1037.

North, T. E. and 11 others. 2009. Hematopoietic stem cell development is dependent on blood flow. *Cell* 137: 736–748.

Notta, F. and 13 others. 2016. Distinct routes of lineage development reshape the human blood hierarchy across ontogeny. *Science* 351: aab2116.

Paik, E. J. and L. I. Zon. 2010. Hematopoietic development in the zebrafish. *Int. J. Dev. Biol.* 54: 1127–1137.

Pardanaud, L., C. Altmann, P. Kitos, F. Dieterlen-Lièvre and C. Buck. 1987. Vasculogenesis in the early quail blastodisc as studied with a monoclonal antibody recognizing endothelial cells. *Development* 100: 339–349.

Park, E. J. and 8 others. 2008. An FGF autocrine loop initiated in second heart field mesoderm regulates morphogenesis at the arterial pole of the heart. *Development* 135: 3599–3610.

Pashmforoush, M. and 14 others. 2004. Nkx2-5 pathways and congenital heart disease: Loss of ventricular myocyte lineage specification leads to progressive cardiomyopathy and complete heart block. *Cell* 117: 373–386.

Patten, B. M. 1951. *Early Embryology of the Chick*, 4th Ed. McGraw-Hill, New York.

Peng, T. and 7 others. 2013. Coordination of heart and lung co-development by a multipotent cardiopulmonary progenitor. *Nature* 500: 589–592.

Perantoni, A. O., L. F. Dove and I. Karavanova. 1995. Basic fibroblast growth factor can mediate the early inductive events in renal development. *Proc. Natl. Acad. Sci USA* 92: 4696–4700.

Philippen, L. E., E. Dirk, P. A. da Costa-Martins and L. J. De Windt. 2015. Non-coding RNA in control of gene regulatory programs in cardiac development and disease. *J. Mol. Cell Cardiol.* 89: 51–58.

Phillips, H. D., P. Mahendran, E. Singh, R. H. Anderson, B. Chaudhry and D. J. Henderson. 2013. Neural crest cells are required for correct positioning of the developing outflow cushions and pattern the arterial valve leaflets. *Cardiovasc. Res.* 99: 452–460.

Pichel, J. G. and 11 others. 1996. Defects in enteric innervation and kidney development in mice lacking GDNF. *Nature* 382: 73–76.

Pimanda, J. E. and B. Göttgens. 2010. Gene regulatory networks governing haematopoietic stem cell development and identity. *Int. J. Dev. Biol.* 54: 1201–1211.

Porras, D. and C. B. Brown. 2008. Temporal-spatial ablation of neural crest in the mouse results in cardiovascular defects. *Dev. Dyn.* 237: 153–162.

Pourquié, O. and 9 others. 1996. Lateral and axial signals involved in somite patterning: A role for BMP4. *Cell* 84: 461–471.

Prall, O. W. and 22 others. 2007. An Nkx2-5/Bmp2/Smad1 negative feedback loop controls heart progenitor specification and proliferation. *Cell* 128: 947–959.

Preger-Ben Noon, E., H. Barak, N. Guttman-Raviv and R. Reshef. 2009. Interplay between activin and Hox genes determines the formation of the kidney morphogenetic field. *Development* 136: 1995–2004.

Rad, N. K., N. Aghdami and R. Moghadasali. 2020. Cellular and molecular mechanisms of kidney development: From the embryo to the kidney organoid. *Front. Cell Dev. Biol.* 8:183.

Reiter, J. F. and 6 others. 1999. Gata5 is required for the development of the heart and endoderm in zebrafish. *Genes Dev.* 13: 2983–2995.

Reya, T. and 8 others. 2003. A role for Wnt signaling in self-renewal of haematopoietic stem cells. *Nature* 423: 409–414.

Ribatti, D., C. Urbinati, B. Nico, M. Rusnati, L. Roncali and M. Presta. 1995. Endogenous basic fibroblast growth factor is implicated in the vascularization of the chick embryo chorioallantoic membrane. *Dev. Biol.* 170: 39–49.

Ridgway, J. and 16 others. 2006. Inhibition of Dll4 signalling inhibits tumour growth by deregulating angiogenesis. *Nature* 444: 1083–1087.

Risau, W. 1997. Mechanisms of angiogenesis. *Nature* 386: 671–674.

Ritvos, O. and 6 others. 1995. Activin disrupts epithelial branching morphogenesis in developing murine kidney, pancreas, and salivary gland. *Mech. Dev.* 50: 229–246.

Roberts, D. J., D. M. Smith, D. J. Goff and C. J. Tabin. 1998. Epithelial-mesenchymal signaling during the regionalization of the chick gut. *Development* 125: 2791–2801.

Rosselot, C. and 13 others. 2010. Non-cell-autonomous retinoid signaling is crucial for renal development. *Development* 137: 283–292.

Rugh, R. 1951. *The Frog: Its Reproduction and Development*. Blakiston, Philadelphia, PA.

Sacchetti, B. and 10 others. 2007. Self-renewing osteoprogenitors in bone marrow sinusoids can organize a hematopoietic microenvironment. *Cell* 131: 324–336.

Sainio, K. and 10 others. 1997. Glial-cell-line-derived neurotrophic factor is required for bud initiation from ureteric epithelium. *Development*. 124: 4077–4087.

Sainio, K. and A. Raatikainen-Ahokas. 1999. Mesonephric kidney: A stem cell factory? *Int. J. Dev. Biol.* 43: 435–439.

Samokhvalov, I. M., N. I. Samokhvalova and S. Nishikawa. 2007. Cell tracing shows the contribution of the yolk sac to adult haematopoiesis. *Nature* 446: 1056–1061.

Sánchez, M. P., I. Silos-Santiago, J. Frisé, B. He, S. A. Lira and M. Barbacid. 1996. Renal agenesis and the absence of enteric neurons in mice lacking GDNF. *Nature* 382: 70–73.

- Sariola, H. 2002. Nephron induction revisited: From caps to condensates. *Curr. Opin. Nephrol. Hypertens.* 11: 17–21.
- Sariola, H., P. Ekblom and L. Saxén. 1982. Restricted developmental options of the metanephric mesenchyme. In M. Burger and R. Weber (eds.), *Embryonic Development, Part B: Cellular Aspects*. Alan R. Liss, New York, 425–431.
- Satou, Y., K. S. Imai and N. Satoh. 2004. The ascidian *Mesp* gene specifies heart precursor cells. *Development* 131: 2533–2541.
- Saxén, L. 1970. Failure to demonstrate tubule induction in heterologous mesenchyme. *Dev. Biol.* 23: 511–523.
- Saxén, L. 1987. *Organogenesis of the Kidney*. Cambridge University Press, Cambridge.
- Schneider, V. A. and M. Mercola. 2001. Wnt antagonism initiates cardiogenesis in *Xenopus laevis*. *Genes Dev.* 15: 304–315.
- Schultheiss, T. M., S. Xydas and A. B. Lassar. 1995. Induction of avian cardiac myogenesis by anterior endoderm. *Development* 121: 4203–4214.
- Seo, S. and 9 others. 2012. Forkhead box transcription factor FoxC1 preserves corneal transparency by regulating vascular growth. *Proc. Natl. Acad. Sci. USA* 109: 2015–2020.
- Shakya, R., T. Watanabe and F. Costantini. 2005. The role of GDNF/Ret signaling in ureter bud cell fate and branching morphogenesis. *Dev. Cell* 8: 65–74.
- Shalaby, F. and 6 others. 1995. Failure of blood-island formation and vasculogenesis in *flk-1*-deficient mice. *Nature* 376: 62–66.
- Shawlot, W. and R. R. Behringer. 1995. Requirement for *Lim1* in head-organizer function. *Nature* 374: 425–430.
- Shelton, E. L. and K. E. Yutzey. 2008. *Twist1* function in endocardial cushion cell proliferation, migration, and differentiation during heart valve development. *Dev. Biol.* 317: 282–295.
- Shestopalov, I. A. and L. I. Zon. 2012. Stem cells: The right neighbour. *Nature* 481: 453–455.

Simões-Costa, M. S. and 8 others. 2005. The evolutionary origin of heart chambers. *Dev. Biol.* 277: 1–15.

Sizarov, A., J. Ya, B. A. de Boer, W. H. Lamers, V. M. Christoffels and A. F. Moorman. 2011. Formation of the building plan of the human heart: Morphogenesis, growth, and differentiation. *Circulation* 123: 1125–1135.

Smyth, I. M. 2021. Development of the metanephric kidney. (Ch. 4 in *Cellular Networks in Development*, M. Affolter, Ed.). *Curr. Top. Dev. Biol.* 143: 111–150.

Srinivas, S., M. R. Goldberg, T. Watanabe, V. D’Agati, Q. al-Awqati and F. Costantini. 1999. Expression of green fluorescent protein in the ureteric bud of transgenic mice: A new tool for the analysis of ureteric bud morphogenesis. *Dev. Genet.* 24: 241–251.

Srivastava, D. and E. N. Olson. 2000. A genetic blueprint for cardiac development. *Nature* 407: 221–226.

Stainier, D. Y. R. and M. C. Fishman. 1992. Patterning the zebrafish heart tube: Acquisition of anteroposterior polarity. *Dev. Biol.* 153: 91–101.

Stalberg, H. and R. L. De Haan. 1969. The precardiac areas and formation of the tubular heart in the chick embryo. *Dev. Biol.* 19: 128–159.

Stark, K., S. Vainio, G. Vassileva and A. P. McMahon. 1994. Epithelial transformation of metanephric mesenchyme in the developing kidney regulated by Wnt-4. *Nature* 372: 679–683.

Stolfi, A., T. B. Gainous, J. J. Young, A. Mori, M. Levine and L. Christiaen. 2010. Early chordate origins of the vertebrate second heart field. *Science* 329: 565–568.

Suetsugu, R., T. Watanabe and Y. Takahashi. 2005. Pax2 is sufficient to convert a presomitic mesoderm to intermediate mesoderm to form kidney tubules. *Int. Symp. Dev. Biol.* (abstract)

Sugi, Y. and J. Lough. 1994. Anterior endoderm is a specific effector of terminal cardiac myocyte differentiation of cells from the embryonic heart forming region. *Dev. Dyn.* 200: 155–162.

Sugimura, R. and 10 others. 2012. Noncanonical Wnt signaling maintains hematopoietic stem cells in the niche. *Cell* 150: 351–365.

Sun, J., A. Ramos, B. Chapman, J. B. Johnnidis, L. Le, Y. J. Ho, A. Klein, O. Hofmann and F. D. Camargo. 2014. Clonal dynamics of native haematopoiesis. *Nature* 514: 322–327.

Suri, C. and 7 others. 1996. Requisite role of angiopoietin-1, a ligand for the TIE2 receptor, during embryonic angiogenesis. *Cell* 87: 1171–1180.

Swiers, G., M. de Bruijn and N. A. Speck. 2010. Hematopoietic stem cell emergence in the conceptus and the role of Runx1. *Int. J. Dev. Biol.* 54: 1151–1163.

Takasato, M. and 10 others. 2015. Kidney organoids from human iPS cells contain multiple lineages and model human nephrogenesis. *Nature* 526: 564–568.

Takasato, M. and M. H. Little. 2015. The origin of the mammalian kidney: Implications for recreating the kidney in vitro. *Development* 142: 1937–1947.

Takeuchi, J. K. and 7 others. 2003. Tbx5 specifies the left/right ventricles and ventricular septum position during cardiogenesis. *Development* 130: 5953–5964.

Tam, P. P., M. Parameswaran, S. J. Kinder and R. P. Weinberger. 1997. The allocation of epiblast cells to the embryonic heart and other mesodermal lineages: The role of ingression and tissue movement during gastrulation. *Development* 124: 1631–1642.

Tammela, T. and 20 others. 2008. Blocking VEGFR-3 suppresses angiogenic sprouting and vascular network formation. *Nature* 454: 656–660.

Tan, W. and 6 others. 2022. MicroRNA-22-3p restrains the proliferation, phenotypic transformation, and migration of vascular smooth muscle cells by manipulating TOMM40. *Int. Heart J.* 63: 1166–1175.

Tavian, M. and B. Péault. 2005. Embryonic development of the human hematopoietic system. *Int. J. Dev. Biol.* 49: 243–250.

Tober, J., M. W. Majenburg and N. A. Speck. 2016. Taking the leap: Runx1 in the formation of blood from endothelium. *Curr. Top. Dev. Biol.* 118: 114–162.

Toivonen, S. 1945. Über die Entwicklung der Vor- und Uriniere beim Kaninchen. *Ann. Acad. Sci. Fenn. Ser. A.* 8: 1–27.

Tonegawa, A., N. Funayama, N. Ueno and Y. Takahashi. 1997. Mesodermal subdivision along the mediolateral axis in chicken controlled by different concentrations of BMP-4. *Development* 124: 1975–1984.

Tower, P. 1955. The fundus oculi in monozygotic twins: Report of six pairs of identical twins. *AMA Arch Ophthalmol.* 54: 225–239.

Tsang, T. E. and 8 others. 2000. Lim1 activity is required for intermediate mesoderm differentiation in the mouse embryo. *Dev. Biol.* 223: 77–90.

Tzahor, E. and A. B. Lassar. 2001. *Wnt* signals from the neural tube block ectopic cardiogenesis. *Genes Dev.* 15: 255–260.

Ueno, H. and I. L. Weissman. 2010. The origin and fate of yolk sac hematopoiesis: Application of chimera analyses to developmental studies. *Int. J. Dev. Biol.* 54: 1019–1031.

van Wijk, B. and 9 others. 2009. Epicardium and myocardium separate from a common precursor pool by crosstalk between bone morphogenetic protein- and fibroblast growth factor-signaling pathways. *Circ. Res.* 105: 431–441.

Varner, V. D. and L. A. Taber. 2012. Not just inductive: a crucial mechanical role for the endoderm during heart tube assembly. *Development* 13: 1680–1690.

Verzi, M. P., D. J. McCulley, S. De Val, E. Dodou and B. L. Black. 2005. The right ventricle, outflow tract, and ventricular septum comprise a restricted expression domain within the secondary/anterior heart field. *Dev. Biol.* 287: 134–145.

Vikkula, M. and 11 others. 1996. Vascular dysmorphogenesis caused by an activating mutation in the receptor tyrosine kinase TIE2. *Cell* 87: 1181–1190.

Vogeli, K. M., S. W. Jin, G. R. Martin and D. Y. Stainier. 2006. A common progenitor for haematopoietic and endothelial lineages in the zebrafish gastrula. *Nature* 443: 337–339.

von Both, I. and 9 others. 2004. Foxh1 is essential for development of the anterior heart field. *Dev. Cell* 7: 331–345.

Wang, D.-Z. and 8 others. 1999. Requirement of a novel gene, *Xin*, in cardiac morphogenesis. *Development* 126: 1281–1294.

Weiss, A. C. and 9 others. 2014. Nephric duct insertion requires EphA4/EphA7 signaling from the pericloacal mesenchyme. *Development* 141: 3420–3430.

Whitlock, C. A., G. F. Tidmarsh, C. Muller-Sieburg and I. L. Weissman. 1987. Bone marrow stromal cell lines with lymphopoietic activity express high levels of a pre-B neoplasia-associated molecule. *Cell* 48: 1009–1021.

Wilm, B., R. G. James, T. M. Schultheiss and B. L. M. Hogan. 2004. The Forkhead genes *Foxc1* and *Foxc2* regulate paraxial versus intermediate mesoderm cell fate. *Dev. Biol.* 271: 176–189.

Wilson, P. M., M. J. LaBonte and H. J. Lenz. 2013. Assessing the in vivo efficacy of biologic antiangiogenic therapies. *Cancer Chemother. Pharmacol.* 71: 1–12.

Wintour, E. M., A. Butkus, L. Earnest and S. Pompolo. 1996. The erythropoietin gene is expressed strongly in the mammalian mesonephric kidney. *Blood* 88: 3349–3353.

Wolf, N. S. and J. J. Trentin. 1968. Hemopoietic colony studies. V. Effect of hemopoietic organ stroma on differentiation of pluripotent stem cells. *J. Exp. Med.* 127: 205–214.

Wontakal, S. N. and 9 others. 2012. A core erythroid transcriptional network is repressed by a master regulator of myelo-lymphoid differentiation. *Proc. Natl. Acad. Sci. USA* 109: 3832–3837.

Wu, S. M. and 6 others. 2006. Developmental origin of a bipotential myocardial and smooth muscle cell precursor in the mammalian heart. *Cell* 127: 1137–1150.

Xavier-Neto, J. and 7 others. 1999. A retinoic acid-inducible transgenic marker of sino-atrial development in the mouse heart. *Development* 126: 2677–2687.

Yashiro, K., H. Shiratori and H. Hamada. 2007. Haemodynamics determined by a genetic programme govern asymmetric development of the aortic arch. *Nature* 450: 285–288.

Yin, K. J., M. Hamblin and Y. E. Chen. 2014. Non-coding RNAs in cerebral endothelial pathophysiology: emerging roles in stroke. *Neurochem. Int.* 77: 9–16.

Yokoyama, U. 2015. Prostaglandin E-mediated molecular mechanisms driving remodeling of the ductus arteriosus. *Pediatr. Int.* 57: 820–827.

Yue, R. and 10 others. 2012. Thrombin receptor regulates hematopoiesis and endothelial-to-hematopoietic transition. *Dev. Cell* 22: 1092–1100.

Zaffran, S., R. G. Kelly, S. M. Meilhac, M. E. Buckingham and N. A. Brown. 2004. Right ventricular myocardium derives from the anterior heart field. *Circ. Res.* 95: 261–268.

Zeng, Z. and 16 others. 2021. Generation of patterned kidney organoids that recapitulate the adult kidney collecting duct system from expandable ureteric bud progenitors. *Nat. Commun.* 12: 3641.

Zhang, H. T. Toyofuku, J. Kamei and M. Hori. 2003. GATA-4 regulates cardiac morphogenesis through transactivation of the *N-cadherin* gene. *Biochem. Biophys. Res. Comm.* 312: 1033–1038.

Zhao, H. and K. Choi. 2019. Single cell transcriptome dynamics from pluripotency to FLK1⁺ mesoderm. *Development* 146: dev182097.