

Part

3 入院診療(一般)

3-1 検査の出し方

○参考文献

- Peterson MC, et al. Contributions of the history, physical examination, and laboratory investigation in making medical diagnoses. *West J Med* 1992; 156: 163-5.
PMID: 1536065
- Fiala C, et al. P4 Medicine or O4 Medicine? Hippocrates Provides the Answer. *J Appl Lab Med* 2019; 4: 108-19.
PMID: 31639713
- Rothberg MB. A piece of my mind. The \$50,000 physical. *JAMA* 2014; 311: 2175-6.
PMID: 24893085
- Shrank WH, et al. Waste in the US Health Care System: Estimated Costs and Potential for Savings. *JAMA* 2019; 322: 1501-9.
PMID: 31589283
- Brody H. Medicine's ethical responsibility for health care reform — the Top Five list. *N Engl J Med* 2010; 362: 283-5.
PMID: 20032315
- ABIM. Choosing Wisely®.<<https://www.choosingwisely.org/>>
- 厚生労働省. 平成30年度に実施した個別指導において保険医療機関(医科)に改善を求める主な指摘事項. 関東信越厚生局.<https://kouseikyoku.mhlw.go.jp/kantoshinetsu/gyomu/gyomu/hoken_kikan/30ika.pdf>

3-2 酸塩基平衡異常

○参考文献

- Iino Y. [Primers of nephrology. 2. Acid-base balance]. *Nihon Jinzo Gakkai Shi* 2001; 43: 621-30.
PMID: 11808072
- Berend K, et al. Physiological approach to assessment of acid-base disturbances. *N Engl J Med* 2014; 371: 1434-45.
PMID: 25295502 推奨文献
- Hodgkin JE, et al. Incidence of metabolic alkalosis in hospitalized patients. *Crit Care Med* 1980; 8: 725-8.
PMID: 6778655
- Abe M, et al. Benidipine reduces albuminuria and plasma aldosterone in mild-to-moderate stage chronic kidney disease with albuminuria. *Hypertens Res* 2011; 34: 268-73.
PMID: 21124330
- Bakris GL, et al. Renal outcomes with different fixed-dose combination therapies in patients with hypertension at high risk for cardiovascular events (ACCOMPLISH): a prespecified secondary analysis of a randomised controlled trial. *Lancet* 2010; 375: 1173-81.
PMID: 20170948
- Kraut JA, et al. Metabolic acidosis: pathophysiology, diagnosis and management. *Nat Rev Nephrol* 2010; 6: 274-85.
PMID: 20308999
- ONTARGET Investigators, et al. Telmisartan, ramipril, or both in patients at high

- risk for vascular events. *N Engl J Med* 2008; 358: 1547-59. PMID: 18378520
8. Luke RG, et al. It is chloride depletion alkalosis, not contraction alkalosis. *J Am Soc Nephrol* 2012; 23: 204-7. PMID: 22223876

3-3 ポイントオブケア超音波 (POCUS)

● 参照文献

1. Soni N, et al. *Point of Care Ultrasound*. 2nd ed. Philadelphia: Elsevier, 2020.
2. Kimura BJ, et al. Cardiopulmonary limited ultrasound examination for "quick-look" bedside application. *Am J Cardiol* 2011; 108: 586-90. PMID: 21641569
3. Prada G, et al. Focused Cardiac Ultrasonography for Left Ventricular Systolic Function. *N Engl J Med* 2019; 381: e36. PMID: 31747728
4. Rudski LG, et al. Guidelines for the echocardiographic assessment of the right heart in adults: a report from the American Society of Echocardiography endorsed by the European Association of Echocardiography, a registered branch of the European Society of Cardiology, and the Canadian Society of Echocardiography. *J Am Soc Echocardiogr* 2010; 23: 685-713; quiz 786-8. PMID: 20620859
5. Ralls PW, et al. Real-time sonography in suspected acute cholecystitis. Prospective evaluation of primary and secondary signs. *Radiology* 1985; 155: 767-71. PMID: 3890007
6. Ross M, et al. Emergency physician-performed ultrasound to diagnose cholelithiasis: a systematic review. *Acad Emerg Med* 2011; 18: 227-35. PMID: 21401784
7. Chan H. Noninvasive bladder volume measurement. *J Neurosci Nurs* 1993; 25: 309-12. PMID: 8270812
8. Tayal VS, et al. Prospective study of accuracy and outcome of emergency ultrasound for abdominal aortic aneurysm over two years. *Acad Emerg Med* 2003; 10: 867-71. PMID: 12896888
9. Costantino TG, et al. Accuracy of emergency medicine ultrasound in the evaluation of abdominal aortic aneurysm. *J Emerg Med* 2005; 29: 455-60. PMID: 16243207
10. Suggested standards for reporting on arterial aneurysms. Subcommittee on Reporting Standards for Arterial Aneurysms, Ad Hoc Committee on Reporting Standards, Society for Johnston KW, et al. Vascular Surgery and North American Chapter, International Society for Cardiovascular Surgery. *J Vasc Surg* 1991; 13: 452-8. PMID: 1999868
11. Lichtenstein DA. Lung ultrasound in the critically ill. *Ann Intensive Care* 2014; 4: 1. PMID: 24401163
12. Lichtenstein DA. BLUE-protocol and FALLS-protocol: two applications of lung ultrasound in the critically ill. *Chest* 2015; 147: 1659-70. PMID: 26033127
13. Le Gal G, et al. A positive compression ultrasonography of the lower limb veins is highly predictive of pulmonary embolism on computed tomography in suspected patients. *Thromb Haemost* 2006; 95: 963-6. PMID: 16732375
14. Konstantinides SV, et al. 2019 ESC Guidelines for the diagnosis and management of acute pulmonary embolism developed in collaboration with the European Respiratory Society (ERS): The Task Force for the diagnosis and management of acute pulmonary embolism of the European Society of Cardiology (ESC). *Eur Respir J* 2019;

- 54 : 1901647.
- PMID : 31473594 ガイドライン
15. 2016-2017 年度活動 肺血栓塞栓症および深部静脈血栓症の診断、治療、予防に関するガイドライン（2017 年改訂版）。<https://j-circ.or.jp/old/guideline/pdf/JCS2017_ito_h.pdf>
- ガイドライン
16. Kory PD, et al. Accuracy of ultrasonography performed by critical care physicians for the diagnosis of DVT. Chest 2011 ; 139 : 538-42.
- PMID : 21030490

●参考リンク

- JHospitalist Network. POCUS (Point-of-care Ultrasound) コース開催、予定・履歴。
<<http://hospitalist.jp/point-of-care-ultrasound-calendar/>>
- FUJIFILM 製品情報。超音波診断装置「プローブ」.<<https://www.fujifilm.com/jp/ja/healthcare/ultrasound/plobes/plobes>>

3-4 診断学・診断エラーの防ぎ方

●参考文献

- Bowen JL. Educational strategies to promote clinical diagnostic reasoning. N Engl J Med 2006 ; 355 : 2217-25.
PMID : 17124019
- Swap CJ, et al. Value and limitations of chest pain history in the evaluation of patients with suspected acute coronary syndromes. JAMA 2005 ; 294 : 2623-9.
PMID : 16304077
- Croskerry P, et al. Cognitive debiasing 1 : origins of bias and theory of debiasing. BMJ Qual Saf 2013 ; 22 Suppl2 : ii58-64.
PMID : 23882089
- Norman G. Dual processing and diagnostic errors. Adv Health Sci Educ Theory Pract 2009 ; 14 Suppl1 : 37-49.
PMID : 19669921
- Committee on Diagnostic Error in Health Care, et al. Improving Diagnosis in Health Care. Washington (DC) : National Academies Press (US), 2015. PMID : 26803862
<<https://pubmed.ncbi.nlm.nih.gov/26803862/>>
- Croskerry P. The importance of cognitive errors in diagnosis and strategies to minimize them. Acad Med 2003 ; 78 : 775-80.
PMID : 12915363
- 綿貫 智. 診断エラーとは何か？ 医療の質・安全学会誌 2018 ; 13 : 38-41.

3-5 薬剤の評価・調整、ポリファーマシー対策

●参考文献

- Rankin A, et al. Interventions to improve the appropriate use of polypharmacy for older people. Cochrane Database Syst Rev 2018 ; 9 : CD008165. PMID : 30175841
- Cornish PL, et al. Unintended medication discrepancies at the time of hospital admission. Arch Intern Med 2005 ; 165 : 424.
PMID : 15738372
- Lee JY, et al. Medication reconciliation during internal hospital transfer and impact of computerized prescriber order entry. Ann Pharmacother 2010 ; 44 : 1887.
PMID : 21098753
- Wong JD, et al. Medication reconciliation at hospital discharge : evaluating discrepancies. Ann Pharmacother 2008 ; 42 : 1373.
PMID : 18780806
- Steinman MA, et al. Polypharmacy and prescribing quality in older people. J Am

- Geriatr Soc 2006; 54: 1516-23. PMID : 17038068
6. O'Mahony D, et al. STOPP/START criteria for potentially inappropriate prescribing in older people : version 2. Age Ageing 2015; 44: 213-8. PMID : 25324330 **推奨文献**
 7. Hanlon JT, et al. A method for assessing drug therapy appropriateness. J Clin Epidemiol 1992; 45: 1045-51. PMID : 1474400
 8. Milton JC, et al. Prescribing for older people. BMJ 2008; 336: 606-9. PMID : 18340075
 9. Pretorius RW, et al. Reducing the risk of adverse drug events in older adults. Am Fam Physician 2013; 87: 331-6. PMID : 23547549
 10. 日本老年医学会. 高齢者の安全な薬物療法ガイドライン 2015.<https://www.jpn-geriat-soc.or.jp/info/topics/pdf/20170808_01.pdf> **ガイドライン**
 11. By the 2019 American Geriatrics Society Beers Criteria® Update Expert Panel. American Geriatrics Society 2019 Updated AGS Beers Criteria® for Potentially Inappropriate Medication Use in Older Adults. J Am Geriatr Soc 2019; 67: 674. PMID : 30693946
 12. Pham CB, et al. Minimizing adverse drug events in older patients. Am Fam Physician 2007; 76: 1837-44. PMID : 18217523
 13. 岩田充永. 救急診療における高齢者のアセスメント・初期対応. 日老医誌 2008; 48: 322-5.
 14. Rochon PA, et al. Optimising drug treatment for elderly people : the prescribing cascade. BMJ 1997; 315: 1096-9. PMID : 9366745
 15. Scott IA, et al. Reducing Inappropriate Polypharmacy : The Process of Deprescribing. JAMA Intern Med 2015; 175: 827-34. PMID : 25798731 **推奨文献**

3-6 末梢輸液の考え方・使い方

○参考文献

1. Lobo DN, et al. Basic concepts of fluid and electrolyte therapy. Clin Med (Lond) 2013; 13: 524. PMCID : PMC4953812
2. NICE Clinical Guidelines. Principles and protocols for intravenous fluid therapy. In: No. 174. Intravenous Fluid Therapy : Intravenous Fluid Therapy in Adults in Hospital.<<https://www.ncbi.nlm.nih.gov/books/NBK333103/>> **ガイドライン**
3. NICE Clinical Guidelines. Intravenous fluid therapy for fluid resuscitation. In: No. 174. Intravenous Fluid Therapy : Intravenous Fluid Therapy in Adults in Hospital. <<https://www.ncbi.nlm.nih.gov/books/NBK333097/>> **ガイドライン**
4. Chowdhury AH, et al. A randomized, controlled, double-blind crossover study on the effects of 2-L infusions of 0.9% saline and plasma-lyte® 148 on renal blood flow velocity and renal cortical tissue perfusion in healthy volunteers. Ann Surg 2012; 256: 18-24. PMID : 22580944
5. O'Malley CMN, et al. A randomized, double-blind comparison of lactated Ringer's solution and 0.9% NaCl during renal transplantation. Anesth Analg 2005; 100: 1518-24. PMID : 15845718
6. Rhodes A, et al. Surviving Sepsis Campaign : International Guidelines for Management of Sepsis and Septic Shock : 2016. Intensive Care Med 2017; 43: 304-77. PMID : 28101605 **ガイドライン**
7. Oddo M, et al. Fluid therapy in neurointensive care patients : ESICM consensus and

clinical practice recommendations. Intensive Care Med 2018; 44: 449-63.

PMID: 29500701

8. NICE Clinical Guidelines. Intravenous fluid therapy for routine maintenance. In: No. 174. Intravenous Fluid Therapy : Intravenous Fluid Therapy in Adults in Hospital. <<https://www.ncbi.nlm.nih.gov/books/NBK333100/>> ガイドライン
9. Rose BD, et al. Clinical Physiology of Acid-Base and Electrolyte Disorders, 5th ed. New York : McGraw-Hill, 2001 : 441.
10. Powell-Tuck J, et al. British Consensus Guidelines on Intravenous Fluid Therapy for Adult Surgical Patients (GIFTASUP).<https://www.bapen.org.uk/pdfs/bapen_pubs/giftasup.pdf> ガイドライン

3-7 入院患者の栄養療法

● 参照文献

1. Felblinger DM. Malnutrition, infection, and sepsis in acute and chronic illness. Crit Care Nurs Clin North Am 2003; 15: 71-8. PMID: 12597042
2. Keusch GT. The history of nutrition : malnutrition, infection and immunity. J Nutr 2003; 133: 336S-40S. PMID: 12514322
3. Messner RL, et al. Effect of admission nutritional status on length of hospital stay. Gastroenterol Nurs 1991; 13: 202-5. PMID: 2031944
4. Martin CM, et al. Multicentre, cluster-randomized clinical trial of algorithms for critical-care enteral and parenteral therapy (ACCEPT). CMAJ 2004; 170: 197-204. PMID: 14734433
5. Schuetz P, et al. Individualised nutritional support in medical inpatients at nutritional risk : a randomised clinical trial. Lancet 2019; 393: 2312-21. PMID: 31030981
6. Khalid I, et al. Early enteral nutrition and outcomes of critically ill patients treated with vasopressors and mechanical ventilation. Am J Crit Care 2010; 19: 261-8. PMID: 20436064
7. Ohbe H, et al. Differences in effect of early enteral nutrition on mortality among ventilated adults with shock requiring low-, medium-, and high-dose norepinephrine : A propensity-matched analysis. Clin Nutr 2020; 39: 460-7. PMID: 30808573
8. Singer P, et al. ESPEN guideline on clinical nutrition in the intensive care unit. Clin Nutr 2019; 38: 48-79. PMID: 30348463 ガイドライン
9. Detsky AS, et al. What is subjective global assessment of nutritional status? JPEN J Parenter Enteral Nutr 1987; 11: 8-13. PMID: 3820522
10. Elia M. Screening for malnutrition : a multidisciplinary responsibility. Development and use of the 'Malnutrition Universal Screening Tool' ('MUST') for adults. MAG, a Standing Committee of BAPEN (ISBN 1 899467 70 X) 2003.
11. Kondrup J, et al. Nutritional risk screening (NRS 2002) : a new method based on an analysis of controlled clinical trials. Clin Nutr 2003; 22: 321-36. PMID: 12765673
12. Vellas B, et al. The mini nutritional assessment (MNA) and its use in grading the nutritional state of elderly patients. Nutrition 1999; 15: 116-22. PMID: 9990575
13. Cederholm T, et al. GLIM criteria for the diagnosis of malnutrition — A consensus report from the global clinical nutrition community. Clin Nutr 2019; 38: 1-9. PMID: 30181091

14. Moore FA, et al. Early enteral feeding compared with parenteral, reduces postoperative complication. The results of a meta-analysis. Ann Surg 1992; 216: 172-83.
PMID: 1386982
15. Kudsk KA, et al. Enteral vs parenteral feeding: effect on septic morbidity following blunt and penetrating trauma. Ann Surg 1992; 215: 503-11; discussion 511-3.
PMID: 1616387
16. Ukleja A, et al. Standards for Nutrition Support: Adult Hospitalized Patients. Nutr Clin Pract 2018; 33: 906-20.
PMID: 30320414
17. 日本静脈経腸栄養学会. 静脈経腸栄養ガイドライン 第3版.<http://minds4.jcqhc.or.jp/minds/PEN/Parenteral_and_Enteral_Nutrition.pdf>
ガイドライン
18. Guidelines for use of total parenteral nutrition in the hospitalized adult patient. A.S.P.E.N. Board of Directors. JPEN J Parenter Enteral Nutr 1986; 10: 441-5.
PMID: 3093699 ガイドライン
19. Shang E, et al. Pump-assisted versus gravity-controlled enteral nutrition in long-term percutaneous endoscopic gastrostomy patients: a prospective controlled trial. JPEN J Parenter Enteral Nutr 2003; 27: 216-9.
PMID: 12757116
20. Aliti GB, et al. Aggressive fluid and sodium restriction in acute decompensated heart failure: a randomized clinical trial. JAMA Intern Med 2013; 173: 1058-64.
PMID: 23689381
21. 日本循環器学会/日本心不全学会合同ガイドライン. 急性・慢性心不全診療ガイドライン(2017年改訂版). 2018
ガイドライン
22. Yancy CW, et al. 2013 ACCF/AHA guideline for the management of heart failure: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. J Am Coll Cardiol 2013; 62: e147-239.
PMID: 23747642 ガイドライン
23. Ponikowski P, et al. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure: The Task Force for the diagnosis and treatment of acute and chronic heart failure of the European Society of Cardiology (ESC). Developed with the special contribution of the Heart Failure Association (HFA) of the ESC. Eur J Heart Fail 2016; 18: 891-975.
PMID: 27207191 ガイドライン
24. 厚生労働省. 平成30年度診療報酬改定について.<<https://www.mhlw.go.jp/stf/seisakunitsuite/bunya/0000188411.html>>
25. Fiatarone MA, et al. Exercise training and nutritional supplementation for frailty in very elderly people. N Engl J Med 1994; 330: 1769-75.
PMID: 8190152

3-8 リフィーディング症候群

● 参照文献

1. Crook MA, et al. The importance of the refeeding syndrome. Nutrition 2001; 17: 632-7.
PMID: 11448586
2. Irish Society for Clinical Nutrition and Metabolism. Prevention and treatment of syndrome in the acute care setting. IrSPEN Guideline Document No 1. November 2013.<http://www.irspen.ie/wp-content/uploads/2014/10/IrSPEN_Guideline_Document_No1.pdf>
ガイドライン 推奨文献
3. 日本静脈経腸栄養学会. 静脈経腸栄養ガイドライン 第3版.<http://minds4.jcqhc.or.jp/minds/PEN/Parenteral_and_Enteral_Nutrition.pdf>

or.jp/minds/PEN/Parenteral_and_Enteral_Nutrition.pdf>

ガイドライン

● 推奨文献

- da Silva JSV, et al. ASPEN Consensus Recommendations for Refeeding Syndrome. Nutr Clin Pract 2020; 35: 178-95. PMID : 32115791
 - National Collaborating Centre for Acute Care (UK). Nutrition Support for Adults : Oral Nutrition Support, Enteral Tube Feeding and Parenteral Nutrition. 2006 Feb. National Institute for Health and Clinical Excellence : Guidance.
- PMID : 21309138 ガイドライン
- Friedli N, et al. Management and prevention of refeeding syndrome in medical inpatients : An evidence-based and consensus-supported algorithm. Nutrition 2018; 47: 13-20. PMID : 29429529
 - Friedli N, et al. Revisiting the refeeding syndrome : Results of a systematic review. Nutrition 2017; 35: 151-60. PMID : 28087222
 - Olthof LE, et al. Impact of caloric intake in critically ill patients with, and without, refeeding syndrome : A retrospective study. Clin Nutr 2018; 37: 1609-17. PMID : 28866139
 - Doig GS, et al. Restricted versus continued standard caloric intake during the management of refeeding syndrome in critically ill adults : a randomised, parallel-group, multi-centre, single-blind controlled trial. Lancet Respir Med 2015; 3: 943-52. PMID : 26597128
 - Hamill RJ, et al. Efficacy and safety of potassium infusion therapy in hypokalemic critically ill patients. Crit Care Med 1991; 19: 694-9. PMID : 2026032

3-9 リハビリテーション

● 参照文献

1. Schweickert WD, et al. Early physical and occupational therapy in mechanically ventilated, critically ill patients : a randomised controlled trial. Lancet 2009; 373: 1874-82. PMID : 19446324
2. 杉本恵申編. 診療点数早見表 2019年4月増補版. 東京：医学通信社, 2019
3. 大蔵 帽. An Inconvenient Truth in Geriatrics—虚弱高齢者と入院関連機能障害. 週刊医学界新聞 2965号. 東京：医学書院, 2012.
4. Covinsky KE, et al. Hospitalization-associated disability : "She was probably able to ambulate, but I'm not sure". JAMA 2011; 306: 1782-93. PMID : 22028354
5. 藤島一郎. 摂食嚥下障害に対するリハビリテーションの進歩. Jpn J Rehabil Med 2017; 54: 648-51.
6. 日本リハビリテーション医学会. ADL評価について. リハ医学 1976; 13: 315.
7. 中俣惠美ほか.「日常生活活動」と「生活」の関係性—理学療法士の視点より—. 総合福祉科学研究 2010; 1: 167-82.
8. Lawton MP, et al. Assessment of older people : self-maintaining and instrumental activities of daily living. Gerontologist 1969; 9: 179-86. PMID : 5349366
9. 日本心臓リハビリテーション学会. 日本心臓リハビリテーション学会ステートメント—日本心臓リハビリテーション学会の使命—.<<http://www.jacr.jp/web/about/statement/>>

10. Hambrecht R, et al. Effects of exercise training on left ventricular function and peripheral resistance in patients with chronic heart failure : A randomized trial. *JAMA* 2000 ; 283 : 3095-101. PMID : 10865304
11. Piepoli M, et al. Contribution of muscle afferents to the hemodynamic, autonomic, and ventilatory responses to exercise in patients with chronic heart failure : effects of physical training. *Circulation* 1996 ; 93 : 940-52. PMID : 8598085
12. Sullivan MJ, et al. Exercise training in patients with chronic heart failure delays ventilatory anaerobic threshold and improves submaximal exercise performance. *Circulation* 1989 ; 79 : 324-9. PMID : 2914350
13. Taylor RS, et al. Exercise-based rehabilitation for patients with coronary heart disease : systematic review and meta-analysis of randomized controlled trials. *Am J Med* 2004 ; 116 : 682-92. PMID : 15121495
14. Taylor RS, et al. Mortality reductions in patients receiving exercise-based cardiac rehabilitation : how much can be attributed to cardiovascular risk factor improvements? *Eur J Cardiovasc Prev Rehabil* 2006 ; 13 : 369-74. PMID : 16926666
15. Tjønna AE, et al. Aerobic interval training versus continuous moderate exercise as a treatment for the metabolic syndrome : a pilot study. *Circulation* 2008 ; 118 : 346-54. PMID : 18606913
16. Belardinelli R, et al. Randomized, controlled trial of long-term moderate exercise training in chronic heart failure : effects on functional capacity, quality of life, and clinical outcome. *Circulation* 1999 ; 99 : 1173-82. PMID : 10069785
17. Oldridge NB, et al. Cardiac rehabilitation after myocardial infarction. Combined experience of randomized clinical trials. *JAMA* 1988 ; 260 : 945-50. PMID : 3398199
18. 日本心臓リハビリテーション学会 心臓リハビリテーション標準プログラム策定部会. 心不全の心臓リハビリテーション標準プログラム(2017年版). 2017.
19. Mancini DM, et al. Value of peak exercise oxygen consumption for optimal timing of cardiac transplantation in ambulatory patients with heart failure. *Circulation* 1991 ; 83 : 778-86. PMID : 1999029
20. Fleisher LA, et al. ACC/AHA 2007 Guidelines on Perioperative Cardiovascular Evaluation and Care for Noncardiac Surgery : Executive Summary : A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery) : Developed in Collaboration With the American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Rhythm Society, Society of Cardiovascular Anesthesiologists, Society for Cardiovascular Angiography and Interventions, Society for Vascular Medicine and Biology, and Society for Vascular Surgery. *Circulation* 2007 ; 116 : 1971-96. PMID : 17901356 ガイドライン
21. 日本静脈経腸栄養学会編. 静脈経腸栄養ガイドライン—静脈・経腸栄養を適正に実施するためのガイドライン 第3版. 東京: 照林社, 2013. ガイドライン
22. O'Connor CM, et al. Efficacy and safety of exercise training in patients with chronic heart failure : HF-ACTION randomized controlled trial. *JAMA* 2009 ; 301 : 1439-50. PMID : 19351941
23. Davidson PM, et al. Can a heart failure-specific cardiac rehabilitation program decrease hospitalizations and improve outcomes in high-risk patients? *Eur J Cardio*

- vasc Prev Rehabil 2010; 17: 393-402. PMID: 20498608
24. 日本呼吸ケア・リハビリテーション学会ほか. 呼吸リハビリテーションに関するステートメント. 日本呼吸ケア・リハビリテーション学会誌 2018; 27: 95-114.
25. 日本呼吸器学会 COPD ガイドライン第5版作成委員会. COPD(慢性閉塞性肺疾患)診断と治療のためのガイドライン2018[第5版]. 東京: メディカルレビュー社, 2018.
- ガイドライン
26. Vaes AW, et al. Changes in physical activity and all-cause mortality in COPD. Eur Respir J 2014; 44: 1199-209. PMID: 25063247
27. Garcia-Aymerich J, et al. Regular physical activity reduces hospital admission and mortality in chronic obstructive pulmonary disease: a population based cohort study. Thorax 2006; 61: 772-8. PMID: 16738033
28. Garcia-Aymerich J, et al. Regular physical activity modifies smoking-related lung function decline and reduces risk of chronic obstructive pulmonary disease: a population-based cohort study. Am J Respir Crit Care Med 2007; 175: 458-63. PMID: 17158282
29. Yohannes AM, et al. Mortality predictors in disabling chronic obstructive pulmonary disease in old age. Age Ageing 2002; 31: 137-40. PMID: 11937477
30. Waschki B, et al. Physical activity is the strongest predictor of all-cause mortality in patients with COPD: a prospective cohort study. Chest 2011; 140: 331-42. PMID: 21273294
31. 丸川征四郎. ICU のための呼吸理学療法—早期離床を目指す理論と実践. 大阪: メディカ出版, 2010.
32. 日本呼吸ケア・リハビリテーション学会ほか編. 呼吸リハビリテーションマニュアル—運動療法—第2版. 東京: 照林社, 2012.
33. Schols AM, et al. Nutritional assessment and therapy in COPD: a European Respiratory Society statement. Eur Respir J 2014; 44: 1504-20. PMID: 25234804
34. 辻村康彦ほか. 短時間作用性 β_2 刺激薬によるアシストユースがCOPD患者の身体活動量に及ぼす影響. 日本呼吸ケア・リハビリテーション学会誌 2017; 27: 48-53.
35. Kitaguchi Y, et al. Additive efficacy of short-acting bronchodilators on dynamic hyperinflation and exercise tolerance in stable COPD patients treated with long-acting bronchodilators. Respir Med 2013; 107: 394-400. PMID: 23245993
36. 日本脳卒中学会 脳卒中ガイドライン委員会編. 脳卒中治療ガイドライン 2015. 東京: 協和企画, 2019.
- ガイドライン
37. AVERT Trial Collaboration group. Efficacy and safety of very early mobilisation within 24 h of stroke onset (AVERT): a randomised controlled trial. Lancet 2015; 386: 46-55. PMID: 25892679
38. Bernhardt J, et al. Prespecified dose-response analysis for A Very Early Rehabilitation Trial (AVERT). Neurology 2016; 86: 2138-45. PMID: 26888985
39. 山田浩二ほか. 心内血栓が残存した急性期心原性脳塞栓症患者の早期離床. 総合リハ 2003; 31: 275-80.
40. Post-Stroke Rehabilitation. Clinical Practice Guideline Number 16: Post-Stroke Rehabilitation: Assessment, Referral, and Patient Management. Quick Reference Guide for Clinicians Number 16: Recovering After a Stroke, Consumer Version. Patient and Family Guide. AHCPR Publication. 1995.
- ガイドライン
41. 大川弥生ほか. 脳卒中片麻痺患者の廃用性筋萎縮に関する研究—「健側」の筋力低下に

について. リハ医 1988; 25: 143-7.

42. Hesse S, et al. Non-velocity-related effects of a rigid double-stopped ankle-foot orthosis on gait and lower limb muscle activity of hemiparetic subjects with an equinovarus deformity. Stroke 1999; 30: 1855-61. PMID: 10471436
43. Erel S, et al. The effects of dynamic ankle-foot orthoses in chronic stroke patients at three-month follow-up: a randomized controlled trial. Clin Rehabil 2011; 25: 515-23. PMID: 21285288
44. Tyson SF, et al. The effect of a hinged ankle foot orthosis on hemiplegic gait: objective measures and users' opinions. Clin Rehabil 2001; 15: 53-8. PMID: 11237162
45. Wang RY, et al. Effects of an ankle-foot orthosis on balance performance in patients with hemiparesis of different durations. Clin Rehabil 2005; 19: 37-44. PMID: 15704507
46. Tyson SF, et al. Assistive walking devices in nonambulant patients undergoing rehabilitation after stroke: the effects on functional mobility, walking impairments, and patients' opinion. Arch Phys Med Rehabil 2009; 90: 475-9. PMID: 19254614
47. 園田 茂. 不動・廃用症候群. Jpn J Rehabil Med 2015; 52: 265-71.
48. Hoenig HM, et al. Hospital-associated deconditioning and dysfunction. J Am Geriatr Soc 1991; 39: 220-2. PMID: 1991956
49. Covinsky KE, et al. Loss of independence in activities of daily living in older adults hospitalized with medical illnesses: increased vulnerability with age. J Am Geriatr Soc 2003; 51: 451-8. PMID: 12657063
50. Boyd CM, et al. Recovery of activities of daily living in older adults after hospitalization for acute medical illness. J Am Geriatr Soc 2008; 56: 2171-9. PMID: 19093915
51. Mehta KM, et al. A clinical index to stratify hospitalized older adults according to risk for new-onset disability. J Am Geriatr Soc 2011; 59: 1206-16. PMID: 21649616
52. Fiatarone MA, et al. Exercise training and nutritional supplementation for physical frailty in very elderly people. N Engl J Med 1994; 330: 1769-75. PMID: 8190152
53. サルコペニア診療ガイドライン作成委員会編. サルコペニア診療ガイドライン 2017 年版. 2017. ガイドライン
54. 山田 深ほか. 仮の要介護状態とその対策. リハ医 2005; 42: 690-6.
55. 若林秀隆. 高齢者の廃用症候群の機能予後とリハビリテーション栄養管理. 静脈経腸栄養 2013; 28: 1045-50.

3-10 入院患者における血糖管理

○参考文献

1. Clement S, et al. Management of diabetes and hyperglycemia in hospitals. Diabetes Care 2004; 27: 553-91. PMID: 14747243
2. Umpierrez GE, et al. Hyperglycemia: an independent marker of in-hospital mortality in patients with undiagnosed diabetes. J Clin Endocrinol Metab 2002; 87: 978-82. PMID: 11889147
3. Turchin A, et al. Hypoglycemia and Clinical Outcomes in Patients With Diabetes Hospitalized in the General Ward. Diabetes Care 2009; 32: 1153-7. PMID: 19564471
4. 日本糖尿病学会. 糖尿病治療ガイド 2020-2021. 東京: 文光堂, 2020.
5. American Diabetes Association. 4. Comprehensive Medical Evaluation and Assess-

- ment of Comorbidities : Standards of Medical Care in Diabetes-2019. *Diabetes Care* 2019; 42 (Suppl 1) : S34-45. PMID : 30559230
6. American Diabetes Association. 15. Diabetes Care in the Hospital : Standards of Medical Care in Diabetes-2019. *Diabetes Care* 2019; 42 (Suppl 1) : S173-81. PMID : 30559241 **推薦文献**
7. Boutin JM, et al. Insulin infusion therapy in critically ill patients. *Can J Diabetes* 2014; 38 : 144-50. PMID : 24690510
8. Shetty S, et al. Adapting to the new consensus guidelines for managing hyperglycemia during critical illness : the updated Yale insulin infusion protocol. *Endocr Pract* 2012; 18 : 363-70. PMID : 22138078 **ガイドライン**
9. McKean SC, et al. Principles and Practice of Hospital Medicine. 2nd ed. McGraw-Hill Medical, 2016.
10. Umpierrez GE, et al. Randomized study of basal-bolus insulin therapy in the inpatient management of patients with type 2 diabetes (RABBIT 2 trial). *Diabetes Care* 2007; 30 : 2181-6. PMID : 17513708
11. Early worsening of diabetic retinopathy in the Diabetes Control and Complications Trial. *Arch Ophthalmol* 1998; 116 : 874-86. PMID : 9682700

● 推奨文献

- Moghissi ES, et al. American Association of Clinical Endocrinologists and American Diabetes Association consensus statement on inpatient glycemic control. *Endocr Pract* 2009; 15 : 353-69. PMID : 19454396

3-11 非がん性疼痛の管理

● 参照文献

1. Pain terms : a list with definitions and notes on usage. Recommended by the IASP Subcommittee on Taxonomy. *Pain* 1979; 6 : 249. PMID : 460932
2. Falch C, et al. Treatment of acute abdominal pain in the emergency room : a systematic review of the literature. *Eur J Pain* 2014; 18 : 902-13. PMID : 24449533
3. Merskey H, et al. Classification of Chronic Pain : Descriptions of Chronic Pain Syndromes and Definitions of Pain Terms 2nd ed. Seattle : IASP Press, 1994 : 1.
4. Treede RD, et al. A classification of chronic pain for ICD-11. *Pain* 2015; 156 : 1003-7. PMID : 25844555
5. Jayabalan B, et al. Vitamin B supplementation for diabetic peripheral neuropathy. *Singapore Med J* 2016; 57 : 55-9. PMID : 26892473
6. Jensen TS, et al. A new definition of neuropathic pain. *Pain* 2011; 152 : 2204-5. PMID : 21764514
7. Busse JW, et al. Opioids for Chronic Noncancer Pain : A Systematic Review and Meta-analysis. *JAMA* 2018; 320 : 2448-60. PMID : 30561481
8. Gilron I, et al. Neuropathic pain : principles of diagnosis and treatment. *Mayo Clin Proc* 2015; 90 : 532-45. PMID : 25841257
9. Gronseth G, et al. Practice parameter : the diagnostic evaluation and treatment of trigeminal neuralgia (an evidence-based review) : report of the Quality Standards Subcommittee of the American Academy of Neurology and the European Federa-

- tion of Neurological Societies. *Neurology* 2008; 71: 1183–90. PMID: 18716236
10. Schjerning Olsen AM, et al. Duration of treatment with nonsteroidal anti-inflammatory drugs and impact on risk of death and recurrent myocardial infarction in patients with prior myocardial infarction: a nationwide cohort study. *Circulation* 2011; 123: 2226–35. PMID: 21555710

3-12 入院中の便秘

● 参照文献

1. Greenfield SG. The management of constipation in hospital inpatients. *Br J Hosp Med (Lond)* 2007; 68: 145–7. PMID: 17419468
2. Staller K, et al. Constipation prophylaxis reduces length of stay in elderly hospitalized heart failure patients with home laxative use. *J Gastroenterol Hepatol* 2015; 30: 1596–602. PMID: 25969162
3. Leung FW, et al. Approach to fecal incontinence and constipation in older hospitalized patients. *Hosp Pract (1995)* 2011; 39: 97–104. PMID: 21441765
4. Costilla VC, et al. Constipation: understanding mechanisms and management. *Clin Geriatr Med* 2014; 30: 107–15. PMID: 24267606
5. Bouras EP, et al. Chronic constipation in the elderly. *Gastroenterol Clin North Am* 2009; 38: 463–80. PMID: 19699408