

Developmental Biology 13e, Chapter 10 Literature Cited

Akam, M. E. 1987. The molecular basis for metamerism in the *Drosophila* embryo. *Development* 101: 1–22.

Anderson, K. V. 1989. *Drosophila*: The maternal contribution. In D. M. Glover and B. D. Hames (eds.) *Genes and Embryos*. IRL, New York. pp. 1–37.

Anderson, K. V. and C. Nüsslein-Volhard. 1984. Information for the dorsal-ventral pattern of the *Drosophila* embryo is stored as maternal mRNA. *Nature* 311: 223–227.

Bateson, W. 1894. *Materials for the Study of Variation*. Macmillan, London.

Baumgartner, S. and M. Noll. 1990. Networks of interaction among pair-rule genes regulating paired expression during primordial segmentation of *Drosophila*. *Mech. Dev.* 1: 1–18.

Benoit, B. and 8 others. 2009. An essential role for the RNA-binding protein Smaug during the *Drosophila* maternal-to-zygotic transition. *Development* 136(6): 923–932.

Berleth, T. and 7 others. 1988. The role of localization of *bicoid* RNA in organizing the anterior pattern of the *Drosophila* embryo. *EMBO J.* 7: 1749–1756.

Bonnefoy, E. , G. A. Orsi, P. Couble and B. Loppin. 2007. The essential role of *Drosophila* HIRA for de novo assembly of paternal chromatin at fertilization. *PLoS Genet.* 3(10): 1991–2006.

Bothma, J. P. , H. G. Garcia, S. Ng, M. W. Perry, T. Gregor, and M. Levine. 2015. Enhancer additivity and non-additivity are determined by enhancer strength in the *Drosophila* embryo. *Elife* 4. doi: 10. 7554/eLife. 07956.

Bowman, S. K., A. M. Deaton, H. Domingues, P. I. Wang, R. I. Sadreyev, R. E. Kingston and W. Bender. 2014. H3K27 modifications define segmental regulatory domains in the *Drosophila* bithorax complex. *Elife* 3:e02833.

Bradley, P. L. , A. S. Haberman and D. J. Andrew. 2001. Organ formation in *Drosophila*: specification and morphogenesis of the salivary gland. *BioEssays* 23: 901–911.

Brandt, A. and 12 others. 2006. Developmental control of nuclear size and shape by Kugelkern and Kurzkern. *Curr. Biol.* 16(6): 543–552.

Campos-Ortega, J. A. and V. Hartenstein. 1985. *The Embryonic Development of Drosophila melanogaster*. Springer-Verlag, New York.

Capovilla, M. , E. D. Eldon and V. Pirrotta. 1992. The *Giant* gene of *Drosophila* encodes a bZIP DNA-binding protein that regulates the expression of other segmentation gap genes. *Development* 114: 99–112.

Casares, F. and R. S. Mann. 1998. Control of antennal versus leg development in *Drosophila*. *Nature* 392: 723–726.

Chanet, S. , C. J. Miller, E. D. Vaishnav, B. Ermentrout, L. A. Davidson and A. C. Martin. 2017. Actomyosin meshwork mechanosensing enables tissue shape to orient cell force. *Nat. Commun.* 8: 15014.

Chasan, R. , Y. Jin and K. V. Anderson. 1992. Activation of the easter zymogen is regulated by five other genes to define dorsal-ventral polarity in the *Drosophila* embryo. *Development* 115: 607–615.

Cho, P. F. , C. Gamberi, Y. A. Cho-Park, I. B. Cho-Park, P. Lasko and N. Sonenberg. 2006. Cap-dependent translational inhibition establishes two opposing morphogen gradients in *Drosophila* embryos. *Curr. Biol.* 16(20): 2035–2041.

De Renzis, S. , O. Elemento, S. Tavazoie and E. F. Wieschaus. 2007. Unmasking activation of the zygotic genome using chromosomal deletions in the *Drosophila* embryo. *PLoS Biol.* 5(5): e117.

Degelmann, A. , P. A. Hardy, N. Perrimon and A. P. Mahowald. 1986. Developmental analysis of the *torsolike* phenotype in *Drosophila* produced by a maternal effect locus. *Dev. Biol.* 115: 479–489.

del Valle Rodríguez, A. , D. Didiano and C. Desplan. 2011. Power tools for gene expression and clonal analysis in *Drosophila*. *Nat. Methods* 9: 47–55.

Denk-Lobnig, M., J. F. Totz, N. C. Heer, J. Dunkel and A. C. Martin. 2021. Combinatorial patterns of graded RhoA activation and uniform F-actin depletion promote tissue curvature.

Development 148: dev199232.

Dessain, S. , C. T. Gross, M. A. Kuziora and W. McGinnis. 1992. *Antp*-type homeodomains have distinct DNA-binding specificities that correlate with their different regulatory functions in embryos. *EMBO J.* 11: 991–1002.

Deutsch, J. 2004. Segments and parasegments in arthropods: A functional perspective. *BioEssays* 26: 1117–1125.

Driever, W. and C. Nüsslein-Volhard. 1988a. The Bicoid protein determines position in the *Drosophila* embryo in a concentration-dependent manner. *Cell* 54: 95–104.

Driever, W. and C. Nüsslein-Volhard. 1988b. A gradient of Bicoid protein in *Drosophila* embryos. *Cell* 54: 83–93.

Driever, W. and C. Nüsslein-Volhard. 1989. The Bicoid protein is a positive regulator of hunchback transcription in the early *Drosophila* embryo. *Nature* 337: 138–143.

Driever, W. , V. Siegel and C. Nüsslein-Volhard. 1990. Autonomous determination of anterior structures in the early *Drosophila* embryo by the Bicoid morphogen. *Development* 109: 811–820.

Dubuis, J. O. , G. Tkacik, E. F. Wieschaus, T. Gregor, and W. Bialek. 2013. Positional information, in bits. *Proc. Natl. Acad. Sci. USA* 110: 16301–16308.

Edgar, B. A. and P. H. O’Farrell. 1989. Genetic control of cell division patterns in the *Drosophila* embryo. *Cell* 57: 177–187.

Fitch, K. R. and B. T. Wakimoto. 1998. The paternal effect gene *ms(3)sneaky* is required for sperm activation and the initiation of embryogenesis in *Drosophila melanogaster*. *Dev. Biol.* 197: 270–282.

Foe, V. E. 1989. Mitotic domains reveal early commitment of cells in *Drosophila* embryos. *Development* 107: 1–22.

Foe, V. E. and B. M. Alberts. 1983. Studies of nuclear and cytoplasmic behavior during the five mitotic cycles that precede gastrulation in *Drosophila* embryogenesis. *J. Cell Sci.* 61: 31–70.

Foe, V. E. , C. M. Field and G. M. Odell. 2000. Microtubules and mitotic cycle phase modulate spatiotemporal distributions of F-actin and myosin II in *Drosophila* syncytial blastoderm embryos. *Development* 127(9): 1767–1787.

Foe, V. E. , G. M. Odell and B. A. Edgar. 1993. Mitosis and morphogenesis in the *Drosophila* embryo: Point and counterpoint. In B. M. Bate and A. Martinez-Arias (eds.), *The Development of Drosophila melanogaster*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.

Frigerio, G. , M. Burri, D. Bopp, S. Baumgartner and M. Noll. 1986. Structure of the segmentation gene paired and the *Drosophila* PRD gene set as part of a gene network. *Cell* 47: 735–746.

Frischer, L. E. , F. S. Hagen and R. L. Garber. 1986. An inversion that disrupts the *Antennapedia* gene causes abnormal structure and localization of RNAs. *Cell* 47: 1017–1023.

Fujioka, M. , Y. Emi-Sarker, G. L. Yusibova, T. Goto and J. B. Jaynes. 1999. Analysis of an *even-skipped* rescue transgene reveals both composite and discrete neuronal and early blastoderm enhancers, and multi-stripe positioning by gap gene repressor gradients. *Development* 126: 2527–2538.

Gaul, U. and H. Jäckle. 1990. Role of gap genes in early *Drosophila* development. *Annu. Rev. Genet.* 27: 239–275.

Gavis, E. R. and R. Lehmann. 1992. Localization of *nanos* RNA controls embryonic polarity. *Cell* 71: 301–313.

Hafen, E. , M. Levine and W. J. Gehring. 1984. Regulation of *Antennapedia* transcript distribution by the Bithorax complex in *Drosophila*. *Nature* 307: 287–289.

Hajirnis, N. and R. K. Mishra. 2021. Homeotic genes: Clustering, modularity, and diversity. *Front. Cell Dev. Biol.* 9: 718308.

Harding, K. , C. Wedeen, W. McGinnis and M. Levine. 1985. Spatially regulated expression of homeotic genes in *Drosophila*. *Science* 229: 1236–1242.

Hashimoto, C. , D. R. Kim, L. A. Weiss, J. W. Miller and D. Morisato. 2003. Spatial regulation of developmental signaling by a serpin. *Dev. Cell.* 5: 945–950.

Heer, N. C. , P. W. Miller, S. Chanet, N. Stoop, J. Dunkel and A. C. Martin. 2017. Actomyosin-based tissue folding requires a multicellular myosin gradient. *Development* 144: 1876–1886.

Heifetz, Y. , J. Yu and M. F. Wolfner. 2001. Ovulation triggers activation of *Drosophila* oocytes. *Dev. Biol.* 234: 416–424.

Heisenberg, C. -P. 2009. Dorsal closure in *Drosophila*: Cells cannot get out of the tight spot. *Bioessays* 31: 1284–1287.

Henggenius, J. B. , M. Gribskov, A. E. Rundell, and D. M. Umlis. 2014. Making models match measurements: model optimization for morphogen patterning networks. *Semin. Cell. Dev. Biol.* 35: 109–123.

Horner, V. L. and M. F. Wolfner. 2008. Mechanical stimulation by osmotic and hydrostatic pressure activates *Drosophila* oocytes *in vitro* in a calcium-dependent manner. *Dev. Biol.* 316(1): 100–109.

Ingham, P. W. 2016. *Drosophila* segment polarity mutants and the rediscovery of the Hedgehog pathway genes. *Curr. Top. Dev. Biol.* 116: 477–488.

Jäckle, H. , D. Tautz, R. Schuh, E. Seifert and R. Lehmann. 1986. Cross-regulatory interactions among the gap genes of *Drosophila*. *Nature* 324: 668–670.

Jaeger, J. and 11 others. 2004. Dynamic control of positional information in the early *Drosophila* embryo. *Nature* 430: 368–371.

Janssens, H. , S. Hou, J. Jaeger, A. R. Kim, E. Myasnikova, D. Sharp and J. Reinitz. 2006. Quantitative and predictive model of transcriptional control of the *Drosophila melanogaster* *even-skipped* gene. *Nature Genet.* 38(10): 1159–1165.

Karr, T. L. and B. M. Alberts. 1986. Organization of the cytoskeleton in early *Drosophila* embryos. *J. Cell Biol.* 102: 1494–1509.

Kaufman, T. C. 2017. A short history and description of *Drosophila melanogaster* classical genetics: Chromosome aberrations, forward genetic screens, and the nature of mutations. *Genetics* 206: 665–689.

Kaufman, T. C. , M. A. Seeger and G. Olsen. 1990. Molecular and genetic organization of the Antennapedia gene complex of *Drosophilamelanogaster*. *Adv. Genet.* 27: 309–362.

Keenan, K. 1983. Lilian Vaughan Morgan (1870–1952): Her Life and Work. *Interact. Comp. Biol.* 23: 867–876.

Kidd, S. 1992. Characterization of the *Drosophila cactus* locus and analysis of interactions between cactus and dorsal proteins. *Cell* 71: 623–635.

Klingler, M. , M. Erdélyi, J. Szabad and C. Nüsslein-Volhard. 1988. Function of torso in determining the terminal anlagen of the *Drosophila* embryo. *Nature* 335: 275–277.

Knipple, D. C. , E. Seifert, U. B. Rosenberg, A. Preiss and H. Jäckle. 1985. Spatial and temporal patterns of Krüppel gene expression in early *Drosophila* embryos. *Nature* 317: 40–44.

Kosman, D. , C. M. Mizutani, D. Lemons, W. G. Cox, W. McGinnis and E. Bier. 2004. Multiplex detection of RNA expression in *Drosophila* embryos. *Science* 305: 846.

Laver, J. D. , A. J. Marsolais, C. A. Smibert and H. D. Lipshitz. 2015. Regulation and function of maternal gene products during the maternal-to-zygotic transition in *Drosophila*. *Curr. Top. Dev. Biol.* 113: 43–84.

Lehmann, R. and C. Nüsslein-Volhard. 1987. *hunchback*, a gene required for segmentation of an anterior and posterior region of the *Drosophila* embryo. *Dev. Biol.* 119: 402–417.

Levine, M. S. and K. W. Harding. 1989. *Drosophila*: The zygotic contribution. In D. M. Glover and B. D. Hames (eds.), *Genes and Embryos*. IRL, New York, pp. 39–94.

Lewis, E. B. 1978. A gene complex controlling segmentation in *Drosophila*. *Nature* 276: 565–570.

Little, S. C. , G. Tkačik, T. B. Kneeland, E. F. Wieschaus and T. Gregor. 2011. The formation of the Bicoid morphogen gradient requires protein movement from anteriorly localized mRNA. *PLoS Biol.* 9(3):e1000596.

Liu, J. and J. Ma. 2011. Fateshifted is an F-box protein that targets Bicoid for degradation and regulates developmental fate determination in *Drosophila* embryos. *Nat. Cell Biol.* 13: 22–29.

Loppin, B. , R. Dubruille, and B. Horard. 2015. The intimate genetics of *Drosophila* fertilization. *Open Biol.* 5(8). pii: 150076.

Macdonald, P. M. and C. A. Smibert. 1996. Translational regulation of maternal mRNAs. *Curr. Opin. Genet. Dev.* 6: 403–407.

Macdonald, P. M. and G. Struhl. 1986. A molecular gradient in early *Drosophila* embryos and its role in specifying body pattern. *Nature* 324: 537–545.

Maeda, R. K. and F. Karch. 2009. The Bithorax complex of *Drosophila*: An exceptional Hox cluster. *Curr. Top. Dev. Biol.* 88: 1–33.

Maeda, R. K. and F. Karch. 2015. The open for business model of the Bithorax complex in *Drosophila*. *Chromosoma* 124: 293–307.

Mahowald, A. P. , T. J. Goralski and J. H. Caulton. 1983. In vitro activation of *Drosophila* eggs. *Dev. Biol.* 98: 437–445.

Markow, T. A. 2015. The secret lives of *Drosophila* flies. *Elife* 4:e06793.

Martin, A. C. 2020. The physical mechanisms of *Drosophila* gastrulation: Mesoderm and endoderm invagination. *Genetics* 214: 543–560.

Martinez-Arias, A. and P. A. Lawrence. 1985. Parasegments and compartments in the *Drosophila* embryo. *Nature* 313: 639–642.

Mateo, L. J., S. E. Murphy, A. Hafner, I. S. Cinquini, C. A. Walker and A. N Boettiger. 2019. Visualizing DNA folding and RNA in embryos at single-cell resolution. *Nature* 568: 49–54.

Mavrakakis, M. , R. Rikhy and J. Lippincott-Schwartz. 2009. Plasma membrane polarity and compartmentalization are established before cellularization in the fly embryo. *Dev. Cell* 16: 93–104.

Mazumdar, A. and M. Mazumdar. 2002. How one becomes many: Blastoderm cellularization in *D. melanogaster*. *BioEssays* 24: 1012–1022.

Montell, D. J. , H. Keshishian and A. C. Spradling. 1991. Laser ablation studies of the role of the *Drosophila* oocyte nucleus in pattern formation. *Science* 254: 290–293.

Neuman-Silberberg, F. S. and T. Schüpbach. 1993. The *Drosophila* dorsoventral patterning gene *gurken* produces a dorsally localized RNA and encodes a TGF- α -like protein. *Cell* 75: 165–174.

Nüsslein-Volhard, C. and E. Wieschaus. 1980. Mutations affecting segment number and polarity in *Drosophila*. *Nature* 287: 795–801.

Panfilio, K. A. 2008. Extraembryonic development in insects and the acrobatics of blastokinesis. *Dev. Biol.* 313: 471–491.

Pankratz, M. J. , E. Seifert, N. Gerwin, B. Billi, U. Nauber and H. Jäckle. 1990. Gradients of *Krüppel* and *knirps* gene products direct pair-rule gene stripe patterning in the posterior region of the *Drosophila* embryo. *Cell* 61: 309–317.

Panzer, S. , D. Weigel and S. K. Beckendorf. 1992. Organogenesis in *Drosophila melanogaster*: Embryonic salivary gland determination is controlled by homeotic and dorsoventral patterning genes. *Development* 114: 49–57.

Papatsenko, D. and M. Levine. 2011. The *Drosophila* gap gene network is composed of two parallel toggle switches. *PLoS One*:e21145.

Peifer, M. and A. Bejsovec. 1992. Knowing your neighbors: Cell interactions determine intrasegmental patterning in *Drosophila*. *Trends Genet.* 8: 243–249

Perry, M. W. , A. N. Boettiger and M. Levine. 2011. Multiple enhancers ensure precision of gap gene-expression patterns in the *Drosophila* embryo. *Proc. Natl. Acad. Sci. USA* 108: 13570–13575.

Pfeiffer, B. D. , T. T. Ngo, K. L. Hibbard, C. Murphy, A. Jenett, J. W. Truman and G. M. Rubin. 2010. Refinement of tools for targeted gene expression in *Drosophila*. *Genetics* 186: 735–755.

Plaza, S. , F. Prince, J. Jaeger, U. Kloter, S. Flister, C. Benassayag, D. Cribbs and W. J. Gehring. 2001. Molecular basis for the inhibition of *Drosophila* eye development by Antennapedia. *EMBO J.* 20: 802–811.

Ray, R. P. and T. Schüpbach. 1996. Intercellular signaling and the polarization of body axes during *Drosophila* oogenesis. *Genes Dev.* 10: 1711–1723.

Reach, M. , R. L. Galindo, P. Towb, J. L. Allen, M. Karin and S. A. Wasserman. 1996. A gradient of Cactus protein degradation establishes dorsoventral polarity in the *Drosophila* embryo. *Dev. Biol.* 180: 353–364.

Riparbelli, M. G. , G. Callaini and E. D. Schejter. 2007. Microtubule-dependent organization of subcortical microfilaments in the early *Drosophila* embryo. *Dev. Dyn.* 236(3): 662–670.

Rivera-Pomar, R. , D. Niessling, U. Schmidt-Ott, W. J. Gehring and H. Jäckle. 1996. RNA binding and translational suppression by *bicoid*. *Nature* 379: 746–749.

Rivera-Pomar, R. , X. Lu, N. Perrimon, H. Taubert and H. Jäckle. 1995. Activation of posterior gap gene expression in the *Drosophila* blastoderm. *Nature* 376: 253–256.

Roth, S. , D. Stein and C. Nüsslein-Volhard. 1989. A gradient of nuclear localization of the dorsal protein determines dorsoventral pattern in the *Drosophila* embryo. *Cell* 59: 1189–1202.

Rushlow, C. A. , K. Han, J. L. Manley and M. Levine. 1989. The graded distribution of the dorsal morphogen is initiated by selective nuclear transport in *Drosophila*. *Cell* 59: 1165–1177.

Sackerson, C. M. Fujioka and T. Goto. 1999. The *even-skipped* locus is contained in a 16-kb chromatin domain. *Dev. Biol.* 211: 39–52.

Sánchez-Herrero, E. , I. Verñós, R. Marco and G. Morata. 1985. Genetic organization of *Drosophila* bithorax complex. *Nature* 313: 108–113.

Sánchez, L. , C. Chaouiya and D. Thieffry. 2008. Segmenting the fly embryo: Logical analysis of the role of the segment polarity cross-regulatory module. *Int. J. Dev. Biol.* 52(8): 1059–1075.

Schejter, E. D. and E. Wieschaus. 1993. Bottleneck acts as a regulator of the microfilament network governing cellularization of the *Drosophila* embryo. *Cell* 75: 373–385.

Schneuwly, S. , A. Kuroiwa and W. J. Gehring. 1987. Molecular analysis of the dominant homeotic *Antennapedia* phenotype. *EMBO J.* 6: 201–206.

Schultz, J. 1935. Aspects of the relation between genes and development in *Drosophila*. *Am. Naturalist* 69: 30–54.

Schulz, C. and D. Tautz. 1995. Zygotic caudal regulation by hunchback and its role in abdominal segment formation of the *Drosophila* embryo. *Development* 121: 1023–1028.

Schüpbach, T. 1987. Germ line and soma cooperate during oogenesis to establish the dorsoventral pattern of egg shell and embryo in *Drosophila melanogaster*. *Cell* 49: 699–707.

Schüpbach, T. , R. J. Clifford, L. J. Manseau and J. V. Price. 1991. Dorsoventral signaling processes in *Drosophila* oogenesis. In J. Gerhart (ed.), *Cell-Cell Interactions in Early Development*. Wiley-Liss, New York, pp. 163–174.

Shelton, C. A. and S. A. Wasserman. 1993. *pelle* encodes a protein kinase required to establish dorsoventral polarity in the *Drosophila* embryo. *Cell* 72: 515–525.

Siegfried, E. , E. L. Wilder and N. Perrimon. 1994. Components of Wingless signalling in *Drosophila*. *Nature* 367: 76–80.

Singh, N. , H. Morlock and S. D. Hanes. 2011. The Bin3 RNA methyltransferase is required for repression of caudal translation in the *Drosophila* embryo. *Dev. Biol.* 352: 104–115.

Skeath, J. B. and S. B. Carroll. 1992. Regulation of proneural gene expression and cell fate during neuroblast segregation in the *Drosophila* embryo. *Development* 114: 939–946.

Skeath, J. B. , G. Panganiban, J. Selegue and S. B. Carroll. 1992. Gene regulation in two dimensions: The proneural *achaete* and *scutegenes* are controlled by combinations of axis-patterning genes through a common intergenic control region. *Genes Dev.* 6: 2606–2619.

Slack, J. M. W. 1983. *From Egg to Embryo: Determinative Events in Early Development*. Cambridge University Press, Cambridge.

Small, S. , A. Blair and M. Levine. 1992. Regulation of *even-skipped* stripe 2 in the *Drosophila* embryo. *EMBO J.* 11: 4047–4057.

Small, S. , R. Kraut, T. Hoey, R. Warrior and M. Levine. 1991. Transcriptional regulation of a pair-rule stripe in *Drosophila*. *Genes Dev.* 5: 827–839.

Stanojević, D. , S. Small and M. Levine. 1991. Regulation of a segmentation stripe by overlapping activators and repressors in the *Drosophila* embryo. *Science* 254: 1385–1387.

Stanojević, D. , T. Hoey and M. Levine. 1989. Sequence-specific DNA-binding activities of the gap proteins encoded by *hunchback* and *Krüppel* in *Drosophila*. *Nature* 341: 331–335.

Steward, R. 1989. Relocalization of the dorsal protein from the cytoplasm to the nucleus correlates with its function. *Cell* 59: 1179–1188.

Struhl, G. 1981. A homeotic mutation transforming leg to antenna in *Drosophila*. *Nature* 292: 635–638.

Struhl, G. , K. Struhl and P. M. Macdonald. 1989. The gradient morphogen Bicoid is a concentration-dependent transcriptional activator. *Cell* 57: 1259–1273.

Struhl, G. , P. Johnson and P. Lawrence. 1992. Control of *Drosophila* body pattern by the Hunchback morphogen gradient. *Cell* 69: 237–249.

Sullivan, W. , P. Fogarty and W. E. Theurkauf. 1993. Mutations affecting the cytoskeletal organization of syncytial *Drosophila* embryos. *Development* 118: 1245–1254.

Tautz, D. 1988. Regulation of the *Drosophila* segmentation gene hunchback by two maternal morphogenetic centers. *Nature* 332: 281–284.

Tomer, R. , K. Khairy, F. Amat and P. J. Keller. 2012. Quantitative high-speed imaging of entire developing embryos with simultaneous multiview light-sheet microscopy. *Nat. Methods* 9: 755–763.

Turner, F. R. and A. P. Mahowald. 1977. Scanning electron microscopy of *Drosophila melanogaster* embryogenesis. *Dev. Biol.* 57: 403–416.

Wakimoto, B. T. , F. R. Turner and T. C. Kaufman. 1984. Defects in embryogenesis in mutants associated with the Antennapedia gene complex of *Drosophila melanogaster*. *Dev. Biol.* 102: 147–172.

Whalen, A. M. and R. Steward. 1993. Dissociation of the dorsal-cactus complex and phosphorylation of the dorsal protein correlate with the nuclear localization of dorsal. *J. Cell.*

Biol. 123: 523–534.

Wieschaus, E. 2016. Positional information and cell fate determination in the early *Drosophila* embryo. *Curr. Top. Dev. Biol.* 117: 567–580.

Wilson, M. J. and P. K. Dearden. 2011. Diversity in insect axis formation: Two *orthodenticle* genes and *hunchback* act in anterior patterning and influence dorsoventral organization in the honeybee (*Apis mellifera*). *Development* 138: 3497–3507.

Wu, L. H. and J. A. Lengyel. 1998. Role of caudal in hindgut specification and gastrulation suggests homology between *Drosophila* amnioproctodeal invagination and vertebrate blastopore. *Development* 125: 2433–2442.

Yevick, H. G., P. W. Miller, J. Dunkel and A. C. Martin. 2019. Structural redundancy in supracellular actomyosin networks enables robust tissue folding. *Dev. Cell* 50: 586–598.e3.

Yuan, K., C. A. Seller, A. W. Shermoen and P. H. O'Farrell. 2016. Timing the *Drosophila* mid-blastula transition: A cell cycle-centered view. *Trends Genet.* 32: 496–507.

Zhao, T. , O. S. Graham, A. Raposo and D. St. Johnston. 2012. Growing microtubules push the oocyte nucleus to polarize the *Drosophila* dorsal-ventral axis. *Science* 336: 999–1003.

Zhou, B. , A. Bagri and S. K. Beckendorf. 2001. Salivary gland determination in *Drosophila*: A salivary-specific *forkhead* enhancer integrates spatial pattern and allows *forkhead* autoregulation. *Dev. Biol.* 237: 54–67.