

## Part

## 4 消化器

## 第1章 吐血

## ◎参考文献

1. McGee S, et al. The rational clinical examination. Is this patient hypovolemic? JAMA 1999 ; 281 : 1022-9. PMID : 10086438
2. Srygley FD, et al. Does this patient have a severe upper gastrointestinal bleed? JAMA 2012 ; 307 : 1072-9. PMID : 22416103
3. Bennett C, et al. Tranexamic acid for upper gastrointestinal bleeding. Cochrane Database Syst Rev 2014 ; 2014 (11) : CD006640. PMID : 25414987
4. Odutayo A, et al. Restrictive versus liberal blood transfusion for gastrointestinal bleeding : a systematic review and meta-analysis of randomised controlled trials. Lancet Gastroenterol Hepatol 2017 ; 2 : 354-60. PMID : 28397699
5. Gralnek IM, et al. Diagnosis and management of nonvariceal upper gastrointestinal hemorrhage : European Society of Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy 2015 ; 47 : a1-46. PMID : 26417980 **ガイドライン**
6. Huang ES, et al. Impact of nasogastric lavage on outcomes in acute GI bleeding. Gastrointest Endosc 2011 ; 74 : 971-80. PMID : 21737077
7. Aljebreen AM, et al. Nasogastric aspirate predicts high-risk endoscopic lesions in patients with acute upper-GI bleeding. Gastrointest Endosc 2004 ; 59 : 172-8. PMID : 14745388
8. 藤城光弘ほか. 非静脈瘤性上部消化管出血における内視鏡診療ガイドライン. Gastroenterol Endosc 2015 ; 57 : 1648-66. <[https://www.jstage.jst.go.jp/article/gee/57/8/57\\_1648/\\_pdf](https://www.jstage.jst.go.jp/article/gee/57/8/57_1648/_pdf)> **ガイドライン**
9. Gralnek I, et al. Diagnosis and management of nonvariceal upper gastrointestinal hemorrhage : European Society of Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy 2015 ; 47 : a1-46. PMID : 26417980 **ガイドライン**
10. Garcia-Tsao G, et al. Portal hypertensive bleeding in cirrhosis : Risk stratification, diagnosis, and management : 2016 practice guidance by the American Association for the study of liver diseases. Hepatology 2017 ; 65 : 310-35. PMID : 27786365 **ガイドライン**
11. Chavez-Tapia NC, et al. Antibiotic prophylaxis for cirrhotic patients with upper gastrointestinal bleeding. Cochrane Database Syst Rev 2010 ; 2010 (9) : CD002907. PMID : 20824832
12. Coffin B, et al. Erythromycin improves the quality of EGD in patients with acute upper GI bleeding : a randomized controlled study. Gastrointest Endosc 2002 ; 56 : 174-9. PMID : 12145593
13. Forrest JA, et al. Endoscopy in gastrointestinal bleeding. Lancet 1974 ; 2 : 394-7. PMID : 4136718

14. 藤本一真ほか. 抗血栓薬服用者に対する消化器内視鏡診療ガイドライン. *Gastroenterol Endosc* 2012 ; 54 : 2075-102. <[minds4.jcqh.c.or.jp/minds/gee/20130528\\_Guideline.pdf](https://minds4.jcqh.c.or.jp/minds/gee/20130528_Guideline.pdf)> **ガイドライン**
15. 藤本一真ほか. 抗血栓薬服用者に対する消化器内視鏡診療ガイドライン 直接経口抗凝固薬 (DOAC) を含めた抗凝固薬に関する追補 2017. *Gastroenterol Endosc* 2017 ; 59 : 1547-58. <<http://doi.org/10.11280/gee.59.1547>> **ガイドライン**
16. Veitch AM, et al. Endoscopy in patients on antiplatelet or anticoagulant therapy, including direct oral anticoagulants : British Society of Gastroenterology (BSG) and European Society of Gastrointestinal Endoscopy (ESGE) guidelines. *Gut* 2016 ; 65 : 374-89. PMID : 26873868 **ガイドライン**
17. Chan FKL, et al. Management of patients on antithrombotic agents undergoing emergency and elective endoscopy : joint Asian Pacific Association of Gastroenterology (APAGE) and Asian Pacific Society for Digestive Endoscopy (APSDE) practice guidelines. *Gut* 2018 ; 67 : 405-17. PMID : 29331946 **ガイドライン**
18. Acosta RD, et al. The management of antithrombotic agents for patients undergoing GI endoscopy. *Gastrointest Endosc* 2016 ; 83 : 3-16. PMID : 26621548
19. Douketis JD, et al. Perioperative Bridging Anticoagulation in Patients with Atrial Fibrillation. *N Engl J Med* 2015 ; 373 : 823-33. PMID : 26095867
20. Pagliaro L, et al. Prevention of first bleeding in cirrhosis. A meta-analysis of randomized trials of nonsurgical treatment. *Ann Intern Med* 1992 ; 117 : 59-70. PMID : 1350716
21. Tripathi D, et al. U.K. guidelines on the management of variceal haemorrhage in cirrhotic patients. *Gut* 2015 ; 64 : 1680-704. PMID : 25887380 **ガイドライン**
22. 日本消化器病学会編. 消化性潰瘍診療ガイドライン 2015 (改訂第2版). <[https://www.jsge.or.jp/files/uploads/syokasei2\\_re.pdf](https://www.jsge.or.jp/files/uploads/syokasei2_re.pdf)> **ガイドライン**
23. Laine L, et al. Management of Patients With Ulcer Bleeding. *Am J Gastroenterol* 2012 ; 107 : 345-60. PMID : 22310222
24. 日本ヘリコバクテラ学会ガイドライン作成委員会編. *H. pylori* 感染症の診断と治療のガイドライン 2016 改訂版. 東京 : 先端医学社, 2016. **ガイドライン**
25. 成田一衛ほか. 薬剤性腎障害診療ガイドライン 2016. *日腎会誌* 2016 ; 58 : 477-555. <<https://cdn.jsn.or.jp/academicinfo/report/CKD-guideline2016.pdf>> **ガイドライン**
26. 日本消化器病学会編. 消化性潰瘍診療ガイドライン 2015 (改訂第2版). <[https://www.jsge.or.jp/files/uploads/syokasei2\\_re.pdf](https://www.jsge.or.jp/files/uploads/syokasei2_re.pdf)> **ガイドライン**

#### ● 推奨文献

- 山田 徹. 胃・十二指腸潰瘍. *Hospitalist* 2014 ; 2 : 749-69.
- Blatchford O, et al. A risk score to predict need for treatment for upper-gastrointestinal haemorrhage. *Lancet* 2000 ; 356 : 1318-21. PMID : 11073021

## 第2章 血便・下血

#### ● 参照文献

1. Zuccaro G. Management of the adult patient with acute lower gastrointestinal bleeding. American College of Gastroenterology. Practice Parameters Committee. *Am J Gastroenterol* 1998 ; 93 : 1202-8. PMID : 9707037 **ガイドライン**

- 山口 裕. 消化管出血. *Hospitalist* 2014 ; 2 : 695-708.
- Cappell MS, et al. Initial Management of Acute Upper Gastrointestinal Bleeding : From Initial Evaluation Up to Gastrointestinal Endoscopy. *Med Clin North Am* 2008 ; 92 : 491-509, xi. PMID : 18387374
- McGee S, et al. The rational clinical examination. Is this patient hypovolemic? *JAMA* 1999 ; 281 : 1022-9. PMID : 10086438
- García-Blázquez V, et al. Accuracy of CT angiography in the diagnosis of acute gastrointestinal bleeding : systematic review and meta-analysis. *Eur Radiol* 2013 ; 23 : 1181-90. PMID : 23192375
- Farrell JJ, et al. Review article : the management of lower gastrointestinal bleeding. *Aliment Pharmacol Ther* 2005 ; 21 : 1281-98. PMID : 15932359
- Du Pont-Thibodeau G, et al. Anemia and red blood cell transfusion in critically ill cardiac patients. *Ann Intensive Care* 2014 ; 4 : 16. PMID : 25024880
- Barkun AN, et al. Management of Nonvariceal Upper Gastrointestinal Bleeding : Guideline Recommendations From the International Consensus Group. *Ann Intern Med* 2019 ; 171 : 805-22. PMID : 31634917
- Lee YY, et al. Role of prophylactic antibiotics in cirrhotic patients with variceal bleeding. *World J Gastroenterol* 2014 ; 20 : 1790-6. PMID : 24587656 **推奨文献**
- Srygley FD, et al. Does this patient have a severe upper gastrointestinal bleed? *JAMA* 2012 ; 307 : 1072-1079. PMID : 22416103 **推奨文献**
- 貝瀬 満ほか. 大腸憩室症 (憩室出血・憩室炎) ガイドライン. *日消化管会誌* 2017 ; 1 (Suppl) : 1-52. <[https://minds.jcqh.or.jp/docs/gl\\_pdf/G0001033/4/diverticulosis\\_of\\_colon.pdf](https://minds.jcqh.or.jp/docs/gl_pdf/G0001033/4/diverticulosis_of_colon.pdf)> **ガイドライン**
- 藤本一真ほか. 抗血栓薬服用者に対する消化器内視鏡診療ガイドライン. *Gastroenterol Endosc* 2012 ; 54 : 2075-102. <[https://minds.jcqh.or.jp/docs/minds/gee/20130528\\_Guideline.pdf](https://minds.jcqh.or.jp/docs/minds/gee/20130528_Guideline.pdf)> **ガイドライン**
- 藤本一真ほか. 抗血栓薬服用者に対する消化器内視鏡診療ガイドライン 直接経口抗凝固薬 (DOAC) を含めた抗凝固薬に関する追補 2017. *Gastroenterol Endosc* 2017 ; 59 : 1547-58. <<http://doi.org/10.11280/gee.59.1547>> **ガイドライン**
- Rivadeneira DE, et al. Practice parameters for the management of hemorrhoids (revised 2010). *Dis Colon Rectum* 2011 ; 54 : 1059-64. PMID : 21825884

## 第3章 下痢

### ◎ 参考文献

- 谷口智宏ほか. 慢性下痢, 免疫不全者の下痢を中心に. *Hospitalist* 2014 ; 2 : 647-64. **推奨文献**
- Carrasco-Labra A, et al. AGA Technical Review on the Evaluation of Functional Diarrhea and Diarrhea-Predominant Irritable Bowel Syndrome in Adults (IBS-D). *Gastroenterology* 2019 ; 157 : 859-80. PMID : 31351880
- 加藤俊幸ほか. 胃切除後症候群とその対策. *日内会誌* 2005 ; 94 : 80-4.
- Bures J, et al. Small intestinal bacterial overgrowth syndrome. *World J Gastroenterol* 2010 ; 16 : 2978-90. PMID : 20572300
- Murphy GS, et al. Ciprofloxacin and loperamide in the treatment of bacillary dysentery. *Ann Intern Med* 1993 ; 118 : 582-6. PMID : 8452323

6. Riddle MS, et al. ACG Clinical Guideline : Diagnosis, Treatment, and Prevention of Acute Diarrheal Infections in Adults. *Am J Gastroenterol* 2016 ; 111 : 602-22.  
PMID : 27068718 **ガイドライン** **推奨文献**
7. Common Terminology Criteria for Adverse Events (CTCAE) Version 4.0. <<http://www.jcog.jp/doctor/tool/ctcae4.html>>
8. McDonald LC, et al. Clinical Practice Guidelines for *Clostridium difficile* Infection in Adults and Children : 2017 Update by the Infectious Diseases Society of America (IDSA) and Society for Healthcare Epidemiology of America (SHEA). *Clin Infect Dis* 2018 ; 66 : e1-48.  
PMID : 29462280 **ガイドライン**

## 第4章 腹水

### ◎参考文献

1. Runyon BA. Care of patients with ascites. *N Engl J Med* 1994 ; 330 : 337-42.  
PMID : 8277955
2. Moore KP, et al. Guidelines on the management of ascites in cirrhosis. *Gut* 2006 ; 55 Suppl 6 : vi1-12.  
PMID : 16966752 **ガイドライン**
3. Williams JW Jr, et al. The rational clinical examination. Does this patient have ascites? How to divine fluid in the abdomen. *JAMA* 1992 ; 267 : 2645-8.  
PMID : 1573754 **推奨文献**
4. Runyon BA. Introduction to the revised American Association for the Study of Liver Diseases Practice Guideline management of adult patients with ascites due to cirrhosis 2012. *Hepatology* 2013 ; 57 : 1651-3.  
PMID : 23463403 **ガイドライン**
5. Farias AQ, et al. Serum B-type natriuretic peptide in the initial workup of patients with new onset ascites : a diagnostic accuracy study. *Hepatology* 2014 ; 59 : 1043-51.  
PMID : 23907731
6. Berzigotti A, et al. Non-invasive diagnostic and prognostic evaluation of liver cirrhosis and portal hypertension. *Dis Markers* 2011 ; 31 : 129-38.  
PMID : 22045398
7. Runyon BA. Paracentesis of ascitic fluid. A safe procedure. *Arch Intern Med* 1986 ; 146 : 2259-61.  
PMID : 2946271
8. Runyon BA, et al. Optimization of ascitic fluid culture technique. *Gastroenterology* 1988 ; 95 : 1351-5.  
PMID : 3049220
9. Wong CL, et al. Does this patient have bacterial peritonitis or portal hypertension? How do I perform a paracentesis and analyze the results? *JAMA* 2008 ; 299 : 1166-78.  
PMID : 18334692 **推奨文献**
10. Runyon BA, et al. The serum-ascites albumin gradient is superior to the exudate-transudate concept in the differential diagnosis of ascites. *Ann Intern Med* 1992 ; 117 : 215-20.  
PMID : 1616215
11. Garcia N Jr, et al. Minimizing ascites. Complication of cirrhosis signals clinical deterioration. *Postgrad Med* 2001 ; 109 : 91-6, 101-3.  
PMID : 11272697
12. Akriviadis EA, et al. Utility of an algorithm in differentiating spontaneous from secondary bacterial peritonitis. *Gastroenterology* 1990 ; 98 : 127-33.  
PMID : 2293571
13. Chinnock B, et al. Gram's stain of peritoneal fluid is rarely helpful in the evaluation of the ascites patient. *Ann Emerg Med* 2009 ; ; 54 : 78-82.  
PMID : 19201060
14. Riquelme A, et al. Value of adenosine deaminase (ADA) in ascetic fluid for the diag-

- nosis of tuberculous peritonitis : a meta-analysis. *J Clin Gastroenterol* 2006 ; 40 : 705-10. PMID : 16940883
15. Salerno F, et al. Albumin infusion improves outcomes of patients with spontaneous bacterial peritonitis : a meta-analysis of randomized trials. *Clin Gastroenterol Hepatol* 2013 ; 11 : 123-30. PMID : 23178229
  16. 日本消化器病学会. 肝硬変診療ガイドライン 2015 (改訂第2版). <[https://www.jsg.or.jp/files/uploads/kankohen2\\_re.pdf](https://www.jsg.or.jp/files/uploads/kankohen2_re.pdf)> **ガイドライン**
  17. European Association for the Study of the Liver. EASL clinical practice guidelines on the management of ascites, spontaneous bacterial peritonitis, and hepatorenal syndrome in cirrhosis. *J Hepatol* 2010 ; 53 : 397-417. PMID : 20633946 **ガイドライン**
  18. 日本輸血・細胞治療学会. 科学的根拠に基づいたアルブミン製剤の使用ガイドライン (第1版). <[http://yuketsu.jstmct.or.jp/wp-content/themes/jstmct/images/medical/file/guidelines/1530\\_guideline.pdf](http://yuketsu.jstmct.or.jp/wp-content/themes/jstmct/images/medical/file/guidelines/1530_guideline.pdf)> **ガイドライン**
  19. Ginès P, et al. Management of cirrhosis and ascites. *N Engl J Med*. 2004 ; 350 : 1646-54.
  20. Ginès P, et al. Comparison of paracentesis and diuretics in the treatment of cirrhotics with tense ascites. Results of a randomized study. *Gastroenterology* 1987 ; 93 : 234-41. PMID : 15084697
  21. Bernardi M, et al. Albumin infusion in patients undergoing large-volume paracentesis : a meta-analysis of randomized trials. *Hepatology* 2012 ; 55 : 1172-81. PMID : 22095893
  22. Graziotto A, et al. Reinfusion of concentrated ascitic fluid versus total paracentesis. A randomized prospective trial. *Dig Dis Sci* 1997 ; 42 : 1708-14. PMID : 9286238
  23. Malincho M, et al. A model to predict poor survival in patients undergoing transjugular intrahepatic portosystemic shunts. *Hepatology* 2000 ; 31 : 864-71. PMID : 10733541

## 第5章 小腸閉塞

### ◎参照文献

1. McKenzie S, et al. Small intestine, In : Townsend C, et al. Sabiston Textbook of Surgery. 19th ed. Philadelphia : Saunders, 2012.
2. Kodadek LM, et al. Small bowel obstruction. In : Cameron JL, et al. Current Surgical Therapy. 11th ed. Philadelphia : Saunders, 2014.
3. Silen W. The Colic. Cope's Early Diagnosis and Acute Abdomen. 22nd ed. New York : Oxford University Press, 2010.
4. Steven McGee Evidence-based Physical Examination. 3rd ed. Philadelphia : Saunders, 2012.
5. Maung AA, et al. Evaluation and management of small-bowel obstruction : an Eastern Association for the Surgery of Trauma practice management guideline. *J Trauma Acute Care Surg* 2012 ; 73 (5 Suppl 4) : S362-9. PMID : 23114494 **ガイドライン**
6. Ten Broek RPG, et al. Bologna guidelines for diagnosis and management of adhesive small bowel obstruction (ASBO) : 2017 update of the evidence-based guidelines from the world society of emergency surgery ASBO working group. *World J Emerg Surg* 2018 ; 13 : 24. PMID : 29946347

7. Sarr MG, et al. Preoperative recognition of intestinal strangulation obstruction. Prospective evaluation of diagnostic capability. *Am J Surg* 1983 ; 145 : 176-82.  
PMID : 6849489
8. Cox MR, et al. The safety and duration of non-operative treatment for adhesive small bowel obstruction. *Aust N Z J Surg* 1993 ; 63 : 367-71. PMID : 8481137
9. Chen X-L, et al. A prospective randomized trial of transnasal ileus tube vs nasogastric tube for adhesive small bowel obstruction. *World J Gastroenterol* 2012 ; 18 : 1968-74. PMID : 22563179
10. Fleshner PR, et al. A prospective, randomized trial of short versus long tubes in adhesive small-bowel obstruction. *Am J Surg* 1995 ; 170 : 366-70. PMID : 7573730

## 第6章 胃がん

### ◎参照文献

1. National Comprehensive Cancer Network. NCCN Clinical Practice Guidelines in Oncology, Gastric cancer. <[https://www.nccn.org/professionals/physician\\_gls/f\\_guidelines.asp](https://www.nccn.org/professionals/physician_gls/f_guidelines.asp)> **ガイドライン**
2. Takahashi Y, et al. The usefulness of CEA and/or CA19-9 in monitoring for recurrence in gastric cancer patients : a prospective clinical study. *Gastric Cancer* 2003 ; 6 : 142-5. PMID : 14520526
3. Leake P-A, et al. A systematic review of the accuracy and indications for diagnostic laparoscopy prior to curative-intent resection of gastric cancer. *Gastric Cancer* 2012 ; 15 Suppl 1 : S38-47. PMID : 21667136
4. Hori Y, et al. Diagnostic laparoscopy guidelines : This guideline was prepared by the SAGES Guidelines Committee and reviewed and approved by the Board of Governors of the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES), November 2007. *Surg Endosc* 2008 ; 22 : 1353-83. PMID : 18389320 **ガイドライン**
5. 日本胃癌学会編. 胃癌治療ガイドライン 医師用 2018年1月改訂 第5版. 東京 : 金原出版, 2018. <<http://www.jgca.jp/guideline/fifth/index.html>> **ガイドライン** **推奨文献**
6. Sofue K, et al. Does Gadoxetic acid-enhanced 3.0T MRI in addition to 64-detector-row contrast-enhanced CT provide better diagnostic performance and change the therapeutic strategy for the preoperative evaluation of colorectal liver metastases? *Eur Radiol* 2014 ; 24 : 2532-9. PMID : 24865698
7. ASGE Standards of Practice Committee. The role of endoscopy in the management of patients with peptic ulcer disease. *Gastrointest Endosc* 2010 ; 71 : 663-8. PMID : 20363407
8. 小野裕之ほか. 胃癌に対するESD/EMRガイドライン (第2版). *Gastroenterol Endosc* 2020 ; 62 : 273-90. **ガイドライン**

## 第7章 大腸がん

### ◎参照文献

1. 大腸癌研究会. 大腸癌取扱い規約 第9版. 東京 : 金原出版, 2018.
2. Nerad E, et al. Diagnostic Accuracy of CT for Local Staging of Colon Cancer : A Systematic Review and Meta-Analysis. *AJR Am J Roentgenol* 2016 ; 207 : 984-95.

PMID : 27490941

3. 大腸癌研究会. 大腸癌治療ガイドライン 医師用 2019年版. 東京 : 金原出版, 2019.  
<[http://www.jscrr.jp/guideline/2019/index\\_guide.html](http://www.jscrr.jp/guideline/2019/index_guide.html)>

## 第8章 食道がん

### ◎参照文献

1. National Comprehensive Cancer Network. Esophageal and Esophagogastric Junction Cancers (Version 2. 2019).
2. 日本食道学会編. 臨床・病理 食道癌取り扱い規約 第11版. 東京 : 金原出版, 2015.
3. 日本食道学会編. 食道癌診療ガイドライン 2017年版. 東京 : 金原出版, 2017.

ガイドライン

## 第9章 炎症性腸疾患

### ◎参照文献

1. 厚生労働科学研究費補助金 難治性疾患等政策研究事業. 潰瘍性大腸炎・クローン病診断基準・治療指針. 令和3年3月.<<http://www.ibd-japan.org/pdf/doc01.pdf>>
- ガイドライン
2. Marshall JL, et al. Rectal 5-aminosalicylic acid for maintenance of remission in ulcerative colitis. Cochrane Database Syst Rev 2012 ; 11 : CD004118. PMID : 23152224
  3. Rahier JF, et al. Second European evidence-based consensus on the prevention, diagnosis and management of opportunistic infections in inflammatory bowel disease. J Crohns Colitis 2014 ; 8 : 443-68. PMID : 24613021
  4. Sakuraba A, et al. An open-label prospective randomized multicenter study shows very rapid remission of ulcerative colitis by intensive granulocyte and monocyte adsorptive apheresis as compared with routine weekly treatment. Am J Gastroenterol 2009 ; 104 : 2990-5. PMID : 19724269
  5. Yamamoto T, et al. Long-term clinical impact of early introduction of granulocyte and monocyte adsorptive apheresis in new onset, moderately active, extensive ulcerative colitis. J Crohns Colitis 2012 ; 6 : 750-5. PMID : 22398094
  6. Crohn's Disease Activity Index (CDAI).<<http://www.mdcalc.com/crohns-disease-activity-index-cdai/#next-steps>>
  7. Stange EF, et al. European evidence based consensus on the diagnosis and management of Crohn's disease : definitions and diagnosis. Gut 2006 ; 55 Suppl 1 : i1-15. PMID : 16481628 **ガイドライン**
  8. Takagi S, et al. Effectiveness of an 'half elemental diet' as maintenance therapy for Crohn's disease : A randomized-controlled trial. Aliment Pharmacol Ther 2006 ; 24 : 1333-40. PMID : 17059514
  9. 金城 徹ほか. 小腸大腸疾患 : 炎症性腸疾患. Hospitalist 2014 ; 2 : 809-28. **推奨文献**
  10. Yokoyama T, et al. Efficacy and Safety of Oral Budesonide in Patients with Active Crohn's Disease in Japan : A Multicenter, Double-Blind, Randomized, Parallel-Group Phase 3 Study. Inflamm Intest Dis 2018 ; 2 : 154-62. PMID : 29922676
  11. Ian Gan S, et al. A new look at toxic megacolon : an update and review of incidence, etiology, pathogenesis, and management. Am J Gastroenterol 2003 ; 98 : 2363-71.

PMID : 14638335

12. 佐々木雅也ほか. 炎症性腸疾患の内科治療(栄養療法): 炎症性腸疾患の Up date — 診断・治療の最新知見. 臨床消化器内科 6月増刊号 2019; 34(7): 173-9.
13. Mahid SS, et al. Smoking and inflammatory bowel disease: a meta-analysis. Mayo Clin Proc 2006; 81: 1462-71. PMID : 17120402
14. Robinson A, et al. Maintaining stable symptom control in inflammatory bowel disease: a retrospective analysis of adherence, medication switches and the risk of relapse. Aliment Pharmacol Ther 2013; 38: 531-8. PMID : 23834298
15. Matsuoka K, et al. Evidence-based clinical practice guidelines for inflammatory bowel disease. J Gastroenterol 2018; 53: 305-53. PMID : 29429045 **ガイドライン**
16. Watanabe T, et al. Comparison of Targeted vs Random Biopsies for Surveillance of Ulcerative Colitis-Associated Colorectal Cancer. Gastroenterology 2016; 151: 1122-30. PMID : 27523980

### ● リンクページ

- 厚生労働科学研究費補助金 難治性疾患政策研究事業「難治性炎症性腸管障害に関する調査研究」(久松班) 令和2年度分担研究報告書. 潰瘍性大腸炎・クローン病 診断基準・治療指針. 令和2年度 改訂版(令和3年3月31日).  
<<http://www.ibd-japan.org/pdf/doc01.pdf>>