

Developmental Biology 13e, Chapter 3 Literature Cited

- Adkins, M. W., S. R. Howar and J. K. Tyler. 2004. Chromatin disassembly mediated by histone chaperone Asf1 is essential for transcriptional activation of the yeast *PHO5* and *PHO8* genes. *Mol. Cell* 14: 657–666.
- Akgul, C., D. A. Moulding and S. W. Edwards. 2004. Alternative splicing of *Bcl-2*-related genes: Functional consequences and potential therapeutic applications. *Cell Mol. Life Sci.* 61: 2189–2199.
- Aksan, I. and C. R. Goding. 1998. Targeting the microphthalmia basic helix-loop-helix-leucine zipper transcription factor to a subset of E-box elements in vitro and in vivo. *Mol. Cell Biol.* 18: 6930–6938.
- Angier, N. 1992. A first step in putting genes into action: Bend the DNA. *New York Times*, August 4, pp. C1, C7.
- Aravin, A. A. and 7 others. 2003. The small RNA profile during *Drosophila melanogaster* development. *Dev. Cell.* 5: 337–350.
- Bagga, S. J. Bracht, S. Hunter, K. Massirer, J. Holtz, R. Eachus and A. E. Pasquinelli. 2005. Regulation by *let-7* and *lin-4* miRNAs results in target mRNA degradation. *Cell* 122: 553–563.
- Barbosa-Morais, N. L. and 16 others. 2012. The evolutionary landscape of alternative splicing in vertebrate species. *Science* 338: 1587–1593.
- Bartel, D. P. 2004. MicroRNAs: Genomics, biogenesis, mechanism, and function. *Cell* 116: 281–297.
- Bartke, T., M. Vermeulen, B. Xhemalce, S. C. Robson, M. Mann and T. Kouzarides. 2010. Nucleosome-interacting proteins regulated by DNA and histone methylation. *Cell* 143: 470–484.
- Bazzini, A. A., M. T. Lee and A. J. Giraldez. 2012. Ribosome profiling shows that miR-430 reduces translation before causing mRNA decay in zebrafish. *Science* 336: 233–237.

- Beermann, W. 1952. Chromomerenkonstanz und spezifische Modifikationen der Chromosomenstruktur in der Entwicklung und Organdifferenzierung von *Chironomus tentans*. *Chromosoma* 5: 139–198.
- Bentley, N. J., T. Eisen and C. R. Goding. 1994. Melanocyte-specific expression of the human tyrosinase promoter: Activation by the *microphthalmia* gene product and the role of the initiator. *Mol. Cell. Biol.* 14: 7996–8006.
- Berezikov, E. and R. H. Plasterk. 2005. Camels and zebrafish, viruses and cancer: A microRNA update. *Hum. Mol. Genet.* 14: R183–R190.
- Berkes, C. A., D. A. Bergstrom, B. H. Penn, K. J. Seaver, P. S. Knoepfler and S. J. Tapscott. 2004. Pbx marks genes for activation by MyoD indicating a role for a homeodomain protein in establishing myogenic potential. *Mol. Cell* 14: 465–477.
- Bird, A. 2002. DNA methylation patterns and epigenetic memory. *Genes Dev.* 16: 6–21.
- Boveri, T. 1904. *Ergebnisse über die Konstitution der chromatischen Substanz des Zellkerns*. Gustav Fischer Verlag, Jena, Germany.
- Briggs, R. and T. J. King. 1952. Transplantation of living nuclei from blastula cells into enucleated frogs' eggs. *Proc. Natl. Acad. Sci. USA* 38: 455–463.
- Burdge, G. C., J. Slater-Jefferies, C. Torrens, E. S. Phillips, M. A. Hanson and K. A. Lillycrop. 2007. Dietary protein restriction of pregnant rats in the F0 generation induces altered methylation of hepatic gene promoters in the adult male offspring in the F1 and F2 generations. *Brit. J. Nutrit.* 97: 435–439.
- Cacace, F., P. Paci, V. Cusimano, A. Germani and L. Farina. 2012. Stochastic modeling of expression kinetics identifies messenger half-lives and reveals sequential waves of coordinated transcription and decay. *PLOS Comput. Biol.* 8: e1002772.
- Choi, H. M., V. A. Beck and N. A. Pierce. 2014. Next-generation in situ hybridization chain reaction: Higher gain, lower cost, greater durability. *ACS Nano*. 8: 4284–4294.
- Chong, J. A. and 9 others. 1995. REST: A mammalian silencer protein that restricts sodium channel gene expression to neurons. *Cell* 80: 949–957.

- Ciccone, D. N., H. Su, S. Hevi, F. Gay, H. Lei, J. Bajko, G. Xu, E. Li and T. Chen. 2009. KDM1B is a histone H3K4 demethylase required to establish maternal genomic imprints. *Nature* 461: 415–418.
- Cirillo, C. P., F. R. Lin, I. Cuesta, D. Friedman, M. Jarnik and K. S. Zaret. 2002. Opening of compacted chromatin by early developmental transcription factors HNF3 (FoxA) and GATA-4. *Mol. Cell.* 9: 279–289.
- Cosgrove, M. S., J. D. Boeke and C. Wolberger. 2004. Regulated nucleosome mobility and the histone code. *Nat. Struct. Mol. Biol.* 11: 1037–1043.
- Costa, P. R., M. L. Acencio and N. Lemke. 2013. Cooperative RNA polymerase molecules behavior on a stochastic sequence-dependent model for transcription elongation. *PLOS ONE* 8: e57328
- Daneholt, B. 1975. Transcription in polytene chromosomes. *Cell* 4: 1–9.
- Davey, C. A., D. F. Sargent, K. Luger, A. W. Maeder and T. J. Richmond. 2002. Solvent-mediated interactions in the structure of the nucleosome core particle at 1.9 Å resolution. *J. Mol. Biol.* 319: 1097–1113.
- Davidson, E. H. 2006. *The Regulatory Genome*. Academic Press, New York.
- Davidson, E. H. 2010. Emerging properties of animal gene regulatory networks. *Nature* 468: 911–920.
- Davidson, E. H. and M. S. Levine. 2008. Properties of developmental gene regulatory networks. *Proc. Natl. Acad. Sci. USA* 105: 20063–20066.
- Deaton, A. M. and A. Bird. 2011. CpG islands and the regulation of transcription. *Genes Dev.* 25: 1010–1022.
- Decker, C. J. and R. Parker. 1995. Mechanisms of mRNA degradation in eukaryotes. *Trends Biochem.* 19: 336–340.
- Dekens, M. P., F. J. Pelegri, H. M. Maischein and C. Nüsslein-Volhard. 2003. The maternal-effect gene futile cycle is essential for pronuclear congression and mitotic spindle assembly

in the zebrafish zygote. *Development* 130: 3907–3916.

Deng, W., J. Lee, H. Wang, J. Miller, A. Reik, P. D. Gregory, A. Dean and G. A. Blobel. 2012. Controlling long-range genomic interactions at a native locus by targeted tethering of a looping factor. *Cell* 149:1233–1244.

Deschênes-Furry, J., K. Mousavi, F. Bolognani, R. L. Neve, R. J. Parks, N. I. Perrone-Bizzozero and B. J. Jasmin. 2007. The RNA-binding protein HuD binds acetylcholinesterase mRNA in neurons and regulates its expression after axotomy. *J. Neurosci.* 27: 665–675.

Deschênes-Furry, J., N. Perrone-Bizzozero and B. J. Jasmin. 2006. The RNA-binding protein HuD: A regulator of neuronal differentiation, maintenance and plasticity. *BioEssays* 28: 822–833.

Djuranovic, S., A. Nahvi and R. Green. 2011. A parsimonious model for gene regulation by miRNAs. *Science* 331: 550–553.

Djuranovic, S., M. K. Zinchenko, J. K. Hur, A. Nahvi, J. L. Brunelle, E. J. Rogers and R. Green. 2010. Allosteric regulation of Argonaute proteins by miRNAs. *Nat. Struct. Mol. Biol.* 17: 144–150.

Down, T. A. and T. J. P. Hubbard. 2002. Computational detection and location of transcription start sites in mammalian genomic DNA. *Genome Res.* 12: 458–461.

Dubois, A., O. Raymond, M. Maene, S. Baudino, N. B. Langlade, V. Boltz, P. Vergne and M. Bendahmane. 2010. Tinkering with the C-function: A molecular frame for the selection of double flowers in cultivated roses. *PLOS ONE* 5: e9288.

Ferguson-Smith, A. C. 2011. Genomic imprinting: The emergence of the epigenetic paradigm. *Nat. Rev. Genet.* 12: 565–574.

Ferré-D'Amaré, A. R., G. C. Predergast, E. B. Ziff and S. K. Burley. 1993. Recognition by Max of its cognate DNA through a dimeric bHLH/Z domain. *Nature* 363: 38–45.

Filipowicz, W., S. N. Bhattacharyya and N. Sonenberg. 2008. Mechanisms of post-transcriptional regulation by microRNAs: Are the answers in sight? *Nat. Rev. Genet.* 9: 102–114.

- Fire, A., S. Q. Xu, M. K. Montgomery, S. A. Kostas, S. E. Driver and C. C. Mello. 1998. Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature* 39: 806–811.
- Friedman, R. C., K. K. Farh, C. B. Burge and D. P. Bartel. 2009. Most mammalian mRNAs are conserved targets of microRNAs. *Genome Res.* 19: 92–105.
- Fuks, F. 2005. DNA methylation and histone modifications: Teaming up to silence genes. *Curr. Opin. Genet. Dev.* 15: 490–495.
- Gedamu, L. and G. H. Dixon. 1978. Effect of enzymatic decapping on protamine messenger RNA translation in wheat-germ S-30. *Biochem. Biophys. Res. Comm.* 85: 114–125.
- Giraldez, A. J. 2010. microRNAs, the cell's Nepenthe: Clearing the past during the maternal-to-zygotic transition and cellular reprogramming. *Curr. Opin. Genet. Dev.* 20: 369–375.
- Giraldez, A. J., Y. Mishima, J. Rihel, R. J. Grocock, S. Van Dongen, K. Inoue, A. J. Enright and A. F. Schier. 2006. Zebrafish MiR-430 promotes deadenylation and clearance of maternal mRNAs. *Science* 312: 75–79.
- Grossniklaus, U. and R. Paro. 2007. Transcriptional silencing by Polycomb Group proteins. In C. D. Allis, T. Jenuwein, D. Reinberg and M.-L. Caparros (eds.), *Epigenetics*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 211–230.
- Gu, T. P. and 14 others. 2011. Role of Tet3 DNA dioxygenase in epigenetic reprogramming by oocytes. *Nature* 477: 606–610.
- Guo, H., N. T. Ingolia, J. S. Weissman and D. P. Bartel. 2010. Mammalian microRNAs predominantly act to decrease target mRNA levels. *Nature* 466: 835–840.
- Guo, S., and K. J. Kemphues. 1995. *par-1*, a gene required for establishing polarity in *C. elegans* embryos, encodes a putative Ser/Thr kinase that is asymmetrically distributed. *Cell* 81: 611–620.
- Gurdon, J. B. 1962. The developmental capacity of nuclei taken from intestinal epithelium cells of feeding tadpoles. *J. Embryol. Exp. Morphol.* 10: 622–640.

- Gurdon, J. B. 2016. Cell fate determination by transcription factors. *Curr. Top. Dev. Biol.* 116: 445–454.
- Gurdon, J. B., T. R. Elsdale and M. Fischberg. 1958. Sexually mature individuals of *Xenopus laevis* from the transplantation of single somatic nuclei. *Nature* 182: 64–65.
- Hammes, A., J. K. Guo, G. Lutsch, J. R. Leheste, D. Landrock, U. Ziegler, M. C. Gubler and A. Schedl. 2001. Two splice variants of the Wilms' tumor 1 gene have distinct functions during sex determination and nephron formation. *Cell* 106: 319–329.
- Hastie, N. D. 2001. Life, sex, and WT1 isoforms: Three amino acids can make all the difference. *Cell* 106: 391–394.
- Hayashi, S., M. Yano, M. Igarashi, H. J. Okano and H. Okano. 2015. Alternative role of HuD splicing variants in neuronal differentiation. *J. Neurosci. Res.* 93: 399–409.
- He, L. and G. J. Hannon. 2004. MicroRNAs: Small RNAs with a big role in gene regulation. *Nat. Rev. Genet.* 5: 522–531.
- Heller, H. and E. Bengal. 1998. TFIID (TBP) stabilizes the binding of MyoD to its DNA site at the promoter and MyoD facilitates the association of TFIIB with the preinitiation complex. *Nucl. Acids Res.* 26: 2112–2119.
- Hinman, V. F. and A. M. Cheatle Jarvela. 2014. Developmental gene regulatory network evolution: Insights from comparative studies in echinoderms. *Genesis* 52: 193–207.
- Humpherys, D., K. Eggan, H. Akutsu, K. Hochedlinger, W. M. Rideout III, D. Biniszkiewicz, R. Yanagimachi and R. Jaenisch. 2001. Epigenetic instability in ES cells and cloned mice. *Science* 293: 95–97.
- Ilık, I. A. and T. Aktas. 2021. Nuclear speckles: Dynamic hubs of gene expression regulation. *FEBS J.* Jul 10.
- Iwafuchi-Doi, M. 2019. The mechanistic basis for chromatin regulation by pioneer transcription factors. *Wiley Interdiscip. Rev. Syst. Biol. Med.* 11: e1427.

Jaenisch, R. and I. Wilmut. 2001. Don't clone humans! *Science* 291: 2552.

Jima, D. D. and 10 others. 2022. Genomic map of candidate human imprint control regions: The imprintome. *Epigenetics* 13: 1920–1943.

Kallunki, P., G. M. Edelman and F. S. Jones. 1997. Tissue-specific expression of the L1 cell adhesion molecule is modulated by the neural restrictive silencer element. *J. Cell Biol.* 138: 1343–1355.

Kallunki, P., S. Jenkinson, G. M. Edelman and F. S. Jones. 1995. Silencer elements modulate the expression of the gene for neuron-glia cell adhesion molecule, Ng-CAM. *J. Biol. Chem.* 270: 21291–21298.

Kammandel, B., K. Chowdhury, A. Stoykova, S. Aparicio, S. Brenner and P. Gruss. 1998. Distinct *cis*-essential modules direct the time-space pattern of *Pax6* gene activity. *Dev. Biol.* 205: 79–97.

Kao, P. and M. D. Nodine. 2019. Transcriptional activation of *Arabidopsis* zygotes is required for initial cell divisions. *Sci. Rep.* 9: 17159.

Kastern, W. H., M. Swindlehurst, C. Aaron, J. Hooper and S. J. Berry. 1982. Control of mRNA translation in oocytes and developing embryos of giant moths. I. Functions of the 5' terminal “cap” in the tobacco hornworm *Manduca sexta*. *Dev. Biol.* 89: 437–449.

Kędzierska, H. and A. Piekiełko-Witkowska. 2017. Splicing factors of SR and hnRNP families as regulators of apoptosis in cancer. *Cancer Lett.* 396: 53–65.

Kim, J., N. C. Venkata, G. A. Hernandez Gonzalez, N. Khanna and A. S. Belmont. 2020. Gene expression amplification by nuclear speckle association. *J. Cell Biol.* 219 :e201904046.

Kolata, G. 2001. Researchers find big risk of defect in cloning animals. *New York Times*, 25 March 2001.

Kondrashov, N., A. Pusic, C. R. Stumpf, K. Shimizu, A. C. Hsieh, J. Ishijima, T. Shiroishi, and M. Barna. 2011. Ribosome-mediated specificity in Hox mRNA translation and vertebrate tissue patterning. *Cell* 145: 383–397.

- Kornberg, R. D. and J. D. Thomas. 1974. Chromatin structure: Oligomers of histones. *Science* 184: 865–868.
- Kostrewa, D., M. E. Zeller, K. J. Armache, M. Seizl, K. Leike, M. Thomm and P. Cramer. 2009. RNA polymerase II-TFIIB structure and mechanism of transcription initiation. *Nature* 462: 323–330.
- Kouzarides, T. and S. L. Berger. 2007. Chromatin modifications and their mechanisms of action. In C. D. Allis, T. Jenuwein and D. Reinberg (eds.), *Epigenetics*. Cold Spring Harbor Press, New York, 191–209.
- Kozak, M. 1989. The scanning model for translation: An update. *J. Cell Biol.* 108: 229–241.
- Lagos-Quintana, M., R. Rauhut, J. Meyer, A. Borkhardt and T. Tuschl. 2003. New microRNAs from mouse and human. *RNA* 9: 175–179.
- Lécuyer, E., H. Yoshida, N. Parthasarathy, C. Alm, T. Babak, T. Cerovina, T. R. Hughes, P. Tomancak and H. M. Krause. 2007. Global analysis of mRNA localization reveals a prominent role in organizing cellular architecture and function. *Cell* 131: 174–187.
- Lee, R. C., R. L. Feinbaum and V. Ambros. 1993. The *C. elegans* heterochromatic gene *lin-4* encodes small RNAs with antisense complementarity to *lin-14*. *Cell* 75: 843–855.
- Lettice, L. A., A. E. Hill, P. S. Devenney and R. E. Hill. 2008. Point mutations in a distant sonic hedgehog *cis*-regulator generate a variable regulatory output responsible for preaxial polydactyly. *Human Mol. Genet.* 17: 97–985.
- Li, B., M. Carey and J. L. Workman. 2007. The role of chromatin during transcription. *Cell* 128: 707–719.
- Luger, K., A. W. Mäder, R. K. Richmond, D. F. Sargent and T. J. Richmond. 1997. Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature* 389: 251–260.
- Luo, M. L., Z. Zhou, K. Magni, C. Christoforides, J. Rappsilber, M. Mann and R. Reed. 2001. Pre-mRNA splicing and mRNA export linked by direct interactions between UAP56 and Aly. *Nature* 413: 644–647.

- Lupien, M., J. Eeckhoute, C. A. Meyer, Q. Wang, Y. Zhang, W. Li, J. S. Carroll, X. S. Liu and M. Brown. 2008. FoxA1 translates epigenetic signatures into enhancer-driven lineage-specific transcription. *Cell* 132: 958–970.
- Malone, J. H. and B. Oliver. 2011. Microarrays, deep sequencing, and the true measure of the transcriptome. *BMC Biol.* 9: 34.
- Maniatis, T., S. Goodbourn and J. A. Fischer. 1987. Regulation of inducible and tissue-specific gene expression. *Science* 236: 1237–1245.
- Margueron, R. and 12 others. 2009. Role of the polycomb protein EED in the propagation of repressive histone marks. *Nature* 461: 762–767.
- McAlinden A., N. Havlioglu and L. J. Sandell. 2004. Regulation of protein diversity by alternative pre-mRNA splicing with specific focus on chondrogenesis. *Birth Def. Res.* 72C: 51–68.
- McKinnell, I. W., J. Ishibashi, F. Le Grand, V. G. Punch, G. C. Addicks, J. F. Greenblatt, F. J. Dilworth and M. A. Rudnicki. 2008. Pax7 activates myogenic genes by recruitment of a histone methyltransferase complex. *Nat. Cell Biol.* 10: 77–84.
- Merini, W. and M. Calonje. 2015. PRC1 is taking the lead in PcG repression. *Plant J.* 83: 110–120.
- Merkin, J., C. Russell, P. Chen and C. B. Burge. 2012. Evolutionary dynamics of gene and isoform regulation in mammalian tissues. *Science* 338: 1593–1599.
- Millard, S. S. and S. L. Zipursky. 2008. Dscam-mediated repulsion controls tiling and self-avoidance. *Curr. Opin. Neurobiol.* 18: 84–89.
- Miura, S. K., A. Martins, K. X. Zhang, B. R. Graveley and S. L. Zipursky. 2013. Probabilistic splicing of *Dscam1* establishes identity at the level of single neurons. *Cell* 155: 1166–1177.
- Murugan, R. and G. Kreiman. 2012. Theory on the coupled stochastic dynamics of transcription and splice-site recognition. *PLOS Comput. Biol.* 8: e1002747.

- Neuert, G., B. Munsky, R. Z. Tan, L. Teytelman, M. Khammash and A. van Oudenaarden. 2013. Systematic identification of signal-activated stochastic gene regulation. *Science* 339: 584–587.
- Nilsen, T. W. and B. R. Graveley. 2010. Expansion of the eukaryotic proteome by alternative splicing. *Nature* 463: 457–463.
- Noordermeer, D. and D. Duboule. 2013. Chromatin looping and organization at developmentally regulated gene loci. *Wiley Interdiscip. Rev. Dev. Biol.* 2: 615–630.
- Norma, K, C. D. Allis and S. I. Grewal. 2001. Transitions in distinct histone H3 methylation patterns at the heterochromatin domain boundaries. *Science* 293: 1150–1155.
- Nüsslein-Volhard, C. and E. Wieschaus. 1980. Mutations affecting segment number and polarity in *Drosophila*. *Nature* 287: 795–801.
- Ogryzko, V. V., R. L. Schlitz, V. Russanova, B. H. Howard and Y. Nakatani. 1996. The transcriptional coactivators p300 and CBP are histone acetyltransferases. *Cell* 87: 953–959.
- Okano, H. J. and R. B. Darnell. 1997. A hierarchy of Hu RNA binding proteins in developing and adult neurons. *J. Neurosci.* 17: 3024–3037.
- Oliveri, P., Q. Tu and E. H. Davidson. 2008. Global regulatory logic for specification of an embryonic cell lineage. *Proc. Natl. Acad. Sci. USA* 105: 5955–5962.
- Ong, T.-C. and V. G. Corces. 2011. Enhancer function: New insights into the regulation of tissue-specific gene expression. *Nat. Rev. Genet.* 12: 283–293.
- Palacios, I. M. 2007. How does an mRNA find its way? Intracellular localisation of transcripts. *Semin. Cell Dev. Biol.* 18: 163–170.
- Perrone-Bizzozero, N. and C. W. Bird. 2013. Role of HuD in nervous system function and pathology. *Front. Biosci.* 5: 554–563.
- Peter, I. S. and E. H. Davidson. 2011. A gene regulatory network controlling the embryonic specification of endoderm. *Nature* 474: 635–639.

- Peter, I. S. and E. H. Davidson. 2015. *Genomic Control Process: Development and Evolution*, 1st Ed. Elsevier, Boston, MA.
- Pogenberg, V., M. H. Ogmundsdóttir, K. Bergsteinsdóttir, A. Schepsky, B. Phung, V. Deineko, M. Milewski, E. Steingrímsson and M. Wilmanns. 2012. Restricted leucine zipper dimerization and specificity of DNA recognition of the melanocyte master regulator MITF. *Genes Dev.* 26: 2647–2658.
- Pombo, A. and N. Dillon. 2015. Three-dimensional genome architecture: Players and mechanisms. *Nat. Rev. Molec. Cell Biol.* 16: 245–257.
- Price, E. R., H. F. Ding, T. Badalian, S. Bhattacharya, C. Takemoto, T. P. Yao, T. J. Hemesath and D. E. Fisher. 1998. Lineage-specific signaling in melanocytes: c-Kit stimulation recruits p300/CBP to microphthalmia. *J. Biol. Chem.* 273: 33042–33047.
- Pu, L. and Z. R. Sung. 2015. PcG and trxG in plants: Friends or foes? *Trends Genet.* 31: 252–262.
- Raff, R. A., H. V. Colot, S. E. Selvig and P. R. Gross. 1972. Oogenetic origin of messenger RNA for embryonic synthesis of microtubule proteins. *Nature* 235: 211–214.
- Raina, K. and B. J. Rao. 2022. Mammalian nuclear speckles exhibit stable association with chromatin: A biochemical study. *Nucleus* 13: 58–73.
- Remak, R. 1855. *Untersuchungen über die Entwicklung der Wirbeltiere*. Berlin: G. Reimer.
- Rosenthal, E., T. Hunt and J. V. Ruderman. 1980. Selective translation of mRNA controls the pattern of protein synthesis during early development of the surf clam, *Spisula solidissima*. *Cell* 20: 487–495.
- Rupp, R. A. and P. B. Becker. 2005. Gene regulation by histone H1: New links to DNA methylation. *Cell* 123: 1178–1179.
- Sauer, F., J. D. Fondell, Y. Ohkuma, R. G. Roeder and H. Jäckle. 1995. Control of transcription by Krüppel through interactions with TFIIB and TFIIE. *Nature* 375: 162–165.
- Schlissel, M. S. and D. D. Brown. 1984. The transcriptional regulation of *Xenopus* 5S RNA genes in chromatin: The roles of active stable transcription complex and histone H1. *Cell*

37: 903–913.

Schmucker, D. 2007. Molecular diversity of Dscam: Recognition of molecular identity in neuronal wiring. *Nat. Rev. Neurosci.* 8: 915–920.

Schmucker, D., J. C. Clemens, H. Shu, C. A. Worby, J. Xiao, M. Muda, J. E. Dixon, and S. L. Zipursky. 2000. *Drosophila* Dscam is an axon guidance receptor exhibiting extraordinary molecular diversity. *Cell* 101: 671–684.

Schoenherr, C. J. and D. J. Anderson. 1995. The neuron-restrictive silencer factor (NRSF): A coordinate repressor of multiple neuron-specific genes. *Science* 267: 1360–1363.

Schones, D. E. and K. Zhao. 2008. Genome-wide approaches to studying chromatin modifications. *Nat. Rev. Genet.* 9: 179–191.

Sen, G. L. and H. M. Blau. 2006. A brief history of RNAi: The silence of the genes. *FASEB J.* 20: 1293–1299.

Shang, X., Y. Cao, and L. Ma. 2017. Alternative splicing in plant genes: A means of regulating the environmental fitness of plants. *Int. J. Mol. Sci.* 18: 432.

Shatkin, A. J. 1976. Capping of eucaryotic mRNAs. *Cell* 9: 645–653.

Shaw, G. and R. Kamen. 1986. A conserved AU sequence from the 3' untranslated region of *GM-CSF* mRNA mediates selective mRNA degradation. *Cell* 46: 659–667.

Sheiness, D. and J. E. Darnell. 1973. Polyadenylic segment in mRNA becomes shorter with age. *Nat. New Biol.* 241: 265–268.

Smale, S. T. 2010. Pioneer factors in embryonic stem cells and differentiation. *Curr. Top. Genet. Dev.* 20: 519–526.

So, P. L. and P. S. Danielian. 1999. Cloning and expression analysis of a mouse gene related to *Drosophila* odd-skipped. *Mech. Dev.* 84: 157–160.

- Soufi A., G. Donahue and K. S. Zaret. 2012. Facilitators and impediments of the pluripotency reprogramming factors' initial engagement with the genome. *Cell* 151: 994–1004.
- Standart, N., T. Hunt and J. V. Ruderman. 1986. Differential accumulation of ribonucleotide reductase subunits in clam oocytes: The large subunit is stored as a polypeptide, the small subunit as untranslated mRNA. *J. Cell Biol.* 103: 2129–2136.
- Steingrímsson, E. and 10 others. 1994. Molecular basis of mouse *microphthalmia* (*mi*) mutations helps explain their developmental and phenotypic consequences. *Nat. Genet.* 8: 256–263.
- Strahl, B. D. and C. D. Allis. 2000. The language of covalent histone modifications. *Nature* 403: 41–45.
- Strässer, K. and E. Hurt. 2001. Splicing factor Sub2p is required for nuclear mRNA export through its interaction with Yra1p. *Nature* 413: 648–652.
- Szalkowski, A. M. and C. D. Schmid. 2011. Rapid innovation in ChIP-Seq peak-calling algorithms is outdistancing benchmarking efforts. *Brief Bioinform.* 12: 626–633.
- Takahashi, K. and S. Yamanaka. 2006. Induction of pluripotent stem cells from mouse embryonic and adult fibroblast cultures by defined factors. *Cell* 126: 663–676.
- Takechi, M., T. Hamaoka and S. Kawamura. 2003. Fluorescence visualization of ultraviolet-sensitive cone photoreceptor development in living zebrafish. *FEBS Lett.* 553: 90–94.
- Tan, C. C. and 10 others. 2008. Transcription factor Ap2d associates with Ash2l and ALR, a trithorax family histone methyltransferase, to activate Hoxc8 transcription. *Proc. Natl. Acad. Sci. USA* 105: 7472–7477.
- Terzian, T. and N. Box. 2013. Genetics of ribosomal proteins: “Curiouser and curiouser.” *PLOS Genet.* 9: e1003300.
- Theissen, G., R. Melzer and F. Rümpler. 2016. MADS-domain transcription factors and the floral quartet model of flower development: linking plant development and evolution. *Development* 143: 3259–3271.

- Thoma, F., T. Koller and A. Klug. 1979. Involvement of histone H1 in the organization of the nucleosome and of the salt-dependent superstructures of chromatin. *J. Cell Biol.* 83: 403–427.
- Visel, A., E. M. Rubin and L. A. Pennacchio. 2009. Genomic views of distant-acting enhancers. *Nature* 461: 199–205.
- Wagenaar, E. B. and D. Mazia. 1978. The effect of emetine on the first cleavage division of the sea urchin, *Strongylocentrotus purpuratus*. In E. R. Dirksen, D. M. Prescott and L. F. Fox (eds.), *Cell Reproduction: In Honor of Daniel Mazia*. Academic Press, New York, 539–545.
- Wang, E. T., R. Sandberg, S. Luo, I. Khrebtkova, L. Zhang, C. Mayr, S. F. Kingsmore, G. P. Schroth and C. B. Burge. 2008. Alternative isoform regulation in human tissue transcriptomes. *Nature* 456: 470–476.
- Watkins-Chow, D. E. and 21 others. 2013. Mutation of the diamond-blackfan anemia gene *rps7* in mouse results in morphological and neuroanatomical phenotypes. *PLOS Genet.* 9: e1003094
- Weiszmam, R., A. S. Hammonds and S. E. Celniker. 2009. Determination of gene expression patterns using high-throughput RNA in situ hybridization to whole-mount *Drosophila* embryos. *Nat. Protoc.* 4: 605–618.
- Wickens, M. and K. Takayama. 1995. Deviants—or emissaries? *Nature* 367: 17–18.
- Wightman, B., I. Ha and G. Ruvkun. 1993. Posttranslational regulation of the heterochronic gene *lin-14* by *lin-4* mediates temporal pattern formation in *C. elegans*. *Cell* 75: 855–862.
- Williams, S. C., C. R. Altmann, R. L. Chow, A. Hemmati-Brivanlou and R. A. Lang. 1998. A highly conserved lens transcriptional control element from the *Pax-6* gene. *Mech. Dev.* 73: 225–229.
- Wilmut, I., A. E. Schnieke, J. McWhir, A. J. Kind and K. H. S. Campbell. 1997. Viable offspring from fetal and adult mammalian cells. *Nature* 385: 810–814.
- Wilmut, I., K. Campbell and C. Tudge. 2000. *The Second Creation: Dolly and the Age of Biological Control*. Harvard University Press, Cambridge, MA.
- Wilson, E. B. 1896. *The Cell in Development and Inheritance*. Macmillan, Boston, MA.

Wilson, R. C. and J. A. Doudna. 2013. Molecular mechanisms of RNA interference. *Annu. Rev. Biophys.* 42: 217–239.

Wilson, T. and R. Treisman. 1988. Removal of poly(A) and consequent degradation of *c-fos* mRNA facilitated by 3' AU-rich sequences. *Nature* 336: 396–399.

Wolf, L. V., Y. Yang, J. Wang, Q. Xie, B. Braunger, E. R. Tamm, J. Zavadil and A. Cvekl. 2009. Identification of Pax6-dependent gene regulatory networks in the mouse lens. *PLOS ONE* 4: e4159.

Woods, G. L., K. L. White, D. K. Vanderwall, G. P. Li, K. I. Aston, T. D. Bunch, L. N. Meerdo and B. J. Pate. 2003. A mule cloned from fetal cells by nuclear transfer. *Science* 301: 1063.

Wu, W., G. Ahlsen, D. Baker, L. Shapiro, and L. Zipursky. 2012. Complementary chimeric isoforms reveal Dscam1 binding specificity in vivo. *Neuron* 74: 261–268.

Yasumoto, K., K. Yokoyama, K. Shibata, Y. Tomita and S. Shibahara. 1994. Microphthalmia-associated transcription factor as a regulator for melanocyte-specific transcription of the human tyrosinase gene. *Mol. Cell Biol.* 14: 8058–8070.

Yasumoto, K.-I., K. Yokoyama, K. Takahashi, Y. Tomita and S. Shibahara. 1997. Functional analysis of *microphthalmia*-associated transcription factor in pigment cell-specific transcription of human tyrosinase family genes. *J. Biol. Chem.* 272: 503–509.

You, Y. and 8 others. 2017. Temporal dynamics of gene expression and histone marks at the *Arabidopsis* shoot meristem during flowering. *Nat. Commun.* 8: 15120.

Zaret, K. S., A. Watts, J. Xu, E. Wandzioch, S. T. Smale and T. Sekiya. 2008. Pioneer factors, genetic competence, and inductive signaling: Programming liver and pancreas progenitors from the endoderm. *Cold Spring Harb. Symp. Quant. Biol.* 73: 119–126

Zeitlinger, J. and A. Stark. 2010. Developmental gene regulation in the era of genomics. *Dev. Biol.* 339: 230–239.

Zhou, V. W., A. Goren and B. E. Bernstein. 2011. Charting histone modifications and the functional organization of mammalian genomes. *Nat. Rev. Genet.* 12: 7–18.

Zinzen, R. P., C. Girardot, J. Gagneur, M. Braun and E. E. Furlong. 2009. Combinatorial binding predicts spatio-temporal *cis*-regulatory activity. *Nature* 462: 65–70.

Zrimec, J., F. Buric, M. Kokina, V. Garcia and A. Zelezniak. 2021. Learning the regulatory code of gene expression. *Front. Mol. Biosci.* 8: 673363.