

Developmental Biology 13e, Chapter 4 Literature Cited

- Acloque, H., M. S. Adams, K. Fishwick, M. Bronner-Fraser and M. A. Nieto. 2009. Epithelial-mesenchymal transitions: The importance of changing cell state in development and disease. *J. Clin. Invest.* 119: 1438–1449.
- Akiyama, T., K. Kamimura, C. Firkus, S. Takeo, O. Shimmi and H. Nakato. 2008. Dally regulates Dpp morphogen gradient formation by stabilizing Dpp on the cell surface. *Dev. Biol.* 313: 408–419.
- Alvarez-Buylla, A., J. M. García-Verdugo, A. S. Mateo and H. Merchant-Larios. 1998. Primary neural precursors and intermitotic nuclear migration in the ventricular zone of adult canaries. *J. Neurosci.* 18: 1020–1037.
- Artavanis-Tsakonas, S. and M. A. Muskavitch M. 2010. Notch: The past, the present, and the future. *Curr. Top. Dev. Biol.* 92: 1–29.
- Babb, S. G., S. M. Kotradi, B. Shah, C. Chiappini-Williamson, L. N. Bell, G. Schmeiser, E. Chen, Q. Liu and J. A. Marrs. 2005. Zebrafish R-cadherin (Cdh4) controls visual system development and differentiation. *Dev. Dyn.* 233: 930–945.
- Babu, D. and S. Roy. 2013. Left-right asymmetry: Cilia stir up new surprises in the node. *Open Biol.* 3: 130052.
- Babu, P. 1977. Early developmental subdivisions of the wing disk in *Drosophila*. *Mol. General Genet.* 151: 289–294.
- Balasubramanian, R. and X. Zhang. 2016. Mechanisms of FGF gradient formation during embryogenesis. *Semin. Cell Dev. Biol.* 53: 94–100.
- Barkoulas, M., J. S. van Zon, J. Milloz, A. van Oudenaarden and M. A. Félix. 2013. Robustness and epistasis in the *C. elegans* vulval signaling network revealed by pathway dosage modulation. *Dev. Cell.* 24: 64–75.
- Barresi, M. J. F., H. L. Stickney and S. H. Devoto. 2000 The zebrafish slow-muscle-omitted gene product is required for Hedgehog signal transduction and the development of slow muscle identity. *Development* 127: 2189–2199.

- Beachy, P. A., M. K. Cooper, K. E. Young, D. P. von Kessler, W. J. Park, T. M. Hall, D. J. Leahy and J. A. Porter. 1997. Multiple roles of cholesterol in hedgehog protein biosynthesis and signaling. *Cold Spring Harb. Symp. Quant. Biol.* 62: 191–204.
- Ben-Zvi, D. and N. Barkai. 2010. Scaling of morphogen gradients by an expansion-repression integral feedback control. *Proc. Natl. Acad. Sci. USA* 107: 6924–6929.
- Ben-Zvi, D., G. Pyrowolakis, N. Barkai and B. Z. Shilo. 2011. Expansion-repression mechanism for scaling the Dpp activation gradient in *Drosophila* wing imaginal discs. *Curr. Biol.* 21: 1391–1396.
- Berendsen, A. D., L. W. Fisher, T. M. Kilts, R. T. Owens, P. G. Robey, J. S. Gutkind and M. F. Young. 2011. Modulation of canonical Wnt signaling by the extracellular matrix component biglycan. *Proc. Natl. Acad. Sci. USA* 108: 17022–17027.
- Bischoff, M., A. C. Gradilla, I. Seijo, G. Andrés, C. Rodríguez-Navas, L. González-Méndez and I. Guerrero. 2013. Cytonemes are required for the establishment of a normal Hedgehog morphogen gradient in *Drosophila* epithelia. *Nat. Cell Biol.* 15: 1269–1281.
- Bissell, M. J., H. G. Hall and G. Parry. 1982. How does the extracellular matrix direct gene expression? *J. Theor. Biol.* 99: 31–68.
- Bitgood, M. J. and A. P. McMahon. 1995. *Hedgehog* and *BMP* genes are coexpressed at many diverse sites of cell-cell interaction in the mouse embryo. *Dev. Biol.* 172: 126–158.
- Bitgood, M. J., L. Shen and A. P. McMahon. 1996. Sertoli cell signalling by desert hedgehog regulates the male germline. *Curr. Biol.* 6: 298–304.
- Blaschuk, K. L. and C. French-Constant. 1998. Developmental neurobiology: Notch is tops in the developing brain. *Curr. Biol.* 8: R334–R337.
- Blum, M., K. Feistel, T. Thumberger and A. Schweickert. 2014. The evolution and conservation of left-right patterning mechanisms. *Development* 141: 1603–1613.
- Bökel, C. and M. Brand. 2013. Generation and interpretation of FGF morphogen gradients in vertebrates. *Curr. Opin. Genet. Dev.* 23: 415–422.

- Bollenbach, T., P. Pantazis, A. Kicheva, C. Bökel, M. González-Gaitán and F. Jülicher. 2008. Precision of the Dpp gradient. *Development* 135: 1137–1146.
- Breitling, R. 2007. Greased hedgehogs: New links between hedgehog signaling and cholesterol metabolism. *BioEssays* 29: 1085–1094.
- Briscoe, J. and P. P. Thérond. 2013. The mechanisms of Hedgehog signalling and its roles in development and disease. *Nat. Rev. Mol. Cell Biol.* 14: 416–429.
- Briscoe, J., D. Guschin and M. Müller. 1994. Signal transduction: Just another signalling pathway. *Curr. Biol.* 4: 1033–1036.
- Cadigan, K. M. and R. Nusse. 1997. Wnt signaling: A common theme in animal development. *Genes Dev.* 24: 3286–3306.
- Caparrós-Martín, J. A. and 10 others. 2013. The ciliary Evc/Evc2 complex interacts with Smo and controls Hedgehog pathway activity in chondrocytes by regulating Sufu/Gli3 dissociation and Gli3 trafficking in primary cilia. *Hum. Mol. Genet.* 22: 124–139.
- Capurro, M. I., P. Xu, W. Shi, F. Li, A. Jia and J. Filmus. 2008. Glypican-3 inhibits Hedgehog signaling during development by competing with patched for Hedgehog binding. *Dev. Cell.* 14: 700–711.
- Chen, W. T., E. Hasegawa, T. Hasegawa, C. Weinstock and K. M. Yamada. 1985. Development of cell-surface linkage complexes in cultured fibroblasts. *J. Cell Biol.* 100: 1103–1114.
- Chiang, C., Y. Litingung, E. Lee, K. E. Young, J. L. Corden, H. Westphal and P. A. Beachy. 1996. Cyclopia and defective axial patterning in mice lacking *sonic hedgehog* gene function. *Nature* 383: 407–413.
- Chiarugi, P. and E. Giannoni. 2008. Anoikis: A necessary death program for anchorage-dependent cells. *Biochem. Pharm.* 76: 1352–1364.
- Chien, A. J., W. H. Conrad and R. T. Moon. 2009. A Wnt survival guide: From flies to human disease. *J. Invest. Dermatol.* 129: 1614–1627.

- Chitnis, A., D. Henrique, J. Lewis, D. Ish-Horowicz and C. Kintner. 1995. Primary neurogenesis in *Xenopus* embryos regulated by a homologue of the *Drosophila* gene *delta*. *Nature* 375: 761–766.
- Christian, J. L. 2011. Morphogen gradients in development: From form to function. *Wiley Interdiscip. Rev. Dev. Biol.* 1: 3–15.
- Ciruna, B., A. Jenny, D. Lee, M. Mlodzik and A. F. Schier. 2006. Planar cell polarity signalling couples cell division and morphogenesis during neurulation. *Nature* 439: 220–224.
- Clevers, H. and R. Nusse. 2012. Wnt/ β -catenin signaling and disease. *Cell* 149: 1192–1205.
- Cooper, M. K., J. A. Porter, K. E. Young and P. A. Beachy. 1998. Teratogen-mediated inhibition of target tissue response to hedgehog signaling. *Science* 280: 1603–1607.
- Crick, F. 1970. Diffusion in embryogenesis. *Nature* 225: 420–422.
- Daniel, C. W., G. B. Silberstein, K. Van Horn, P. Strickland, S. Robinson. 1989. TGF- β 1-induced inhibition of mouse mammary ductal growth: Developmental specificity and characterization. *Dev. Biol.* 135: 20–30.
- Darwin, C. 1880. *The Power of Movement in Plants*. London: John Murray.
- Davis, G. S., H. M. Phillips and M. S. Steinberg. 1997. Germ-layer surface tension and “tissue affinities” in *Rana pipiens* gastrulae: Quantitative measurement. *Dev. Biol.* 192: 630–644.
- Davy, A. and P. Soriano. 2005. Ephrin signaling in vivo: Look both ways. *Dev. Dyn.* 232: 1–10.
- Davy, A., J. Aubin and P. Soriano. 2004. Ephrin-B1 forward and reverse signaling is required for mouse development. *Genes Dev.* 18: 572–583.
- de Thé, H. 2018. Differentiation therapy revisited. *Nat. Rev. Cancer* 18: 117–127.
- Deng, C., A. Wynshaw-Boris, F. Zhou, A. Kuo and P. Leder. 1996. Fibroblast growth factor receptor-3 is a negative regulator of bone growth. *Cell* 84: 911–921.

- Dorsky, R. I., W. S. Chang, D. H. Rapaport and W. A. Harris. 1997. Regulation of neuronal diversity in the *Xenopus* retina by Delta signalling. *Nature* 385: 67–74.
- Dreno, B., N. Basset-Seguin, I. Caro, H. Yue and D. Schadendorf. 2014. Clinical benefit assessment of vismodegib therapy in patients with advanced basal cell carcinoma. *Oncologist* 19: 790–796.
- Duguay, D., R. Foty, and M. S. Steinberg. 2003. Cadherin-mediated cell adhesion and tissue segregation: Qualitative and quantitative determinants. *Dev. Biol.* 253: 309–323.
- Dyson, S. and J. B. Gurdon. 1998. The interpretation of position in a morphogen gradient as revealed by occupancy of activin receptors. *Cell* 93: 557–568.
- Erdem, G. U., M. A. Sendur, N. Y. Ozdemir, O. Yazıcı and N. Zengin. 2015. A comprehensive review of the role of the hedgehog pathway and vismodegib in the management of basal cell carcinoma. *Curr. Med. Res. Opin.* 31: 743–756.
- Foty, R. A. and M. S. Steinberg. 2005. The differential adhesion hypothesis: A direct evaluation. *Dev. Biol.* 278: 255–263.
- Foty, R. A. and M. S. Steinberg. 2013. Differential adhesion in model systems. *Wiley Interdiscip. Rev. Dev. Biol.* 2: 631–645.
- Foty, R. A., C. M. Pfleger, G. Forgacs and M. S. Steinberg. 1996. Surface tensions of embryonic cells predict their mutual envelopment behavior. *Development* 122: 1611–1620.
- Friml, J. and 7 others. 2003. Efflux-dependent auxin gradients establish the apical-basal axis of *Arabidopsis*. *Nature* 426: 147–153.
- Fujiwara, M., T. Uchida, N. Osumi-Yamashita and K. Eto. 1994. Uchida rat (*rSey*): A new mutant rat with craniofacial abnormalities resembling those of the mouse *Sey* mutant. *Differentiation* 57: 31–38.
- Furuta, Y. and B. L. M. Hogan. 1998. BMP4 is essential for lens induction in the mouse embryo. *Genes Dev.* 12: 3764–3775.

- García-García, M. J. and K. V. Anderson. 2003. Essential role of glycosaminoglycans in Fgf signaling during mouse gastrulation. *Cell* 114: 727–737.
- Ghabrial, A. S. and M. A. Krasnow. 2006. Social interactions among epithelial cells during tracheal branching morphogenesis. *Nature* 441: 746–749.
- Gilbert-Barness, E. and J. M. Opitz. 1996. Abnormal bone development: Histopathology and skeletal dysplasias. In M. E. Martini-Neri, G. Neri and J. M. Opitz (eds.), *Gene Regulation and Fetal Development*. March of Dimes Birth Defects Foundation Original Article Series 30: (1). Wiley-Liss, New York, 103–156.
- Goetz, S. C. and K. V. Anderson. 2010. The primary cilium: A signalling centre during vertebrate development. *Nat. Rev. Genet.* 11: 331–344.
- Goustin, A. S., C. Betsholtz, S. Pfeifer-Ohlsson, H. Persson, J. Rydnert, M. Bywater, G. Holmgren, C. H. Heldin, B. Westermarck and R. Ohlsson. 1985. Coexpression of the *sis* and *myc* proto-oncogenes in developing human placenta suggests autocrine control of trophoblast growth. *Cell* 41: 301–312.
- Grainger, R. M. 1992. Embryonic lens induction: Shedding light on vertebrate tissue determination. *Trends Genet.* 8: 349–356.
- Green, J. B. and J. C. Smith. 1990. Graded changes in dose of a *Xenopus* activin A homologue elicit stepwise transitions in embryonic cell fate. *Nature* 47: 391–394.
- Green, J., R. Nusse and R. van Amerongen. 2014. The role of Ryk and Ror receptor tyrosine kinases in Wnt signal transduction. *Cold Spring Harb. Perspect. Biol.* 6: a009175.
- Greenwald, I., P. W. Sternberg and H. R. Horvitz. 1983. The *lin-12* locus specifies cell fates in *Caenorhabditis elegans*. *Cell* 34: 435–444.
- Grobe, K. and I. Guerrero. 2020. Dally-like is unlike Dally in assisting Wingless spread. *Dev. Cell* 54: 572–573.
- Grobstein, C. 1956. Trans-filter induction of tubules in mouse metanephrogenic mesenchyme. *Expl. Cell Res.* 10: 424–440.

- Groner, B. and F. Gouilleux. 1995. Prolactin-mediated gene activation in mammary epithelial cells. *Curr. Opin. Genet. Dev.* 5: 587–594.
- Grover, V. K., J. G. Valadez, A. B. Bowman and M. K. Cooper. 2011. Lipid modifications of Sonic hedgehog ligand dictate cellular reception and signal response. *PLOS ONE* 6: e21353.
- Grumolato, L., G. Liu, P. Mong, R. Mudbhart, R. Biswas, R. Arroyave, S. Vijayakumar, A. N. Economides and S. A. Aaronson. 2010. Canonical and noncanonical Wnts use a common mechanism to activate completely unrelated coreceptors. *Genes Dev.* 24: 2517–2530.
- Guerrero, I. and C. Chiang. 2007. A conserved mechanism of Hedgehog gradient formation by lipid modification. *Trends Cell Biol.* 17: 1–5.
- Gurdon, J. B., P. Harger, A. Mitchell and P. Lemaire. 1994. Activin signalling and response to a morphogen gradient. *Nature* 371: 487–492.
- Gurdon, J. B., S. Dyson and D. St. Johnston. 1998. Cells' perception of position in a concentration gradient. *Cell* 95: 159–162.
- Habib, S. J., B. C. Chen, F. C. Tsai, K. Anastassiadis, T. Meyer, E. Betzig and R. Nusse. 2013. A localized Wnt signal orients asymmetric stem cell division in vitro. *Science* 339: 1445–1448.
- Hahn, H. and 20 others. 1996. Mutations of the human homolog of *Drosophila* patched in the nevoid basal cell carcinoma syndrome. *Cell* 85: 841–851.
- Hakamori, S., M. Fukuda, K. Sekiguchi and W. G. Carter. 1984. Fibronectin, laminin, and other extracellular glycoproteins. In K. A. Picz and A. H. Reddi (eds.), *Extracellular Matrix Biochemistry*. Elsevier, New York, 229–276.
- Hardman, P., E. Landels, A. S. Woolf and B. S. Spooner. 1994. TGF- β 1 inhibits growth and branching morphogenesis in embryonic mouse submandibular and sublingual glands in vitro. *Dev. Growth Diff.* 36: 567–577.
- Harris, M. P., J. F. Fallon and R. O. Prum. 2002. Shh-Bmp2 signaling module and the evolutionary origin and diversification of feathers. *J. Exp. Zool.* 294: 160–176.

- Harvey, S. A. and J. C. Smith. 2009. Visualisation and quantification of morphogen gradient formation in the zebrafish. *PLOS Biol.* 7: e1000101.
- Hatta, K. and M. Takeichi. 1986. Expression of N-cadherin adhesion molecules associated with early morphogenetic events in chick development. *Nature* 320: 447–449.
- Heasman, J., R. D. Hynes, A. P. Swan, V. Thomas and C. C. Wylie. 1981. Primordial germ cells of *Xenopus* embryos: The role of fibronectin in their adhesion during migration. *Cell* 27: 437–447.
- Heldin, C.-H., K. Miyazono and P. ten Dijke. 1997. TGF- β signaling from cell membrane to nucleus through SMAD proteins. *Nature* 390: 465–471.
- Hendrix, M. J., E. A. Seftor, R. E. Seftor, J. Kasemeier-Kulesa, P. M. Kulesa and L. M. Postovit. 2007. Reprogramming metastatic tumour cells with embryonic microenvironments. *Nat. Rev. Cancer* 7: 246–255.
- Hill, R. J. and P. W. Sternberg. 1992. The gene *lin-3* encodes an inductive signal for vulval development in *C. elegans*. *Nature* 358: 470–476.
- Ho, H. Y., M. W. Susman, J. B. Bikoff, Y. K. Ryu, A. M. Jonas, L. Hu, R. Kuruvilla and M. E. Greenberg. 2012. Wnt5a-Ror-Dishevelled signaling constitutes a core developmental pathway that controls tissue morphogenesis. *Proc. Natl. Acad. Sci. USA* 109: 4044–4051.
- Hogan, B. L. M. 1996. Bone morphogenesis proteins: Multifunctional regulators of vertebrate development. *Genes Dev.* 10: 1580–1594.
- Holtzer, H. 1968. Induction of chondrogenesis: A concept in terms of mechanisms. In R. Gleichmajer and R. E. Billingham (eds.), *Epithelial-Mesenchymal Interactions*. Williams & Wilkins, Baltimore, MD, 152–164.
- Hong, E. and R. Brewster. 2006. N-cadherin is required for the polarized cell behaviors that drive neurulation in the zebrafish. *Development* 133: 3895–3905.
- Horwitz, A., K. Duggan, R. Greggs, C. Decker and C. Buck. 1986. The cell substrate attachment (CSAT) antigen has properties of a receptor for laminin and fibronectin. *J. Cell Biol.* 101: 2134–2144.

- Huang, J., S. Wu, J. Barrera, K. Matthews and D. Pan. 2005. The Hippo signaling pathway coordinately regulates cell proliferation and apoptosis by inactivating Yorkie, the *Drosophila* homolog of YAP. *Cell* 122: 421–434.
- Huangfu, D., A. Liu, A. S. Rakeman, N. S. Murcia, L. Niswander and K. V. Anderson. 2003. Hedgehog signalling in the mouse requires intraflagellar transport proteins. *Nature* 426: 83–87.
- Hwang, H-Y, S. K. Olson, J. D. Esko and H. R. Horvitz. 2003. *Caenorhabditis elegans* early embryogenesis and vulval morphogenesis require chondroitin biosynthesis. *Nature* 423: 439–443.
- Ihle, J. N. 1996. STATs: Signal transducers and activators of transcription. *Cell* 84: 331–334.
- Ihle, J. N. 2001. The Stat family in cytokine signaling. *Curr. Opin. Cell Biol.* 13: 211–217.
- Ishitani, T., S. and 9 others. 2003. The TAK1-NLK mitogen-activated protein kinase cascade functions in the Wnt-5a/Ca²⁺ pathway to antagonize Wnt/b-catenin signaling. *Mol. Cell Biol.* 23: 131–139.
- Jacobs, M. and Gilbert, S. F. 1983. Basal localization of presumptive auxin transport carrier in pea stem cell membranes. *Science* 220: 1297–1300.
- Jacobson, A. G. 1963. The determination and positioning of the nose, lens, and ear III. Effects of reversing the anterior-posterior axis of the epidermis, neural plate, and neural fold. *J. Exp. Zool.* 154: 293–303.
- Jacobson, A. G. 1966. Inductive processes in embryonic development. *Science* 152: 25–34.
- Jiang, J. and 9 others. 2018. Interplay of the two ancient metabolites auxin and MEcPP regulates adaptive growth. *Nat. Commun.* 9: 2262.
- Johnson, R. L. and 10 others. 1996. Human homolog of *patched*, a candidate gene for the basal cell nevus syndrome. *Science* 272: 1668–1671.

- Johnson, R. L. and M. P. Scott. 1998. New players and puzzles in the Hedgehog signaling pathway. *Curr. Opin. Genet. Dev.* 8: 450–456.
- Just, E. E. 1939. *The Biology of the Cell Surface*. Blakiston, Philadelphia, PA.
- Kadokawa, Y., I. Fuketa, A. Nose, M. Takeichi and N. Nakatsuji. 1989. Expression of E- and P-cadherin in mouse embryos and uteri during the periimplantation period. *Dev. Growth Diff.* 31: 23–30.
- Kadowaki, T., E. Wilder, J. Klingensmith, K. Zachary and N. Perrimon. 1996. The segment polarity gene porcupine encodes a putative multitransmembrane protein involved in Wingless processing. *Genes Dev.* 10: 3116–3128.
- Kakugawa, S. and 11 others. 2015. Notum deacylates Wnt proteins to suppress signalling activity. *Nature* 519: 187–192.
- Kalluri, R. and R. A. Weinberg. 2009. The basics of epithelial-mesenchymal transition. *J. Clin. Invest.* 119: 1420–1428.
- Kane, D. A., K. N. McFarland and R. M. Warga. 2005. Mutations in half baked/E-cadherin block cell behaviors that are necessary for teleost epiboly. *Development* 132: 1105–1116.
- Kanei, M., G. Horiguchi and H. Tsukaya. 2012. Stable establishment of cotyledon identity during embryogenesis in *Arabidopsis* by ANGUSTIFOLIA3 and HANABA TARANU. *Development* 139: 2436–2446.
- Kasemeier-Kulesa, J. C., J. M. Teddy, L.-M. Postovit, E. A. Seftor, R. E. B. Seftor, M. J. C. Hendrix and P. M. Kulesa. 2008. Reprogramming multipotent tumor cells with the embryonic neural crest microenvironment. *Dev. Dyn.* 237: 2657–2666.
- Katz, W. S. and P. W. Sternberg. 1996. Intercellular signalling in *Caenorhabditis elegans* vulval pattern formation. *Semin. Cell Dev. Biol.* 7: 175–183.
- Katz, W. S., R. J. Hill, T. R. Clandenin and P. W. Sternberg. 1995. Different levels of the *C. elegans* growth factor LIN-3 promote distinct vulval precursor fates. *Cell* 82: 297–307.
- Keeler, R. F. and W. Binns. 1968. Teratogenic compounds of *Veratrum californicum* (Durand). V. Comparison of cyclopic effects of steroidal alkaloids from the plant and structurally related compounds from other sources. *Teratology* 1: 5–10.

- Kelley, R. L., E. Roessler, R. C. Hennekam, G. L. Feldman, K. Kosaki, M. C. Jones, J. C. Palumbos and M. Muenke. 1996. Holoprosencephaly in RSH/Smith-Lemli-Opitz syndrome: Does abnormal cholesterol metabolism affect the function of Sonic hedgehog? *Am. J. Med. Genet.* 66: 478–484.
- Kimble, J. 1981. Alterations in cell lineage following laser ablation of cells in the somatic gonad of *Caenorhabditis elegans*. *Dev. Biol.* 87: 286–300.
- Kirn-Safran, C. B., R. R. Gomes, A. J. Brown and D. D. Carson. 2004. Heparan sulfate proteoglycans: Coordinators of multiple signaling pathways during chondrogenesis. *Birth Def. Res.* 72C: 69–88.
- Knudsen, K., A. F. Horwitz and C. Buck. 1985. A monoclonal antibody identifies a glycoprotein complex involved in cell-substratum adhesion. *Exp. Cell Res.* 157: 218–226.
- Kopan, R. 2002. Notch: A membrane-bound transcription factor. *J. Cell Sci.* 115: 1095–1097.
- Krens, S. F. and C.-P. Heisenberg. 2011. Cell sorting in development. *Curr. Top. Dev. Biol.* 95: 189–213.
- Lappi, D. A. 1995. Tumor targeting through fibroblast growth factor receptors. *Semin. Cancer Biol.* 6: 279–288.
- Lecourtois, M. and F. Schweisguth. 1998. Indirect evidence for Delta-dependent intercellular processing of Notch in *Drosophila* embryos. *Curr. Biol.* 8: 771–774.
- Legeai-Mallet, L., C. Benoist-Lasselin, A. Munnich and J. Bonaventure. 2004. Overexpression of FGFR3, Stat1, Stat5 and p21Cip1 correlates with phenotypic severity and defective chondrocyte differentiation in FGFR3-related chondrodysplasias. *Bone* 34: 26–36.
- Leszczyniecka, M., T. Roberts, P. Dent, S. Grant and P. B. Fisher. 2001. Differentiation therapy of human cancer: Basic science and clinical applications. *Pharmacol. Ther.* 90: 105–156.
- Li, Y., H. Zhang, Y. Litington and C. Chiang. 2006. Cholesterol modification restricts the spread of Shh gradient in the limb bud. *Proc. Natl. Acad. Sci. USA* 103: 6548–6553.

- Lin, S., L. M. Baye, T. A. Westfall and D. C. Slusarski. 2010. Wnt5b-Ryk pathway provides directional signals to regulate gastrulation movement. *J. Cell Biol.* 190: 263–278.
- Linask, K. L. and J. W. Lash. 1988. A role for fibronectin in the migration of avian precardiac cells. I. Dose-dependent effects of fibronectin antibody. *Dev. Biol.* 129: 315–323.
- Liu, C., Z. Xu and N. H. Chua. 1993. Auxin polar transport is essential for the establishment of bilateral symmetry during early plant embryogenesis. *Plant Cell* 6: 621–630.
[PubMed Link](#)
- Logan, C. and R. Nusse. 2004. The Wnt signaling pathway in development and disease. *Annu. Rev. Cell Dev. Biol.* 20: 781–810.
- Lu, T. Y., B. Lin, J. Kim, M. Sullivan, K. Tobita, G. Salama and L. Yang. 2013. Repopulation of decellularized mouse heart with human induced pluripotent stem cell-derived cardiovascular progenitor cells. *Nat. Commun.* 4: 2307.
- Lum, L. and P. A. Beachy. 2004. The hedgehog response network: Sensors, switches, and routers. *Science* 304: 1755–1759.
- Luna, E. J. and A. L. Hitt. 1992. Cytoskeleton-plasma membrane interactions. *Science* 258: 955–964.
- Luz, M., S. Spannli-Müller, G. Özhan, B. Kagermeier-Schenk, M. Rhinn, G. Weidinger and M. Brand. 2014. Dynamic association with donor cell filopodia and lipid-modification are essential features of Wnt8a during patterning of the zebrafish neuroectoderm. *PLOS ONE* 9: e84922.
- Lyu, J., V. Yamamoto and W. Lu. 2008. Cleavage of the Wnt receptor Ryk regulates neuronal differentiation during cortical neurogenesis. *Dev. Cell* 15: 773–780.
- MacDonald, B. T., K. Tamai and X. He. 2009. Wnt/b-catenin signaling: Components, mechanisms, and diseases. *Dev. Cell* 17: 9–26.
- Maddala, R., L. W. Reneker, B. Pendurthi and P. V. Rao. 2008. Rho GDP dissociation inhibitor-mediated disruption of Rho GTPase activity impairs lens fiber cell migration, elongation and survival. *Dev. Biol.* 315: 217–231.

- Maffini, M. V., A. M. Soto, J. M. Calabro, A. A. Ucci and C. Sonnenschein. 2004. The stroma as a crucial target in mammary gland carcinogenesis. *J. Cell Sci.* 117: 1495–1502.
- Martins-Green, M. and M. J. Bissell. 1995. Cell-ECM interactions in development. *Semin. Dev. Biol.* 6: 149–159.
- McEwen, D. G. and M. Peifer. 2001. Wnt signaling: The naked truth? *Curr. Biol.* 11:R524–R526.
- McGough, I. J. and 9 others. 2020. Glypicans shield the Wnt lipid moiety to enable signalling at a distance. *Nature* 585: 85–90.
- McMahon, A. P., P. W. Ingham and C. J. Tabin. 2003. Developmental roles and clinical significance of hedgehog signaling. *Curr. Top. Dev. Biol.* 53: 1–114.
- Michino, K., K. Boras-Granic, P. Mill, C. C. Hui and P. A. Hamel. 2003. Shh expression is required for embryonic hair follicle but not mammary gland development. *Dev. Biol.* 264: 153–165.
- Milenkovic, L., M. P. Scott and R. Rohatgi. 2009. Lateral transport of Smoothened from the plasma membrane of the cilium. *J. Cell Biol.* 187: 365–374.
- Molina, M. D., N. de Crozé, E. Haillet and T. Lepage. 2013. Nodal: Master and commander of the dorsal-ventral and left-right axes in the sea urchin embryo. *Curr. Opin. Genet. Dev.* 23: 445–453.
- Möller, B. and D. Weijer. 2009. Auxin control of embryo patterning. *Cold Spring Harb. Perspect. Biol.* Nov; 1(5): a001545.
- Morris, A. R., J. Drawbridge and M. S. Steinberg. 2003. Axolotl pronephric duct migration requires an epidermally derived, laminin 1-containing extracellular matrix and the integrin receptor $\alpha 6 \beta 1$. *Development* 130: 5601–5608.
- Moscona, A. A. 1974. Surface specification of embryonic cells: Lectin receptors, cell recognition, and specific cell ligands. In A. Monroy (ed.), *The Cell Surface in Development*. Wiley, New York, 67–99.
- Mukhopadhyay, S. and R. Rohatgi. 2014. G-protein-coupled receptors, Hedgehog signaling, and primary cilia. *Semin. Cell Dev. Biol.* 33: 63–72.

- Müller, P. and A. F. Schier. 2011. Extracellular movement of signaling molecules. *Dev. Cell* 21: 145–158.
- Nachury, M. V. 2014. How do cilia organize signalling cascades? *Philos. Trans. R. Soc. London* 369B: 20130465.
- Nahmad, M. and A. D. Lander. 2011. Spatiotemporal mechanisms of morphogen gradient interpretation. *Curr. Opin. Genet. Dev.* 21: 726–731.
- Nakayama, T. and 10 others. 2015. *Xenopus Pax6* mutants affect eye development and other organ systems, and have phenotypic similarities to human aniridia patients. *Dev. Biol.* 408: 328–344.
- Newman, S. A. and R. Bhat. 2008. Dynamical patterning modules: Physico-genetic determinants of morphological development and evolution. *Phys. Biol.* 5: 015008.
- Niehrs, C. 2006. Function and biological roles of the Dickkopf family of Wnt modulators. *Oncogene* 25: 7469–7481.
- Niehrs, C. 2012. The complex world of Wnt receptor signalling. *Nat. Rev. Mol. Cell Biol.* 13: 767–779.
- Nose, A. and M. Takeichi. 1986. A novel cadherin adhesion molecule: Its expression patterns associated with implantation and organogenesis of mouse embryos. *J. Cell Biol.* 103: 2649–2658.
- Nusse, R. 2012. Wnt signaling. *Cold Spring Harb. Perspect. Biol.* 4: a011163.
- Nusse, R. and H. Varmus. 2012. Three decades of Wnts: A personal perspective on how a scientific field developed. *EMBO J.* 31: 2670–2684.
- Nüsslein-Volhard, C. and E. Wieschaus. 1980. Mutations affecting segment number and polarity in *Drosophila*. *Nature* 287: 795–801.
- Ogino, H. and K. Yasuda. 1998. Induction of lens differentiation by activation of a bZIP transcription factor, l-maf. *Science* 280: 115–118.

- Ogino, H., H. Ochi, H. M. Reza and K. Yasuda. 2012. Transcription factors involved in lens development from the preplacodal ectoderm. *Dev. Biol.* 363: 333–347.
- Ohkawara, B., S. Iemura, P. ten Dijke and N. Ueno. 2002. Action range of BMP is defined by its N-terminal basic amino acid core. *Curr. Biol.* 12: 205–209.
- Opitz, J. M. and L. V. Furtado. 2012. The RSH/“Smith-Lemli-Opitz” syndrome: Historical footnote. *Am. J. Med. Genet.* 160C: 242–249.
- Ott, H. C., T. S. Matthiesen, S. K. Goh, L. D. Black, S. M. Kren, T. I. Netoff and D. A. Taylor. 2008. Perfusion-decellularized matrix: Using nature’s platform to engineer a bioartificial heart. *Nat. Med.* 14: 213–221.
- Perrimon, N., L. Engstrom and A. P. Mahowald. 1989. Zygotic lethals with specific maternal effect phenotypes in *Drosophila melanogaster*. I. Loci on the X chromosome. *Genetics* 121: 333–352.
- Postovit, L. M. and 8 others. 2008. Human embryonic stem cell microenvironment suppresses the tumorigenic phenotype of aggressive cancer cells. *Proc. Natl. Acad. Sci. USA* 105: 4329–4334.
- Pour, M. and 8 others. 2021. Emergence and patterning dynamics of mouse-definitive endoderm. *iScience* 25(1): 103556
- Quiring, R., U. Walldorf, U. Kloter and W. J. Gehring. 1994. Homology of the *eyeless* gene of *Drosophila* to the *Small eye* gene in mice and *Aniridia* in humans. *Science* 265: 785–789.
- Riddle, R. D., R. L. Johnson, E. Laufer and C. Tabin. 1993. Sonic hedgehog mediates the polarizing activity of the ZPA. *Cell* 75: 1401–1416.
- Ritvos, O., T. Tuuri, M. Erämaa, K. Sainio, K. Hildén, L. Saxén and S. F. Gilbert. 1995. Activin disrupts epithelial branching morphogenesis in developing murine kidney, pancreas, and salivary gland. *Mech. Dev.* 50: 229–245.
- Robert, H. S. and 7 others. 2013. Local auxin sources orient the apical-basal axis in *Arabidopsis* embryos. *Curr. Biol.* 23: 2506–2512.

- Robert, H. S., L. Crhak Khaitova, S. Mroue and E. Benková. 2015. The importance of localized auxin production for morphogenesis of reproductive organs and embryos in *Arabidopsis*. *J Exp. Bot.* 66: 5029–5042.
- Roosjen, M., S. Paque and D. Weijers. 2018. Auxin response factors: Output control in auxin biology. *J Exp Bot* 69: 179–188.
- Rousseau, F., J. Bonaventure, L. Legeai-Mallet, A. Pelet, J. M. Rozet, P. Maroteaux, M. Le Merrer and A. Munnich. 1994. Mutations in the gene encoding fibroblast growth factor receptor-3 in achondroplasia. *Nature* 371: 252–254.
- Roy, S. and T. B. Kornberg. 2015. Paracrine signaling mediated at cell-cell contacts. *BioEssays* 37: 25–33.
- Roy, S., F. Hsiung and T. B. Kornberg. 2011. Specificity of *Drosophila* cytonemes for distinct signaling pathways. *Science* 332: 354–358.
- Roy, S., H. Huang, S. Liu and T. B. Kornberg. 2014. Cytoneme-mediated contact-dependent transport of the *Drosophila* decapentaplegic signaling protein. *Science* 343: 12244624.
- Ruoslahti, E. and M. D. Pierschbacher. 1987. New perspectives in cell adhesion: RGD and integrins. *Science* 238: 491–497.
- Saha, M. S., C. L. Spann and R. M. Grainger. 1989. Embryonic lens induction: More than meets the optic vesicle. *Cell Diff. Dev.* 28: 153–172.
- Saito-Diaz, K., T. W. Chen, X. Wang, C. A. Thorne, H. A. Wallace, A. Page-McCaw and E Lee. 2013. The way Wnt works: Components and mechanism. *Growth Factors* 31: 1–31.
- Sanders, T. A., E. Llagostera and M. Barna. 2013. Specialized filopodia direct long-range transport of SHH during vertebrate tissue patterning. *Nature* 497: 628–632.
- Sano, K., H. Tanihara, R. L. Heimark, S. Obata, M. Davidson, T. St John, S. Taketani and S. Suzuki. 1993. Protocadherins: A family of cadherin-related molecules in central nervous system. *EMBO J.* 12: 2249–2256.

- Saxén, L., E. Lehtonen, M. Karkinen-Jääskeläinen, S. Nordling and J. Wartiovaara. 1976. Are morphogenetic tissue interactions mediated by transmissible signal substances or through cell contacts. *Nature* 259: 662–663.
- Schroeder, E. H., J. A. Kisslinger and R. Kopan. 1998. Notch-1 signalling requires ligand-induced proteolytic release of intracellular domain. *Nature* 393: 382–386.
- Schroeter, E. H., J. A. Kisslinger and R. Kopan. 1998. Notch-1 signalling requires ligand-induced proteolytic release of intracellular domain. *Nature* 393: 382–386.
- Schwank, G., S. Dalessi, S. F. Yang, R. Yagi, A. M. de Lachapelle, M. Affolter, S. Bergmann and K. Basler. 2011. Formation of the long range Dpp morphogen gradient. *PLOS Biol.* 9: e1001111.
- Sepich, D. S., M. Usmani, S. Pawlicki and L. Solnica-Krezel. 2011. Wnt/PCP signaling controls intracellular position of MTOCs during gastrulation convergence and extension movements. *Development* 138: 543–552.
- Seydoux, G. and I. Greenwald. 1989. Cell autonomy of *lin-12* function in a cell fate decision in *C. elegans*. *Cell* 57: 1237–1246.
- Sharma, R. P. 1973. *Wingless*: A new mutant in *Drosophila melanogaster*. *Dros. Inf. Serv.* 50: 134.
- Shi, Y. and J. Massagué. 2003. Mechanisms of TGF- β signaling from cell membrane to the nucleus. *Cell* 113: 685–700.
- Shiang, R., L. M. Thompson, Y. Z. Zhu, D. M. Church, T. J. Fielder, M. Bocian, S. T. Winokur and J. J. Wasmuth. 1994. Mutations in the transmembrane domain of FGFR3 cause the most common genetic form of dwarfism, achondroplasia. *Cell* 78: 335–342.
- Shulman, J. M., N. Perrimon and J. D. Axelrod. 1998. *Frizzled* signaling and the developmental control of cell polarity. *Trends Genet.* 14: 452–458.
- Slavkin, H. C. and P. Bringas, Jr. 1976. Epithelial-mesenchymal interactions during odontogenesis. IV. Morphological evidence for direct heterotypic cell-cell contacts. *Dev. Biol.* 50: 428–442.

- Sleepman, J. P. and J. P. Theiry. 2011. Snapshot: The epithelial-mesenchymal transition. *Cell* 145: 162.
- Sloan, T. F., M. A. Qasaimeh, D. Juncker, P. T. Yam and F. Charron. 2015. Integration of shallow gradients of Shh and Netrin-1 guides commissural axons. *PLOS Biol.* 13: e1002119.
- Smit, M. E. and D. Weijers. 2015. The role of auxin signaling in early embryo pattern formation. *Curr. Opin. Plant Biol.* 28: 99–105.
- Solis, G. P., A. M. Luchtenborg and V. L. Katanaev. 2013. Wnt secretion and gradient formation. *Int. J. Mol. Sci.* 14: 5130–5145.
- Sonnenschein, C. and A. M. Soto. 1998. *The Society of Cells: Cancer and the Control of Cell Proliferation*. Bios Publishers, Oxford.
- Stanganello, E., A. I. Hagemann, B. Mattes, C. Sinner, D. Meyen, S. Weber, A. Schug, E. Raz and S. Scholpp. 2015. Filopodia-based Wnt transport during vertebrate tissue patterning. *Nat. Commun.* 6: 5846.
- Stapornwongkul, K. S. and J.-P. Vincent. 2021. Generation of extracellular morphogen gradients: The case for diffusion. *Nat. Rev. Genet.* 22: 393–411.
- Steinberg, M. S. 1970. Does differential adhesion govern self-assembly processes in histogenesis? Equilibrium configurations and the emergence of a hierarchy among populations of embryonic cells. *J. Exp. Zool.* 173: 395–434.
- Steinberg, M. S. and M. Takeichi. 1994. Experimental specification of cell sorting, tissue spreading and specific spatial patterning by quantitative differences in cadherin expression. *Proc. Natl. Acad. Sci. USA* 91: 206–209.
- Struhl, G. and A. Adachi. 1998. Nuclear access and action of Notch in vivo. *Cell* 93: 382–386.
- Su, W.-C. S., M. Kitagawa, N. Xue, B. Xie, S. Garofalo, J. Cho, C. Deng, W. A. Horton and X. Y. Fu. 1997. Activation of Stat1 by mutant fibroblast growth factor receptor in thanatophoric dysplasia type II dwarfism. *Nature* 386: 288–292.

- Su, Y. H. 2014. Telling left from right: Left-right asymmetric controls in sea urchins. *Genesis* 52: 269–278.
- Takeichi, M. 1987. Cadherins: A molecular family essential for selective cell-cell adhesion and animal morphogenesis. *Trends Genet.* 3: 213–217.
- Takeichi, M. 1991. Cadherin cell adhesion receptors as a morphogenetic regulator. *Science* 251: 1451–1455.
- Takeichi, M., H. S. Ozaka, K. Tokunaga and T. S. Okada. 1979. Experimental manipulation of cell surface to affect cellular recognition mechanisms. *Dev. Biol.* 70: 195–205.
- Tamkun, J. W., D. W. DeSimone, D. Fonda, R. S. Patel, C. Buck, A. F. Horwitz and R. O. Hynes. 1986. Structure of integrin, a glycoprotein involved in transmembrane linkage between fibronectin and actin. *Cell* 46: 271–282.
- Tang, X., Y. Wu, T. Y. Belenkaya, Q. Huang, L. Ray, J. Qu and X. Lin. 2012. Roles of N-glycosylation and lipidation in Wg secretion and signaling. *Dev. Biol.* 364: 32–41.
- ten Hove, C. A., K. J. Lu and D. Weijers. 2015. Building a plant: Cell fate specification in the early *Arabidopsis* embryo. *Development* 142: 420–430.
- Thimann, K. V. and J. B. Koep. 1935. Identity of the growth-promoting and root-forming substances of plants. *Nature* 135: 101.
- Thrasivoulou, C., M. Millar and A. Ahmed. 2013. Activation of intracellular calcium by multiple Wnt ligands and translocation of β -catenin into the nucleus: A convergent model of Wnt/ Ca^{2+} and Wnt/ β -catenin pathways. *J. Biol. Chem.* 288: 35651–35659.
- Ting-Berreth, S. A. and C.-M. Chuong. 1996. Local delivery of TGF β 2 can substitute for placode epithelium to induce mesenchymal condensation during skin morphogenesis. *Dev. Biol.* 179: 347–359.
- Topol, L., X. Jiang, H. Choi, L. Garrett-Beal, P. J. Carolan and Y. Yang. 2003. Wnt-5a inhibits the canonical Wnt pathway by promoting GSK-3-independent β -catenin degradation. *J. Cell Biol.* 162: 899–908.

- Townes, P. L. and J. Holtfreter. 1955. Directed movements and selective adhesion of embryonic amphibian cells. *J. Exp. Zool.* 128: 53–120.
- van Amerongen, R. and R. Nusse. 2009. Towards an integrated view of Wnt signaling in development. *Development* 136: 3205–3214.
- van den Heuvel, M., C. Harryman-Samos, J. Klingensmith, N. Perrimon and R. Nusse. 1993. Mutations in the segment polarity genes *wingless* and *porcupine* impair secretion of the wingless protein. *EMBO J.* 12: 5293–5302.
- Vogel-Höpkner, A., T. Momose, H. Rohrer, K. Yasua, L. Ishihara and D. H. Rappaport. 2000. Multiple functions of fibroblast growth factor-8 (FGF-8) in chick eye development. *Mech. Dev.* 94: 25–36.
- Waddington, C. H. 1940. *Organisers and Genes*. Cambridge University Press, Cambridge.
- Wagner, E. F. 2016. Fibroblasts for all seasons. *Nature* 530: 42–43.
- Walker, J. L., L. Zhang and A. S. Menko. 2002. A signaling role for the uncleaved form of alpha 6 integrin in differentiating lens fiber cells. *Dev. Biol.* 251: 195–205.
- Wallberg, A. E., K. Pedersen, U. Lendahl and R. G. Roeder. 2002. p300 and PCAF act cooperatively to mediate transcriptional activation from chromatin templates by notch intracellular domains in vitro. *Mol. Cell. Biol.* 22: 7812–7819.
- Wang, S., A. D. Sdrulla, G. diSibio, G. Bush, D. Nofziger, C. Hicks, G. Weinmaster and B. A. Barres. 1998. Notch receptor activation inhibits oligodendrocyte differentiation. *Neuron* 21: 63–76.
- Wang, Y., Z. Zhou, C. T. Walsh and A. P. McMahon. 2009. Selective translocation of intracellular Smoothened to the primary cilium in response to Hedgehog pathway modulation. *Proc. Natl. Acad. Sci. USA* 106: 2623–2628.
- Webster, M. K. and D. J. Donoghue. 1996. Constitutive activation of fibroblast growth factor receptor 3 by the transmembrane domain point mutation found in achondroplasia. *EMBO J.* 15: 520–527.

- Weijers, D. and D. Wagner. 2016. Transcriptional responses to the auxin hormone. *Annu. Rev. Plant Biol.* 67: 539–574.
- Weijers, D. and J. Friml. 2009. SnapShot: Auxin signaling and transport. *Cell* 136: 1172.
- Westfall, T. A., R. Brimeyr J. Twedt, J. Gladon, A. Olberding, M. Furutani-Seiki and D. C. Slusarski. 2003. Wnt-5/pipetail functions in vertebrate axis formation as a negative regulator of Wnt/beta-catenin activity. *J. Cell Biol.* 162: 889–898.
- Wilkinson, H. A., K. Fitzgerald and I. Greenwald. 1994. Reciprocal changes in expression of the receptor lin-12 and its ligand lag-2 prior to commitment in a *C. elegans* cell fate decision. *Cell* 79: 1187–1198.
- Winter, C. G., B. Wang, A. Ballew, A. Royou, R. Karess, J. D. Axelrod and L. Luo. 2001. *Drosophila* Rho-associated kinase (Drok) links Frizzled-mediated planar cell polarity signaling to the actin cytoskeleton. *Cell* 105: 81–91.
- Witte, F., O. Bernatik, K. Kirchner, J. Masek, A. Mahl, P. Krejci, S. Mundlos, A. Schambony, V. Bryja and S. Stricker. 2010. Negative regulation of Wnt signaling mediated by CK1-phosphorylated Dishevelled via Ror2. *FASEB J.* 24: 2417–2426.
- Wolpert, L. 1969. Positional information and the spatial pattern of cellular differentiation. *J. Theoret. Biol.* 25: 1–47.
- Wolpert, L. 2011. Positional information and patterning revisited. *J. Theoret. Biol.* 269 : 359–365.
- Xu, T., W. Wang, S. Zhang, R. A. Stewart and W. Yu. 1995. Identifying tumor suppressors in genetic mosaics: The *Drosophila lats* gene encodes a putative protein kinase. *Development* 121: 1053–1063.
- Yam, P. T., S. D. Langlois, S. Morin and F. Charron. 2009. Sonic hedgehog guides axons through a noncanonical, Src-family-kinase-dependent signaling pathway. *Neuron* 62: 349–362.
- Yan, D. and X. Lin, 2009. Shaping morphogen gradients by proteoglycans. *Cold Spring Harb. Perspect. Biol.* 1: a002493.

- Yang, E. V., L. Wang and R. A. Tassava. 2005. Effects of exogenous FGF-1 treatment on regeneration of the lens and the neural retina in the newt, *Notophthalmus viridescens*. *J. Exp. Zool.* 303A: 837–844.
- Yao, E. and P. T. Chuang. 2015. Hedgehog signaling: From basic research to clinical applications. *J. Formos. Med. Assoc.* 114: 569–576.
- Yu, S. R., M. Burkhardt, M. Nowak, J. Ries, Z. Petrásek, S. Scholpp, P. Schwille and M. Brand. 2009. Fgf8 morphogen gradient forms by a source-sink mechanism with freely diffusing molecules. *Nature* 461: 533–536.
- Zygar, C. A., T. L. Cook, Jr. and R. M. Grainger. 1998. Gene activation during early stages of lens induction in *Xenopus*. *Development* 125: 3509–3519.