

Developmental Biology 13e, Chapter 18 Literature Cited

Adams, D. 1980. *The Restaurant at the End of the Universe*. Crown Publishers, New York.

Aguirre, A., M. E. Rubio and V. Gallo. 2010. Notch and EGFR pathway interaction regulates neural stem cell number and self-renewal. *Nature* 467: 323–327.

Ahn, Y. 2015. Signaling in tooth, hair, and mammary placodes. *Curr. Top. Dev. Biol.* 111: 421–452.

Ahn, Y., C. Sims, J. M. Logue, S. D. Weatherbee and R. Krumlauf. 2013. Lrp4 and wise interplay controls the formation and patterning of mammary and other skin appendage placodes by modulating Wnt signaling. *Development* 140: 583–593.

Ahtiainen, L. and 7 others. 2014. Directional cell migration, but not proliferation, drives hair placode morphogenesis. *Dev. Cell* 28: 588–602.

Alié, A. and 7 others. 2018. Developmental evolution of the forebrain in cavefish, from natural variations in neuropeptides to behavior. *eLife* 7: e32808.

An, Z., M. Sabalic, R. F. Bloomquist, T. E. Fowler, T. Streelman and P. T Sharpe. 2018. A quiescent cell population replenishes mesenchymal stem cells to drive accelerated growth in mouse incisors. *Nat. Comm.* 9: 378.

Bailey, A. P., S. Bhattacharyya, M. Bronner-Fraser and A. Streit. 2006. Lens specification is the ground state of all sensory placodes, from which FGF promotes olfactory identity. *Dev. Cell* 11: 505–516.

Bailey, T. J., H. El-Hodiri, L. Zhang, R. Shah, P. H. Mathers and M. Jamrich. 2004. Regulation of vertebrate eye development by *Rx* genes. *Int. J. Dev. Biol.* 48: 761–770.

Baker, C. V. and M. Bronner-Fraser. 2001. Vertebrate cranial placodes. I. Embryonic induction. *Dev. Biol.* 232: 1–61.

Baker, C. V., M. Bronner-Fraser, N. M. Le Douarin and M. A. Teillet. 1997. Early- and late-migrating cranial neural crest cell populations have equivalent developmental potential in vivo.

Development 124: 3077–3087.

Bakkers, J., M. Hild, C. Kramer, M. Furutani-Seiki and M. Hammerschmidt. 2002. Zebrafish *DeltaNp63* is a direct target of BMP signaling and encodes a transcriptional repressor blocking neural specification in the ventral ectoderm. *Dev. Cell* 2: 617–627.

Balinsky, B. I. 1952. On the developmental processes in mammary glands and other epidermal structures. *Trans. R. Soc. Edinb.* 62: 1–31.

Basch, M. L., R. M. Brown II, H. I. Jen and A. K. Groves. 2016. Where hearing starts: the development of the mammalian cochlea. *J. Anat.* 228: 233–254.

Bazin-Lopez, N., L. E. Valdivia, S. W. Wilson and G. Gestri. 2015. Watching eyes take shape. *Curr. Opin. Genet. Dev.* 32: 73–79.

Beazley, K. E., J. P. Canner and T. F. Linsenmayer. 2009. Developmental regulation of the nuclear ferritoid-ferritin complex of avian corneal epithelial cells: roles of systemic factors and thyroxine. *Exp. Eye Res.* 89: 854–862.

Begbie, J. and A. Graham. 2001. Integration between the epibranchial placodes and the hindbrain. *Science* 294: 595–598.

Bhattacharyya, S. and M. Bronner-Fraser. 2004. Hierarchy of regulatory events in sensory placode development. *Curr. Opin. Genet. Dev.* 14: 520–526.

Bhattacharyya, S., A. P. Baily, M. Bronner-Fraser and A. Streit. 2004. Segregation of lens and olfactory precursors from a common territory: Cell sorting and reciprocity of *Dlx5* and *Pax6* expression. *Dev. Biol.* 271: 403–414.

Biggs, L. C. and M. L. Mikkola. 2014. Early inductive events in ectodermal appendage morphogenesis. *Semin. Cell Dev. Biol.* 26: 11–21.

Blanpain, C. and E. Fuchs. 2009. Epidermal homeostasis: A balancing act of stem cells in the skin. *Nat. Rev. Mol. Cell Biol.* 10: 207–217.

Bok, J., S. Raft, K. A. Kong, S. K. Koo, U. C. Dräger and D. K. Wu. 2011. Transient retinoic acid signaling confers anterior-posterior polarity to the inner ear. *Proc. Natl. Acad. Sci. USA* 108:

161–166.

Breau, M. A. and S. Schneider-Maunoury. 2014. Mechanisms of cranial placode assembly. *Int. J. Dev. Biol.* 58: 9–19.

Brown, A. S. and D. J. Epstein. 2011. Otic ablation of smoothened reveals direct and indirect requirements for hedgehog signaling in inner ear development. *Development* 138: 3967–3976.

Brown, A. S., S. M. Rakowiecki, J. Y. Li and D. J. Epstein. 2015. The cochlear sensory epithelium derives from Wnt responsive cells in the dorsomedial otic cup. *Dev. Biol.* 399: 177–187.

Brown, K. E., P. J. Keller, M. Ramialison, M. Rembold, E. H. Stelzer, F. Loosli and J. Wittbrodt. 2010. Nlcam modulates midline convergence during anterior neural plate morphogenesis. *Dev. Biol.* 339: 14–25.

Brugmann, S. A., P. D. Pandur, K. L. Kenyon, F. Pignoni and S. A. Moody. 2004. Six1 promotes a placodal fate within the lateral neurogenic ectoderm by functioning as both a transcriptional activator and repressor. *Development* 131: 5871–5881.

Burmeister, M. and 13 others. 1996. Ocular retardation mouse caused by Chx10 homeobox null allele: Impaired retinal progenitor proliferation and bipolar cell differentiation. *Nat. Genet.* 12: 376–384.

Chauhan, B. K., M. Lou, Y. Zheng and R. A. Lang. 2011. Balanced Rac1 and RhoA activities regulate cell shape and drive invagination morphogenesis in epithelia. *Proc. Natl. Acad. Sci. USA* 108: 18289–18294.

Chen, C. C. and 7 others. 2014. Regenerative hair waves in aging mice and extra-follicular modulators follistatin, dkk1, and sfrp4. *J. Invest. Dermatol.* 134: 2086–2096.

Chen, J. and 6 others. 2017. A systems-level approach reveals new gene regulatory modules in the developing ear. *Development* 144: 1531–1543.

Chen, P. and N. Segil. 1999. p27(Kip1) links cell proliferation to morphogenesis in the developing organ of Corti. *Development* 126: 1581–1590.

Chiang, C., Y. and 6 others. 1996. Cyclopia and axial patterning in mice lacking *sonic hedgehog* gene function. *Nature* 383: 407–413.

Chuahan, B. K. and 8 others. 2009. Cdc42- and IRSp53-dependent contractile filopodia tether presumptive lens and retina to coordinate epithelial invagination. *Development* 136: 3657–3667.

Clevers, H. 2015. What is an adult stem cell? *Science* 350: 1319–1320.

Cooper, M. K., J. A. Porter, K. E. Young and P. A. Beachy. 1998. Teratogen-mediated inhibition of target tissue response to hedgehog signaling. *Science* 280: 1603–1607.

Cotsarelis, G., S. Z. Cheng, G. Dong, T. T. Sun and R. M. Lavker. 1989. Existence of slow-cycling limbal epithelial basal cells that can be preferentially stimulated to proliferate: Implications on epithelial stem cells. *Cell* 57: 201–209.

Cotsarelis, G., T.-T. Sun and R. M. Lavker. 1990. Label-retaining cells reside in the bulge area of pilosebaceous unit: Implications for follicular stem cells, hair cycle and skin carcinogenesis. *Cell* 61: 1329–1337.

Daudet, N. and J. Lewis. 2005. Two contrasting roles for Notch activity in chick inner ear development: Specification of prosensory patches and lateral inhibition of hair-cell differentiation. *Development* 132: 541–551.

Daudet, N., R. Gibson, J. Shang, A. Bernard, J. Lewis and J. Stone. 2009. Notch regulation of progenitor cell behavior in quiescent and regenerating auditory epithelium of mature birds. *Dev. Biol.* 326: 86–100.

Donner, A. L., S. A. Lachke and R. L. Maas. 2006. Lens induction in vertebrates: Variations on a conserved theme of signaling events. *Semin. Cell Dev. Biol.* 17: 676–685.

Dörnberger, H., B. Heuberger, P. Schwartz, G. Wasner and K. Kratochwil. 1978. Mesenchyme-mediated effect of testosterone on embryonic mammary epithelium. *Cancer Res.* 38: 4066–4070.

Dutta, S. and 6 others. 2005. *pitx3* defines an equivalence domain for lens and anterior pituitary placode. *Development* 132: 1579–1590.

Eddison, M., I. Le Roux and J. Lewis. 2000. Notch signaling in the development of the inner ear: Lessons from *Drosophila*. *Proc. Natl. Acad. Sci. USA* 97: 11692–11699.

Eiraku, M. and 8 others. 2011. Self-organizing optic-cup morphogenesis in three-dimensional culture. *Nature* 472: 51–56.

Ezratty, E. J., N. Stokes, S. Chai, A. S. Shah, S. E. Williams and E. Fuchs. 2011. A role for the primary cilium in Notch signaling and epidermal differentiation during skin development. *Cell* 145: 1129–1141.

Faber, S. C., M. L. Robinson, H. P. Makarenkova and R. A. Lang. 2002. BMP signaling is required for development of primary lens fiber cells. *Development* 129: 3727–3737.

Freter, S., S. J. Fleenor, R. Freter, K. J. Liu and J. Begbie. 2013. Cranial neural crest cells form corridors prefiguring sensory neuroblast migration. *Development* 140: 3595–3600.

Fuchs, E. and V. Horsley. 2008. More than one way to skin... *Genes Dev.* 22: 976–985.

Fuhrmann, S. 2010. Eye morphogenesis and patterning of the optic vesicle. *Curr. Top. Dev. Biol.* 93: 61–84.

Furuta, Y. and B. L. Hogan. 1998. BMP4 is essential for lens induction in the mouse embryo. *Genes Dev.* 12: 3764–3775.

Gage, P. J., W. Rhoades, S. K. Prucka and T. Hjalt. 2005. Fate maps of neural crest and mesoderm in the mammalian eye. *Invest. Ophthalmol. Vis. Sci.* 46: 4200–4208.

Garza, L. A. and 10 others. 2011. Bald scalp in men with androgenetic alopecia retains hair follicle stem cells but lacks CD200-rich and CD34-positive hair follicle progenitor cells. *J. Clin. Invest.* 121: 613–622.

Garza, L. A. and 14 others. 2012. Prostaglandin D2 inhibits hair growth and is elevated in bald scalp of men with androgenetic alopecia. *Sci. Transl. Med.* 4: 126ra34.

Glaser, T., L. Jepeal, J. G. Edwards, S. R. Young, J. Favor and R. L. Maas. 1994. *PAX6* gene dosage effect in a family with congenital cataracts, aniridia, anophthalmia and central nervous

system defects. *Nat. Genet.* 7: 463–471.

Golding, J. P. and 6 others. 2004. Roles of *erbB4*, rhombomere-specific, and rhombomere-independent cues in maintaining neural crest-free zones in the embryonic head. *Dev. Biol.* 266: 361–372.

Graham, A., A. Blentic, S. Duque and J. Begbie. 2007. Delamination of cells from neurogenic placodes does not involve an epithelial-to-mesenchymal transition. *Development* 134: 4141–4145.

Grainger, R. M. 1992. Embryonic lens induction: Shedding light on vertebrate tissue determination. *Trends Genet.* 8: 349–356.

Groves, A. K. and C. LaBonne. 2014. Setting appropriate boundaries: Fate, patterning and competence at the neural plate border. *Dev. Biol.* 389: 2–12.

Halder, G., P. Callaerts and W. J. Gehring. 1995. Induction of ectopic eyes by targeted expression of the *eyeless* gene in *Drosophila*. *Science* 267: 1788–1792.

Hamburger, V. 1961. Experimental analysis of the dual origin of the trigeminal ganglion in the chick embryo. *J. Exp. Zool.* 148: 91–123.

Hemond, S. G. and D. K. Morest. 1991. Ganglion formation from the otic placode and the otic crest in the chick embryo: Mitosis, migration, and the basal lamina. *Anat. Embryol.* 184: 1–13.

Hilfer, S. R. and J.-J. W. Yang. 1980. Accumulation of CPC-precipitable material at apical cell surfaces during formation of the optic cup. *Anat. Rec.* 197: 423–433.

Hintze, M. and 6 others. 2017. Cell interactions, signals and transcriptional hierarchy governing placode progenitor induction. *Development* 144: 2810–2823.

Hogg, N. A. S., D. J. Harrison and C. Tickle. 1983. Lumen formation in the mammary gland. *J. Embryol. Exp. Morph.* 73: 39–57.

Hsu, Y. C. and E. Fuchs. 2012. A family business: Stem cell progeny join the niche to regulate homeostasis. *Nat. Rev. Mol. Cell Biol.* 13: 103–114.

Hsu, Y. C., H. A. Pasolli and E. Fuchs. 2011. Dynamics between stem cells, niche, and progeny in the hair follicle. *Cell* 144: 92–105.

Hsu, Y. C., L. Li and E. Fuchs. 2014. Emerging interactions between skin stem cells and their niches. *Nat. Med.* 20: 847–856.

Huh, S. H. 2013. Fgf20 governs formation of primary and secondary dermal condensations in developing hair follicles. *Genes Dev.* 27: 450–458.

Huh, S.-H., M. E. Warchol and D. M. Ornitz. 2015. Cochlear progenitor number is controlled through mesenchymal FGF receptor signaling. *eLife* 4: e05921.

Jacobson, A. G. 1963. The determination and positioning of the nose, lens, and ear III. Effects of reversing the anterior-posterior axis of the epidermis, neural plate, and neural fold. *J. Exp. Zool.* 154: 293–303.

Jacobson, A. G. 1966. Inductive processes in embryonic development. *Science* 152: 25–34.

Janesick, A., J. Shiotsugu, M. Taketani and B. Blumberg. 2012. RIPPLY3 is a retinoic acid-inducible repressor required for setting the borders of the pre-placodal ectoderm. *Development* 139: 1213–1224.

Järvinen, E., I. Salazar-Ciudad, W. Birchmeier, M. M. Taketo, J. Jernvall, and I. Thesleff. 2006. Continuous tooth generation in mouse is induced by activated epithelial Wnt/b-catenin signaling. *Proc. Natl. Acad. Sci. USA* 103: 18627–18632.

Jernvall, J., T. Aberg, P. Kettunen, S. Keränen and I. Thesleff. 1998. The life history of an embryonic signaling center: BMP-4 induces p21 and is associated with apoptosis in the mouse tooth enamel knot. *Development* 125: 161–169.

Johansson, J. A. and D. J. Headon. 2014. Regionalisation of the skin. *Semin. Cell Dev. Biol.* 26: 3–10.

Johnston, M. C., D. M. Noden, R. D. Hazelton, J. L. Coulombre and A. J. Coulombre. 1979. Origins of avian ocular and periocular tissues. *Exp. Eye Res.* 29: 27–43.

Johnstone, M. A. and D. M. Albert. 2002. Prostaglandin-induced hair growth. *Surv. Ophthalmol.* 47: S185–S202.

Jordan, T., I. Hanson, D. Zaletayev, S. Hodgson, J. Prosser, A. Seawright, N. Hastie and V. van Heyningen. 1992. The human *PAX6* gene is mutated in two patients with aniridia. *Nat. Genet.* 1: 328–332.

Jussila, M. and I. Thesleff. 2012. Signaling networks regulating tooth organogenesis and regeneration, and the specification of dental mesenchymal and epithelial cell lineage. *Cold Spring Harbor Persp. Biol.* 4: a008425.

Kanakubo, S., T. Nomura, K. Yamamura, J. Miyazaki, M. Tamai and N. Osumi. 2006. Abnormal migration and distribution of neural crest cells in Pax6 heterozygous mutant eye, a model for human eye diseases. *Genes Cells* 11: 919–933.

Kelley, R. I. and 7 others. 1996. Holoprosencephaly in RSH/Smith-Lemli-Opitz syndrome: Does abnormal cholesterol metabolism affect the function of *Sonic hedgehog*? *Am. J. Med. Genet.* 66: 478–484.

Kim, J. E. and 6 others. 2016. Interaction of Wnt5a with Notch1 is critical for the pathogenesis of psoriasis. *Ann. Dermatol.* 28: 45–54.

Kollar, E. J. 1970. The induction of hair follicles by embryonic dermal papillae. *J. Invest. Derm.* 55: 374–378.

Kollar, E. J. and G. R. Baird. 1970. Tissue interactions in embryonic mouse tooth germs II. The inductive role of the dental papilla. *J. Embryol. Exp. Morphol.* 24: 173–186.

Kondoh, H., M. Uchikawa and Y. Kamachi. 2004. Interplay of Pax6 and Sox2 in lens development as a paradigm of genetic switch mechanisms for cell differentiation. *Int. J. Dev. Biol.* 48: 819–827.

Kondoh, H., M. Uchikawa, H. Yoda, H. Takeda, M. Furutani-Seiki and R. O. Karlstrom. 2000. Zebrafish mutations in Gli-mediated hedgehog signaling lead to lens transdifferentiation from the adenohypophysis anlage. *Mech. Dev.* 96: 165–174.

Koontz, A., H. A. Urrutia and M. E. Bronner. 2022. Making a head: Neural crest and ectodermal placodes in cranial sensory development. *Semin. Cell Dev. Biol.* 138: 15–27.

Kozlowski, D. J., T. Murakami, R. K. Ho and E. S. Weinberg. 1997. Regional cell movement and tissue patterning in the zebrafish embryo revealed by fate mapping with caged fluorescein. *Biochem. Cell Biol.* 75: 551–562.

Kratochwil, K. 1985. Tissue combination and organ culture studies in the development of the embryonic mammary gland. *Dev. Biol.* 4: 315–333.

Kratochwil, K. and P. Schwartz. 1976. Tissue interaction in androgen response of embryonic mammary rudiment of mouse: Identification of target tissue for testosterone. *Proc. Natl. Acad. Sci. USA* 73: 4041–4044.

Ladher, R. K. 2017. Changing shape and shaping change: Inducing the inner ear. *Semin. Cell. Dev. Biol.* 65: 39–46.

Ladher, R. K., K. U. Anakwe, A. L. Gurney, G. C. Schoenwolf and P. H. Francis-West. 2000. Identification of synergistic signals initiating inner ear development. *Science* 290: 1965–1967.

Ladher, R. K., P. O'Neill and J. Begbie. 2010. From shared lineage to distinct functions: The development of the inner ear and epibranchial placodes. *Development* 137: 1777–1785.

Ladher, R. K., T. J. Wright, A.M. Moon, S. L. Mansour and G. C. Schoenwolf. 2005. FGF8 initiates inner ear induction in chick and mouse. *Genes Dev.* 19: 603–613.

Lay, K., T. Kume and E. Fuchs. 2016. FOXC1 maintains the hair follicle stem cell niche and governs stem cell quiescence to preserve long-term tissue-regenerating potential. *Proc. Natl. Acad. Sci. USA* 113: 201601569.

Lechler, T. and E. Fuchs. 2005. Asymmetric cell divisions promote stratification and differentiation of mammalian skin. *Nature* 437: 275–280.

Lee, Y. S., F. Liu and N. Segil. 2006. A morphogenetic wave of p27Kip1 transcription directs cell cycle exit during organ of Corti development. *Development* 133: 2817–2826.

Levy, V., C. Lindon, Y. Zheng, B. D. Harfe and B. A. Morgan. 2007. Epidermal stem cells arise from the hair follicle after wounding. *FASEB J.* 21: 1358–1366.

Lewis, W. H. 1904. Experimental studies on the development of the eye in amphibia. I. On the origin of the lens. *Rana palustris*. *Am. J. Anat.* 3: 505–536.

Lilleväli, K., T. Matilainen, A. Karis and M. Salminen. 2004. Partially overlapping expression of Gata2 and Gata3 during inner ear development. *Dev. Dyn.* 231: 775–781.

Lin, Z., R. Cantos, M. Patente and D. K. Wu. 2005. Gbx2 is required for the morphogenesis of the mouse inner ear: A downstream candidate of hindbrain signaling. *Development* 132: 2309–2318.

Litsiou, A., S. Hanson and A. Streit. 2005. A balance of FGF, BMP and WNT signaling positions the future placode territory in the head. *Development* 132: 4051–4062.

Liu, E. Y. and 14 others. 2008. Wnt/ β -catenin signaling directs multiple stages of tooth morphogenesis. *Dev. Biol.* 313: 210–224.

Liu, Z. and 6 others. 2022. Glucocorticoid signaling and regulatory T cells cooperate to maintain the hair-follicle stem-cell niche. *Nat. Immunol.* 23: 1086–1097.

Lleras-Forero, L., M. Tambalo, N. Christophorou, D. Chambers, C. Houart and A. Streit. 2013. Neuropeptides: Developmental signals in placode progenitor formation. *Dev. Cell* 26: 195–203.

Mack, J. A., S. Anand and E. V. Maytin. 2005. Proliferation and cornification during development of the mammalian epidermis. *Birth Def. Res. C Embryol. Today* 75: 314–329.

Magarinos, M., J. Contreras, M. R. Aburto and I. Varela-Nieto. 2012. Early development of the vertebrate inner ear. *Anat. Rec. Hob.* 295: 1775–1790.

Mailleux, A. A., B. Spencer-Dene, C. Dillon and S. Bellusci. 2002. Role of FGF10/FGFR2b signaling during mammary gland development in the mouse embryo. *Development* 129: 53–60.

Majo, F., A. Rochat, M. Nicolas, G. A. Jaoudé and Y. Barrandon. 2008. Oligopotent stem cells are distributed throughout the mammalian ocular surface. *Nature* 456: 250–254.

Mammoto, T. and 10 others. 2011. Mechanochemical control of mesenchymal condensation and embryonic tooth organ formation. *Dev. Cell* 21: 758–769.

Manley, G. A. 2012. Evolutionary paths to mammalian cochleae. *J. Assoc. Res. Otolaryngol.* 13: 733–743.

Manley, G. A. 2017. Comparative auditory neuroscience: Understanding the evolution and function of ears. *J. Assoc. Res. Otolaryngol.* 18: 1–24.

Mascreé, G. and 7 others. 2012. Distinct contribution of stem and progenitor cells to epidermal maintenance. *Nature* 489: 257–262.

Meier, S. and E. D. Hay. 1974. Control of corneal differentiation by extracellular materials: Collagen as a promoter and stabilizer of epithelial stroma production. *Dev. Biol.* 38: 249–270.

Mesa, K. R. and 9 others. 2015. Niche-induced cell death and epithelial phagocytosis regulate hair follicle stem cell pool. *Nature* 522: 94–97.

Mikkola, M. L. 2008. TNF superfamily in skin appendage development. *Cytokine Growth Factor Rev.* 19: 219–230.

Mina, M. and E. J. Kollar. 1987. The induction of odontogenesis in non-dental mesenchyme combined with early murine mandibular arch epithelium. *Arch. Oral Biol.* 32: 123–127.

Montell, D. J. 2008. Morphogenetic cell movements: Diversity from modular mechanical properties. *Science* 322: 1502–1505.

Moody, S. A. and A. S. LaMantia. 2015. Transcriptional regulation of cranial sensory placode development. *Curr. Top. Dev. Biol.* 111: 301–350.

Morris, R. J. and C. S. Potten. 1999. Highly persistent label-retaining cells in the hair follicles of mice and their fate following induction of anagen. *J. Invest. Dermat.* 112: 470–475.

Munne, P. M., M. Tummers, E. Järvinen, I. Thesleff and J. Jernvall. 2009. Tinkering with the inductive mesenchyme: *Sostdc1* uncovers the role of dental mesenchyme in limiting tooth induction. *Development* 136: 393–402.

- Nakajima, Y. 2015. Signaling regulating inner ear development: Cell fate determination, patterning, morphogenesis, and defects. *Congenital Anom.* 55: 17–25.
- Närhi, K., E. Järvinen, W. Birchmeier, M. M. Taketo, M. L. Mikkola and I. Thesleff. 2008. Sustained epithelial beta-catenin activity induces precocious hair development but disrupts hair follicle down-growth and hair shaft formation. *Development* 135: 1019–1028.
- Närhi, K., M. Tummers, L. Ahtiainen, N. Itoh, I. Thesleff and M. L. Mikkola. 2012. Sostdc1 defines the size and number of skin appendage placodes. *Dev. Biol.* 364: 149–161.
- Nelson, A. M. and 12 others. 2015. dsRNA released by tissue damage activates TLR3 to drive skin regeneration. *Cell Stem Cell* 17: 139–151.
- Neubüser, A., H. Peters, R. Balling and G. R. Martin. 1997. Antagonistic interactions between FGF and BMP signaling pathways: A mechanism for positioning the sites of tooth formation. *Cell* 90: 247–255.
- Nguyen, B. and 14 others. 2006. Cross-regulation between Notch and p63 in keratinocyte commitment to differentiation. *Genes Dev.* 20: 1028–1042.
- Nguyen, M. and H. Arnheiter. 2000. Signaling and transcriptional regulation in early mammalian eye development: A link between FGF and MITF. *Development* 127: 3581–3591.
- Nishimura, E. K. and 9 others. 2002. Dominant role of the niche in melanocyte stem-cell fate determination. *Nature* 416: 854–860.
- O’Connell, D. J. and 10 others. 2012. A Wnt-BMP feedback circuit controls intertissue signaling dynamics in tooth organogenesis. *Sci. Signal* 5: ra4.
- Oakes, S. R., H. N. Hilton and C. J. Ormandy. 2006. The alveolar switch: Coordinating the proliferative cues and cell fate decisions that drive the formation of lobuloalveoli from ductal epithelium. *Breast Cancer Res.* 8: 207.
- Ogino, H., H. Ochi, H. M. Reza and K. Yasuda. 2012. Transcription factors involved in lens development from the preplacodal ectoderm. *Dev. Biol.* 363: 333–347.

Ogino, H., M. Fisher and R. M. Grainger. 2008. Convergence of a head-field selector Otx2 and Notch signaling: A mechanism for lens specification. *Development* 135: 249–258.

Osborne, N. J., J. Begbie, J. K. Chilton, H. Schmidt and B. J. Eickholt. 2005. Semaphorin/neuropilin signaling influences the positioning of migratory neural crest cells within the hindbrain region of the chick. *Dev. Dyn.* 232: 939–949.

Panousopoulou, E. and J. B. A. Green. 2016. Invagination of ectodermal placodes is driven by intercalation-mediated contraction of the suprabasal tissue canopy. *PLOS Biol.* 14: e1002405.

Pieper, M., G. W. Eagleson, W. Wosniok and G. Schlosser. 2011. Origin and segregation of cranial placodes in *Xenopus laevis*. *Dev. Biol.* 360: 257–275.

Pispa, J. and I. Thesleff. 2003. Mechanisms of ectodermal organogenesis. *Dev. Biol.* 262: 195–205.

Plageman, T. F. Jr. and 6 others. 2010. Pax6-dependent Shroom3 expression regulates apical constriction during lens placode invagination. *Development* 137: 405–415.

Platt, J. B. 1896. Ontogenetic differentiation of the ectoderm in *Necturus*. Study II: Development of the peripheral nervous system. *Q. J. Micro. Sci.* 38: 911–966.

Plikus, M. V. and 6 others. 2008. Cyclic dermal BMP signalling regulates stem cell activation during hair regeneration. *Nature* 451: 340–344.

Pottin, K., H. Hinaux and S. Rétaux. 2011. Restoring eye size in *Astyanax mexicanus* blind cavefish embryos through modulation of the Shh and Fgf8 forebrain organising centres. *Development* 138: 2467–2476.

Propper, A. and L. Gomot. 1967. Tissue interactions during organogenesis of the mammary gland in the rabbit embryo. (Article in French). *C. R. Acad. Sci. Hebd. Seances Acad. Sci. D.* 264: 2573–2575.

Quiring, R., U. Walldorf, U. Kloter and W. J. Gehring. 1994. Homology of the *eyeless* gene of *Drosophila* to the *Small eye* gene in mice and *Aniridia* in humans. *Science* 265: 785–789.

Rajendran, R. L. and 11 others. 2020. Macrophage-derived extracellular vesicle promotes hair growth. *Cells* 9: 856.

Rendl, M., L. Polak and E. Fuchs. 2008. BMP signaling in dermal papilla cells is required for their hair follicle-inductive properties. *Genes Dev.* 22: 543–557.

Rétaux, S., K. Pottin and A. Alunni. 2008. Shh and forebrain evolution in the blind cavefish *Astyanax mexicanus*. *Bio. Cell* 100: 139–147.

Reza, H. M., H. Nishi, K. Kataoka, Y. Takahashi and K. Yasuda. 2007. L-Maf regulates *p27kip1* expression during chick lens fiber differentiation. *Differentiation* 75: 737–744.

Riccomagno, M. M., S. Takada and D. J. Epstein. 2005. Wnt-dependent regulation of inner ear morphogenesis is balanced by the opposing and supporting roles of Shh. *Genes Dev.* 19: 1612–1623.

Rinn, J. L. and 10 others. 2008. A dermal HOX transcriptional program regulates site-specific epidermal fate. *Genes Dev.* 22: 303–307.

Rios, A. C., N. Y. Fu, G. J. Lindeman and J. E. Visvader. 2014. In situ identification of bipotent stem cells in the mammary gland. *Nature* 506: 322–327.

Roessler, E., E. and 7 others. 1996. Mutations in the human *Sonic hedgehog* gene cause holoprosencephaly. *Nat. Genet.* 14: 357–360.

Rojas-Munoz, A., R. Dahm and C. Nüsslein-Volhard. 2005. *chokh/rx3* specifies the retinal pigment epithelium fate independently of eye morphogenesis. *Dev. Biol.* 288: 348–362.

Rompolas, P., K. R. Mesa and V. Greco. 2013. Spatial organization within a niche as a determinant of stem-cell fate. *Nature* 502: 513–518.

Saha, M. S., C. L. Spann and R. M. Grainger. 1989. Embryonic lens induction: More than meets the optic vesicle. *Cell Diff. Dev.* 28: 153–172.

Sai, X. and R. K. Ladher. 2008. FGF signaling regulates cytoskeletal remodeling during epithelial morphogenesis. *Curr. Biol.* 18: 976–981.

Sai, X. and R. K. Ladher. 2015. Early steps in inner ear development: Induction and morphogenesis of the otic placode. *Front. Pharmacol.* 6: 19.

Sasaki, S., Y. Hozumi and S. Kondo. 2005. Influence of prostaglandin F2a and its analogues on hair regrowth and follicular melanogenesis in a murine model. *Exp. Dermatol.* 14: 323–328.

Schimmang, T. and U. Pirvola. 2013. Coupling the cell cycle to development and regeneration of the inner ear. *Semin. Cell Dev. Biol.* 24: 507–513.

Schlosser, G. 2005. Evolutionary origins of vertebrate placodes: Insights from developmental studies and from comparisons with other deuterostomes. *J. Exp. Zool.* 304B: 347–399.

Schlosser, G. 2010. Making senses: Development of vertebrate cranial placodes. *Int. Rev. Cell Molec. Biol.* 283: 129–234.

Schlosser, G. 2014. Early embryonic specification of vertebrate cranial placodes. *Wiley Interdiscip. Rev. Dev. Biol.* 3: 349–363.

Schlosser, G. 2017. From so simple a beginning: What amphioxus can teach us about placode evolution. *Int. J. Dev. Biol.* 61: 633–648.

Schlosser, G. and K. Ahrens. 2004. Molecular anatomy of placode development in *Xenopus laevis*. *Dev. Biol.* 271: 439–466.

Schwarz, Q., J. M. Vieira, B. Howard, B. J. Eickholt and C. Ruhrberg. 2008. Neuropilin 1 and 2 control cranial gangliogenesis and axon guidance through neural crest cells. *Development* 135: 1605–1630.

Sennett, R. and M. Rendl. 2012. Mesenchymal-epithelial interactions during hair follicle morphogenesis and cycling. *Semin. Cell Dev. Biol.* 23: 917–927.

Singh, S. and A. K. Groves. 2016. The molecular basis of craniofacial placode development. *Wiley Interdiscip. Rev. Dev. Biol.* 5: 363–376.

Snippert, H. J. and 12 others. 2010. Lgr6 marks stem cells in the hair follicle that generate all cell lineages of the skin. *Science* 327: 1385–1389.

Spemann, H. 1901. Entwicklungsphysiologische Studien am Tritonei. *Wilhelm Roux' Arch. Entwicklungsmech. Org.* 12: 224–264.

Sternlicht, M. D., H. Kouros-Meir, P. Liu and Z. Werb. 2006. Hormonal and local control of mammary branching morphogenesis. *Differentiation* 74: 365–381.

Steventon, B., R. Mayor and A. Streit. 2014. Neural crest and placode interaction during the development of the cranial sensory system. *Dev. Biol.* 389: 28–38.

Stigloher, C. and 9 others. 2006. Segregation of telencephalic and eye-field identities inside the zebrafish forebrain territory is controlled by Rx3. *Development* 133: 2925–2935.

Stöhr, P. 1903. *Anat. Hefte* 23: 1–66; quoted in A. Christiano 2004. Epithelial stem cells: Stepping out of their niche. *Cell* 118: 530–532.

Streit, A. 2002. Extensive cell movements accompany formation of the otic placode. *Dev. Biol.* 249: 237–254.

Streit, A. 2004. Early development of the cranial sensory nervous system: From a common field to individual placodes. *Dev. Biol.* 276: 1–15.

Streit, A. 2007. The preplacodal region: An ectodermal domain with multipotential progenitors that contribute to sense organs and cranial sensory ganglia. *Int. J. Dev. Biol.* 51: 447–461.

Streit, A. 2008. The cranial sensory nervous system: Specification of sensory progenitors and placodes. *StemBook*.

Streit, A. 2018. Specification of sensory placode progenitors: Signals and transcription factor networks. *Int. J. Dev. Biol.* 62: 195–205.

Taylor, G., M. S. Lehrer, P. J. Jensen, T. T. Sun and R. M. Lavker. 2000. Involvement of follicular stem cells in forming not only the follicle but also the epidermis. *Cell* 102: 451–461.

Tétreault, N., M. P. Champagne and G. Bernier. 2009. The LIM homeobox transcription factor Lhx2 is required to specify the retina field and synergistically cooperates with Pax6 for Six6 trans-activation. *Dev. Biol.* 327: 541–550.

Thesleff, I. and M. Tummers. 2009. Tooth organogenesis and regeneration. *StemBook*.

Trela, E. and 7 others. 2021. Cell influx and contractile actomyosin force drive mammary bud growth and invagination. *J. Cell Biol.* 220: e202008062.

Trumpp, A., M. J. Depew, J. L. Rubenstein, J. M. Bishop and G. R. Martin. 1999. Cre-mediated gene inactivation demonstrates that FGF8 is required for cell survival and patterning of the first branchial arch. *Genes Dev.* 13: 3136–3148.

Truong, A. B. and P. A. Khavari. 2007. Control of keratinocyte proliferation and differentiation by p63. *Cell Cycle* 6: 295–299.

Tsai, R. J., L. M. Li and J. K. Chen. 2000. Reconstruction of damaged corneas by transplantation of autologous limbal epithelial cells. *New Engl. J. Med.* 343: 86–93.

Turner, D. L and C. L. Cepko. 1987. A common progenitor for neurons and glia persists in rat retina late in development. *Nature* 328: 131-136.

Vaahrokari, A., T. Aberg, J. Jernvall, S. Keränen and I. Thesleff. 1996. The enamel knot as a signaling center in the developing mouse tooth. *Mech. Dev.* 54: 39–43.

Vaahrokari, A., T. Aberg, J. Jernvall, S. Keränen and I. Thesleff. 1996. The enamel knot as a signaling center in the developing mouse tooth. *Mech. Dev.* 54: 39–43.

Vainio, S., I. Karavanova, A. Jowett and I. Thesleff. 1993. Identification of BMP-4 as a signal mediating secondary induction between epithelial and mesenchymal tissues during early tooth development. *Cell* 75: 45–58.

Van Genderen, R.M. and 6 others. 1994. Development of several organs that require inductive epithelial–mesenchymal interactions is impaired in LEF-1-deficient mice. *Genes Dev.* 8: 2691–2703.

Veltmaat, J. M. and 10 others. 2006. Gli3-mediated somitic Fgf10 expression gradients are required for the induction and patterning of mammary epithelium along the embryonic axes. *Development* 133: 2325–2335.

Visvader, J. E. and J. Stingl. 2014. Mammary stem cells and the differentiation hierarchy: Current status and perspectives. *Genes Dev.* 28: 1143–1158.

- von Woellwarth, C. 1961. Die Rolle des Neuralleistenmaterials und der Temperatur bei der Determination der Augenlinse. *Embryologia (Nagoya)* 6: 219–242.
- Wang, D. and 6 others. 2015. Identification of multipotent mammary stem cells by protein C receptor expression. *Nature* 517: 81–84.
- Wang, L., J. A. Siegenthaler, R. D. Dowell and R. Yi. 2016. Foxc1 reinforces quiescence in self-renewing hair follicle stem cells. *Science* 351: 613–617.
- Wang, T. and 8 others. 2015. Alpaca fiber growth is mediated by microRNA let-7b via down-regulation of target gene *FgfF5*. *Genet. Mol. Res.* 14: 13754–13763.
- Weston, J. and S. L. Butler. 1966. Temporal factors affecting localization of neural crest cells in the chicken embryo. *Dev. Biol.* 14: 246–266.
- Williams, S. E., S. Beronja, H. A. Pasolli and E. Fuchs E. 2011. Asymmetric cell divisions promote Notch-dependent epidermal differentiation. *Nature* 470: 353–358.
- Wu, P. and 10 others. 2013. Specialized stem cell niche enables repetitive renewal of alligator teeth. *Proc. Natl. Acad. Sci. USA* 110: E2009–2018.
- Xu, H., C. M. Dude and C. V. Baker. 2008. Fine-grained fate maps for the ophthalmic and maxillomandibular trigeminal placodes in the chick embryo. *Dev. Biol.* 317: 174–186.
- Yamamoto, Y., D. W. Stock and W. R. Jeffery. 2004. Hedgehog signaling controls eye degeneration in blind cavefish. *Nature* 431: 844–847.
- Yamamoto, Y., M. S. Byerly, W. R. Jackman and W. R. Jeffery. 2009. Pleiotropic functions of embryonic Sonic hedgehog expression link jaw and taste bud amplification with eye loss during cavefish evolution. *Dev. Biol.* 330: 200–211.
- Yang, J., M. V. Plikus and N. L. Komarova. 2015. The role of symmetric stem cell divisions in tissue homeostasis. *PLoS Comput. Biol.* 11: e1004629.
- Yang, X.-J. 2004. Roles of cell-extrinsic growth factors in vertebrate eye pattern formation and retinogenesis. *Semin. Cell Dev. Biol.* 15: 91–103.

Zhang, Y. and 12 others. 2008. Activation of beta-catenin signaling programs embryonic epidermis to hair follicle fate. *Development* 135: 2161–2172.

Zhengwen, A., M. Sabalic, R. F. Bloomquist, T. E. Fowler, T. Streelman and P. T. Sharpe. 2018. A quiescent cell population replenishes mesenchymal stem cells to drive accelerated growth in mouse incisors. *Nat. Commun.* 9: 378.

Zimm, R., D. Oberdick, A. Gnetneva, P. Schneider, J. Cebra-Thomas and J. E. Moustakas-Verho. 2022. Turing's turtles all the way down: A conserved role of EDAR in the carapacial ridge suggests a deep homology of prepatterns across ectodermal appendages. *Anat. Rec.* 306.

Zuber, M. E. 2010. Mechanisms regulating eye field specification and early eye formation. *Curr. Topics Dev. Biol.* 93: 48–53.

Zuber, M. E., G. Gestri, A. S. Viczian, G. Barsacchi and W. A. Harris. 2003. Specification of the vertebrate eye by a network of eye field transcription factors. *Development* 130: 5155–5167.