

Part

11 腫瘍

第1章 悪性腫瘍の緊急症

発熱性好中球減少症

●参照文献

1. 青木 眞. レジデントのための感染症診療マニュアル第3版. 東京: 医学書院. 2015.
2. IDSA Practice Guidelines. <<http://www.idsociety.org/Content.aspx?id=9088>>
ガイドライン
3. Klastersky J, et al. Outpatient oral antibiotics for febrile neutropenic cancer patients using a score predictive for complications. J Clin Oncol 2006; 24: 4129-34.
PMID: 16943529
4. Taplitz RA, et al. Outpatient Management of Fever and Neutropenia in Adults Treated for Malignancy: American Society of Clinical Oncology and Infectious Diseases Society of America Clinical Practice Guideline Update. J Clin Oncol 2018; 36: 1443-53.
PMID: 29461916
5. Viscoli C, et al. Infections in patients with febrile neutropenia: epidemiology, microbiology, and risk stratification. Clin Infect Dis 2005; 40: S240-5. PMID: 15768329
6. Mhaskar R, et al. Colony-stimulating factors for chemotherapy-induced febrile neutropenia. Cochrane Database Syst Rev 2014; 2014 (10): CD003039. PMID: 25356786
7. NCCN Clinical Practice Guidelines in Oncology. Myeloid Growth Factors. version 2. 2017. <<https://jncn.org/view/journals/jncn/15/12/article-p1520.xml>>
ガイドライン

●推奨文献

- 日本臨床腫瘍学会. 発熱性好中球減少症診療ガイドライン. 東京: 南江堂, 2012. <minds4.jcqh.or.jp/minds/febrile-neutropenia/febrile-neutropenia-front-matter.pdf>
ガイドライン

脊髄圧迫症候群

●参照文献

1. Husband DJ. Malignant spinal cord compression: prospective study of delays in referral and treatment. BMJ 1998; 317: 18-21. PMID: 9651261
2. Hagenau C, et al. Comparison of spinal magnetic resonance imaging and myelography in cancer patients. J Clin Oncol 1987; 5: 1663-9. PMID: 3655863
3. Patchell RA, et al. Direct decompressive surgical resection in the treatment of spinal cord compression caused by metastatic cancer: a randomised trial. Lancet 2005; 366: 643-8. PMID: 16112300

4. Graham PH, et al. A pilot randomised comparison of dexamethasone 96 mg vs 16 mg per day for malignant spinal-cord compression treated by radiotherapy : TROG 01.05 Superdex study. Clin Oncol (R Coll Radiol) 2006 ; 18 : 70-6. PMID : 16477923
5. Vecht CJ, et al. Initial bolus of conventional versus high-dose dexamethasone in metastatic spinal cord compression. Neurology 1989 ; 39 : 1255-7. PMID : 2771077

腫瘍崩壊症候群

● 参照文献

1. Cairo MS, et al. Tumour lysis syndrome : new therapeutic strategies and classification. Br J Haematol 2004 ; 127 : 3-11. PMID : 15384972
2. Cairo MS, et al. Recommendations for the evaluation of risk and prophylaxis of tumour lysis syndrome (TLS) in adults and children with malignant diseases : an expert TLS panel consensus. Br J Haematol 2010 ; 149 : 578-86. PMID : 20331465
3. Tamura K, et al. Efficacy and Safety of Febuxostat for Prevention of Tumor Lysis Syndrome in Patients With Malignant Tumors Receiving Chemotherapy : A Phase III, Randomized, Multi-Center Trial Comparing Febuxostat and Allopurinol. Int J Clin Oncol 2016 ; 21 : 996-1003. PMID : 27017611
4. Spina M, et al. FLORENCE : A Randomized, Double-Blind, Phase III Pivotal Study of Febuxostat Versus Allopurinol for the Prevention of Tumor Lysis Syndrome (TLS) in Patients With Hematologic Malignancies at Intermediate to High TLS Risk. Ann Oncol 2015 ; 26 : 2155-61. PMID : 26216382

● 推奨文献

- Howard SC, et al. The tumor lysis syndrome. N Engl J Med 2011 ; 364 : 1844-54. PMID : 21561350
- 日本臨床腫瘍学会. 腫瘍崩壊症候群 (TLS) 診療ガイドランス. 東京 : 金原出版. 2013. **ガイドライン**
- Coiffier B, et al. Guidelines for the management of pediatric and adult tumor lysis syndrome : an evidence-based review. J Clin Oncol 2008 ; 26 : 2767-78. PMID : 18509186 **ガイドライン**
- Jones GL, et al. Guidelines for the management of tumour lysis syndrome in adults and children with haematological malignancies on behalf of the British Committee for Standards in Haematology. Br J Haematol 2015 ; 169 : 661-71. PMID : 25876990 **ガイドライン**

第2章 原発不明がん

● 参照文献

1. Zeller MP, et al. Effect of a thrombopoietin receptor agonist on use of intravenous immune globulin in patients with immune thrombocytopenia. Transfusion 2016 ; 56 : 73-9. PMID : 26400824
2. Fizazi K, et al. Cancers of unknown primary site : ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. Ann Oncol 2011 ; 22 Suppl 6 : vi64-8. PMID : 21908507
3. Pavlidis N, et al. Cancer of unknown primary site. Lancet 2012 ; 379 : 1428-35. PMID : 22414598

4. Hillen HF. Unknown primary tumours. *Postgrad Med J* 2000 ; 76 : 690-3.
PMID : 11060142
5. Varadhachary GR, et al. Cancer of unknown primary site. *N Engl J Med* 2014 ; 371 : 757-65.
PMID : 25140961
6. Moller AK, et al. 18F-FDG PET/CT as a diagnostic tool in patients with extracervical carcinoma of unknown primary site : a literature review. *Oncologist* 2011 ; 16 : 445-51.
PMID : 21427201

● 推奨文献

- NCCN Clinical Practice Guidelines in Oncology. Occult Primary <http://www.nccn.org/professionals/physician_gls/f_guidelines.asp>

第3章 抗がん薬の種類と副作用

● 参照文献

1. Common Terminology Criteria for Adverse Events (CTCAE) <http://ctep.cancer.gov/protocolDevelopment/electronic_applications/ctc.htm#ctc_40>, 日本語版 <http://www.jcog.jp/doctor/tool/CTCAEv4J_20170912_version.pdf> **ガイドライン**
2. DeVita VT Jr, et al. DeVita, Hellman, & Rosenberg's Cancer Principles & Practice of Oncology. 11th ed. Wolters Kluwer 2019.
3. Chu E, et al. Physicians' Cancer Chemotherapy Drug Manual. Jones & Bartlett Learning 2020.
4. Eigentler TK, et al. Diagnosis, monitoring and management of immune-related adverse drug reactions of anti-PD-1 antibody therapy. *Cancer Treat Rev* 2016 ; 45 : 7-18.
PMID : 26922661
5. Spain L, et al. Management of toxicities of immune checkpoint inhibitors. *Cancer Treat Rev* 2016 ; 44 : 51-60.
PMID : 26874776
6. 抗がん剤の副作用と支持療法. *日臨* 2015 ; 73. 増刊号 2.
7. Duvic M, et al. A randomized trial of minoxidil in chemotherapy-induced alopecia. *J Am Acad Dermatol* 1996 ; 35 : 74-8.
PMID : 8682968
8. Carnel SB, et al. Treatment of radiation- and chemotherapy-induced stomatitis. *Otolaryngol Head Neck Surg* 1990 ; 102 : 326-30.
PMID : 2113258
9. 日本腎臓学会ほか. がん薬物療法時の腎障害診療ガイドライン 2016. <https://www.jsmo.or.jp/about/doc/guideline_160630.pdf> **ガイドライン**
10. Lavoie Smith EM, et al. Effect of duloxetine on pain, function, and quality of life among patients with chemotherapy-induced painful peripheral neuropathy : a randomized clinical trial. *JAMA* 2013 ; 309 : 1359-67.
PMID : 23549581
11. Hirayama Y, et al. Effect of duloxetine in Japanese patients with chemotherapy-induced peripheral neuropathy : a pilot randomized trial. *Int J Clin Oncol* 2015 ; 20 : 866-71.
PMID : 25762165
12. Halyard MY, et al. Radiotherapy and adjuvant trastuzumab in operable breast cancer : tolerability and adverse event data from the NCCTG phase III trial N9831. *J Clin Oncol* 2009 ; 27 : 2638-44.
PMID : 19349549
13. Armenian SH, et al. Prevention and monitoring of cardiac dysfunction in survivors of adult cancers : American Society of Clinical Oncology clinical practice guideline. *J*

- Clin Oncol 2017 ; 35 : 893-911. PMID : 27918725
14. Todaro MC, et al. Cardiology : State of the heart. Int J Cardiol 2013 ; 168 : 680-7. PMID : 23639459
 15. van Dalen EC, et al. Different dosage schedules for reducing cardiotoxicity in cancer patients receiving anthracycline chemotherapy. Cochrane Database Syst Rev 2006 ; (4) : CD005008. PMID : 17054232
 16. Smith LA, et al. Cardiotoxicity of anthracycline agents for the treatment of cancer : systematic review and meta-analysis of randomised controlled trials. BMC Cancer 2010 ; 10 : 337. PMID : 20587042
 17. NCCN Clinical Practice Guidelines in Oncology. Myeloid Growth Factors. Version 1. 2015
 18. Bunn Jr PA, et al. Chemoradiotherapy with or without granulocyte-macrophage colony-stimulating factor in the treatment of limited-stage small-cell lung cancer : a prospective phase III randomized study of the Southwest Oncology Group. J Clin Oncol 1995 ; 13 : 1632-41. PMID : 7602352
 19. Staar S, et al. Intensified hyperfractionated accelerated radiotherapy limits the additional benefit of simultaneous chemotherapy - results of a multicentric randomized German trial in advanced head-and-neck cancer. Int J Radiat Oncol Biol Phys 2001 ; 50 : 1161-71. PMID : 11483325
 20. NCCN Clinical Practice Guidelines in Oncology. Cancer- and Chemotherapy- Induced Anemia. Version 2. 2016
 21. Schiffer CA, et al. Platelet transfusion for patients with cancer : clinical practice guidelines of the American Society of Clinical Oncology. J Clin Oncol 2001 ; 19 : 1519-38. PMID : 11230498
 22. Kaufman RM, et al. Platelet transfusion : a clinical practice guideline from the AABB. Ann Intern Med 2015 ; 162 : 205-13. PMID : 25383671
 23. 日本肝臓学会. B型肝炎治療ガイドライン第3.4版. 2021. <https://www.jsh.or.jp/lib/files/medical/guidelines/jsh_guidlines/B_v3.4.pdf> **ガイドライン**
 24. Brahmer JR, et al. Management of immune-related adverse events in patients treated with immune checkpoint inhibitor therapy : American Society of Clinical Oncology clinical practice guideline. J Clin Oncol 2018 ; 36 : 1714-68. PMID : 29442540

● 推奨文献

- 日本臨床腫瘍学会. 新臨床腫瘍学 第5版. 東京 : 南江堂, 2018.

第4章 がん性疼痛

● 参照文献

1. Stockler M, et al. Acetaminophen (paracetamol) improves pain and well-being in people with advanced cancer already receiving a strong opioid regimen : a randomized, double-blind, placebo-controlled cross-over trial. J Clin Oncol 2004 ; 22 : 3389-94. PMID : 15310785
2. Abernethy AP, et al. Randomised, double blind, placebo controlled crossover trial of sustained release morphine for the management of refractory dyspnoea. BMJ 2003 ; 327 : 523-8. PMID : 12958109

3. Caraceni A, et al. Use of opioid analgesics in the treatment of cancer pain : evidence-based recommendations from the EAPC. *Lancet Oncol* 2012 ; 13 : e58-68.
PMID : 22300860 **ガイドライン**
4. 日本緩和医療学会. がん疼痛の薬物療法に関するガイドライン (2014年版). 東京 : 金原出版, 2014. <<https://www.jspm.ne.jp/guidelines/pain/2014/index.php>>
ガイドライン

● 推奨文献

- 木澤義之ほか. 3ステップ実践緩和ケア. 東京 : 青海社, 2013.
- 森田達也. 緩和治療薬の考え方, 使い方. 東京 : 中外医学社, 2014.
- NCCN Guidelines for Supportive Care. Adult Cancer Pain. <https://www.nccn.org/guidelines/category_3>

第5章 悪心・嘔吐のマネジメント

● 参照文献

1. Quigley EM, et al. AGA technical review on nausea and vomiting. *Gastroenterology* 2001 ; 120 : 263-86. PMID : 11208736
2. Hesketh PJ. Chemotherapy-induced nausea and vomiting. *N Engl J Med* 2008 ; 358 : 2482-94. PMID : 18525044
3. Ryken TC, et al. The role of steroids in the management of brain metastases : a systematic review and evidence-based clinical practice guideline. *J Neurooncol* 2010 ; 96 : 103-14. PMID : 19957014
4. 日本癌治療学会. がん診療ガイドライン. 制吐療法. <<http://jsco-cpg.jp/item/29/>>
ガイドライン

● 推奨文献

- NCCN Guidelines for Supportive Care. <https://www.nccn.org/guidelines/category_3>
- ASCO Guideline, Antiemetics : American Society of Clinical Oncology Clinical Practice Guideline Update. <<https://ascopubs.org/doi/full/10.1200/JCO.20.01296>>

第6章 腫瘍随伴症候群

● 参照文献

1. Pelosof LC, et al. Paraneoplastic syndromes : an approach to diagnosis and treatment. *Mayo Clin Proc* 2010 ; 85 : 838-54. PMID : 20810794
2. Graus F, et al. Recommended diagnostic criteria for paraneoplastic neurological syndromes. *J Neurol Neurosurg Psychiatry* 2004 ; 75 : 1135-40. PMID : 15258215
3. Zell JA, et al. Neoplastic fever : a neglected paraneoplastic syndrome. *Support Care Cancer* 2005 ; 13 : 870-7. PMID : 15864658
4. Cunha BA, et al. Fever of unknown origin : a clinical approach. *Am J Med* 2015 ; 128 : 1138. e1-1138. e15. PMID : 26093175

● 推奨文献

- 日本臨床腫瘍学会. 新臨床腫瘍学. 改訂第4版. 東京 : 南江堂, 2015.

- 国立がん研究センター内科レジデント. がん診療レジデントマニュアル第7版. 東京: 医学書院, 2016.