

Part

1 入院時

1-1 病歴聴取

● 推奨文献

- 須藤 博ほか監訳. サバイラ 身体診察のアートとサイエンス 原書第4版. 東京：医学書院, 2013.
- 福井次矢ほか監修. ベイツ診察法 第2版. 東京：メディカル・サイエンス・インターナショナル, 2015.

1-2 身体診察

● 参考文献

1. Simel DL, et al. JMAEvidence. The Rational Clinical Examination : Evidence-Based Clinical Diagnosis. McGraw-Hill, 2009 : 53.
2. McGee, SR. Evidence-Based Physical Diagnosis. 4th ed. Elsevier, 2018.
 - a. EBM BOX 48.2 Congestive Heart Failure-Low Ejection Fraction, page 416.
 - b. EBM BOX 16.2 Atrial Fibrillation, page 118.
 - c. EBM BOX 48.1 Congestive Heart Failure-Elevated Left Heart Filling Pressures, page 415.
 - d. EBM BOX 30.1 Breath Sounds and Vocal Resonance, page 264.
 - e. EBM BOX 28.2 Inspection of the Chest, page 245.
 - f. EBM BOX 33.1 Chronic Obstructive Pulmonary Disease, page 288.
 - g. EBM BOX 29.2 Diagnostic Accuracy of Percussion of the Chest, page 258.
 - h. EBM BOX 30.2 Crackles and Wheezes, page 267.
 - i. EBM BOX 2 Diagnosing Cirrhosis in Patients with Chronic Liver Disease, page 65.
 - j. EBM BOX 51.1 Detection of Enlarged Liver and Spleen, page 435.
 - k. EBM BOX 51.4 Ascites, page 443.
 - l. EBM BOX 27.1 Lymphadenopathy, page 235.
 - m. EBM BOX 51.3 Palpation of Gallbladder, Bladder, and Aorta, page 441.
 - n. EBM BOX 52.2 Acute Abdominal Pain, Findings of Appendicitis, page 450.
 - o. EBM BOX 52.1 Acute Abdominal Pain, Sign Detecting Peritonitis, page 449.
 - p. EBM BOX 61.1 Unilateral Cerebral Hemispheric Disease, page 566.
 - q. EBM BOX 61.2 Stroke : Anterior Versus Posterior Circulation, page 567.
3. Simel DL, et al. JMAEvidence. The Rational Clinical Examination : Evidence-Based Clinical Diagnosis. McGraw-Hill, 2009 : 129.
4. Shellenberger RA, et al. Diagnostic value of the physical examination in patients with dyspnea. Cleve Clin J Med 2017 ; 84 : 943-50.
5. Ahn S, et al. Clinical Importance of the Heel Drop Test and a New Clinical Score for

- Adult Appendicitis. PLoS One 2016 ; 11 : e0164574. PMID : 27723842
6. Teitelbaum JS, et al. Tests of Motor Function in Patients Suspected of Having Mild Unilateral Cerebral Lesions. Can J Neurol Sci 2002 ; 29 : 337-44. PMID : 12463489

1-3 初期加療

◎参照文献

1. 河野 茂ほか. 成人市中肺炎診療ガイドライン. 日本呼吸器学会市中肺炎診療ガイドライン作成委員会編. 東京 : 日本呼吸器学会, 2005. **ガイドライン**
2. Lim WS, et al. Defining community acquired pneumonia severity on presentation to hospital : an international derivation and validation study. Thorax 2003 ; 58 : 377-82. PMID : 12728155
3. Lim WS, et al. BTS guidelines for the management of community acquired pneumonia in adults : update 2009. Thorax 2009 ; 64 Suppl 3 : iii1-55. PMID : 19783532 **ガイドライン**
4. Qureshi KN, et al. Evaluation of a ten-question mental test in the institutionalized elderly. Age Ageing 1974 ; 3 : 152-7. PMID : 4463714
5. Hankey GJ. The ABCD, California, and unified ABCD₂ risk scores predicted stroke within 2, 7, and 90 days after TIA. ACP J Club 2007 ; 146 : 79. PMID : 17474688
6. Johnston SC, et al. Validation and refinement of scores to predict very early stroke risk after transient ischaemic attack. Lancet 2007 ; 369 : 283-92. PMID : 17258668
7. Worster A. ACP Journal Club. Review : 3 prediction rules, particularly ABCD, identify ED patients who can be discharged with low risk for stroke after TIA. Ann Intern Med 2009 ; 151 : JC3-15. PMID : 19755361
8. Shah KH, et al. Clinical prediction rules to stratify short-term risk of stroke among patients diagnosed in the emergency department with a transient ischemic attack. Ann Emerg Med 2009 ; 53 : 662-73. PMID : 18849093
9. Quinn JV, et al. Derivation of the San Francisco Syncope Rule to predict patients with short-term serious outcomes. Ann Emerg Med 2004 ; 43 : 224-32. PMID : 14747812
10. 峰松一夫ほか. 平成 21~23 年度 厚生労働科学研究費補助金による「一過性脳虚血発作 (TIA) の診断基準の再検討, ならびにわが国の医療環境に即した適切な診断・治療システムの確立に関する研究」班. TIA 診療マニュアル (一過性脳虚血発作). <<https://tia.stroke-nvc.jp/manual.pdf>>
11. Covinsky KE, et al. Hospitalization-associated disability : She was probably able to ambulate, but I'm not sure. JAMA 2011 ; 306 : 1782-93. PMID : 22028354

1-4 入院サマリー

◎参照文献

1. Kuhn T, et al. Clinical documentation in the 21st century : executive summary of a policy position paper from the American College of Physicians. Ann Intern Med 2015 ; 162 : 301-3. PMID : 25581028

◎ 推奨文献

- 佐藤健太. 「型」が身につくカルテの書き方. 東京: 医学書院, 2015.
- 徳田安春. 医学ジャーナルの clinical problem-solving. 日内会誌 2017; 106: 2559-61.

1-5 指示簿の記載方法

◎ 参照文献

1. 厚生労働省. チーム医療の推進について (チーム医療の推進に関する検討会報告書). 平成 22 年 3 月 19 日. <<https://www.mhlw.go.jp/shingi/2010/03/dl/s0319-9a.pdf>>
2. 厚生労働省. 診療の補助・医師の指示について. 令和元年 11 月 8 日. <<https://www.mhlw.go.jp/content/10800000/000564159.pdf>>
3. Ehringer G, et al. Promoting Best Practice and Safety Through Preprinted Physician Orders. In: Advances in Patient Safety: New Directions and Alternative Approaches (Vol. 2: Culture and Redesign). Rockville: Agency for Healthcare Research and Quality, 2008. PMID: 21249884

1-6 入院中の予防

◎ 参照文献

1. Geerts W, et al. Prevention of venous thromboembolism in the ICU. Chest 2003; 124 (6 Suppl): 357S-63S. PMID: 14668418
2. Lawall H, et al. Prevalence of deep vein thrombosis in acutely admitted ambulatory non-surgical intensive care unit patients. BMC Res Notes 2014; 7: 431. PMID: 24996222
3. Heit JA, et al. Incidence of venous thromboembolism in hospitalized patients vs community residents. Mayo Clin Proc 2001; 76: 1102-10. PMID: 11702898
4. Nakamura M, et al. Current management of venous thromboembolism in Japan: Current epidemiology and advances in anticoagulant therapy. J Cardiol 2015; 66: 451-9. PMID: 25896176
5. Glynn RJ, et al. A randomized trial of rosuvastatin in the prevention of venous thromboembolism. N Engl J Med 2009; 360: 1851-61. PMID: 19329822
6. Glynn RJ, et al. Effect of low-dose aspirin on the occurrence of venous thromboembolism: a randomized trial. Ann Intern Med 2007; 147: 525-33. PMID: 17938390
7. Qaseem A, et al. Venous thromboembolism prophylaxis in hospitalized patients: a clinical practice guideline from the American College of Physicians. Ann Intern Med 2011; 155: 625-32. PMID: 22041951 **ガイドライン**
8. Kahn SR, et al. Prevention of VTE in nonsurgical patients: Antithrombotic Therapy and Prevention of Thrombosis, 9th ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines. Chest 2012; 141 (2 Suppl): e195-226S. PMID: 22315261 **ガイドライン**
9. Barbar S, et al. A risk assessment model for the identification of hospitalized medical patients at risk for venous thromboembolism: the Padua Prediction Score. J Thromb Haemost 2010; 8: 2450-7. PMID: 20738765
10. Decousus H, et al. Factors at admission associated with bleeding risk in medical patients: findings from the IMPROVE investigators. Chest 2011; 139: 69-79.

- PMID : 20453069
11. Spyropoulos AC, et al. Predictive and associative models to identify hospitalized medical patients at risk for VTE. *Chest* 2011 ; 140 : 706-14. PMID : 21436241
 12. Beitland S, et al. Thromboprophylaxis with low molecular weight heparin versus unfractionated heparin in intensive care patients : a systematic review with meta-analysis and trial sequential analysis. *Intensive Care Med* 2015 ; 41 : 1209-19. PMID : 25971389
 13. Phung OJ, et al. Dosing frequency of unfractionated heparin thromboprophylaxis : a meta-analysis. *Chest* 2011 ; 140 : 374-81. PMID : 21349929
 14. Cook D, et al. Prophylaxis against Upper Gastrointestinal Bleeding in Hospitalized Patients. *N Engl J Med* 2018 ; 378 : 2506-16. PMID : 29949497
 15. Toews I, et al. Interventions for preventing upper gastrointestinal bleeding in people admitted to intensive care units. *Cochrane Database Syst Rev* 2018 ; 6 : CD008687. PMID : 29862492
 16. Mizokami Y, et al. Vonoprazan prevents ulcer recurrence during long-term NSAID therapy : randomised, lansoprazole-controlled non-inferiority and single-blind extension study. *Gut* 2018 ; 67 : 1042-51. PMID : 28988197

●リンクページ

- IMPROVE スコア計算機
https://www.outcomes-umassmed.org/IMPROVE/risk_score/index.html

1-7 身体拘束

●参照文献

1. 厚生労働省「身体拘束ゼロ作戦推進会議」。身体拘束ゼロへの手引き～高齢者ケアに関わるすべての人に～。平成 13 年 3 月。<<http://syowakai.org/wp/wp-content/uploads/2014/04/854.pdf>>
2. Castle NG, et al. The health consequences of using physical restraints in nursing homes. *Med Care* 2009 ; 47 : 1164-73. PMID : 19786918
3. Engberg J, et al. Physical restraint initiation in nursing homes and subsequent resident health. *Gerontologist* 2008 ; 48 : 442-52. PMID : 18728294
4. Chuang YH, et al. Nurses' feelings and thoughts about using physical restraints on hospitalized older patients. *J Clin Nurs* 2007 ; 16 : 486-94. PMID : 17335524
5. 日本慢性期医療協会運営委員会。身体拘束廃止のためのケアの工夫事例集～ファーストステップ～。2013。<https://jamcf.jp/pdf/2015/0308_book_shintaikousoku.pdf>
6. 全日本病院協会。身体拘束ゼロの実践に伴う課題に関する調査研究事業報告書。2016。<https://www.ajha.or.jp/voice/pdf/other/160408_2.pdf>

1-8 コードステータス

●参照文献

1. 日本集中治療医学会倫理委員会。生命維持治療に関する医師による指示書 (Physician Orders for Life-sustaining Treatment, POLST) と Do Not Attempt Resuscitation (DNAR) 指示。日集中医誌 2017 ; 24 : 216-26.

2. 日本集中治療医学会. Do Not Attempt Resuscitation (DNAR) 指示のあり方についての勧告. 日集中医誌 2017; 24: 208-9.
3. Guidelines 2000 for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. Part 8: advanced challenges in resuscitation: section 3: special challenges in ECC. The American Heart Association in collaboration with the International Liaison Committee on Resuscitation. Circulation 2000; 102 (8 Suppl): I229-52.
PMID: 10966677 **ガイドライン**
4. 日本集中治療医学会倫理委員会. 日本集中治療医学会評議員施設および会員医師の蘇生不要指示に関する現状・意識調査. 日集中医誌 2017; 24: 227-43.
5. Sudore RL, et al. Defining Advance Care Planning for Adults: A Consensus Definition From a Multidisciplinary Delphi Panel. J Pain Symptom Manage 2017; 53: 821-2.e1. PMID: 28062339
6. Silveira MJ, et al. Advance directives and outcomes of surrogate decision making before death. N Engl J Med 2010; 362: 1211-8. PMID: 20357283
7. 厚生労働省. 人生の最終段階における医療・ケアの決定プロセスに関するガイドライン. 改訂 平成 30 年 3 月. <<https://www.mhlw.go.jp/file/04-Houdouhappyou-10802000-Iseikyoku-Shidouka/0000197701.pdf>> **ガイドライン**
8. 厚生労働省. 人生の最終段階における医療・ケアの決定プロセスに関するガイドライン 解説編. 改訂 平成 30 年 3 月. <<https://www.mhlw.go.jp/file/04-Houdouhappyou-10802000-Iseikyoku-Shidouka/0000197702.pdf>>
9. 日本集中治療医学会, 日本救急医学会, 日本循環器学会. 救急・集中治療における終末期医療に関するガイドライン～3学会からの提言～. 2014. <<https://www.jsicm.org/pdf/1guidelines1410.pdf>> **ガイドライン**

1-9 意思決定能力, および代理意思決定者の決め方

◎ 参考文献

1. Grisso T, et al. Assessing Competence to Consent to Treatment: A Guide for Physicians and Other Health Professionals. New York: Oxford University Press, 1998.
2. Appelbaum PS, et al. Clinical practice. Assessment of patients' competence to consent to treatment. N Engl J Med 2007; 357: 1834-40. PMID: 17978292
3. Education For Implementing End-of-Life Discussion: E-FIELD. <http://endoflife2018.umin.jp/doc/shiryu01/6_0.pdf>
4. 平成 30 年度 厚生労働省委託事業「人生の最終段階における医療体制整備事業」一般公開用資料. <<http://endoflife2018.umin.jp/document.html>>
5. 厚生労働省. 認知症の人の日常生活・社会生活における 意思決定支援ガイドライン. 平成 30 年 6 月. <<https://www.pref.okinawa.lg.jp/site/kodomo/korei/shido/documents/nintisyouisiketetei.pdf>> **ガイドライン**
6. Silveira MJ, et al. Advance directives and outcomes of surrogate decision making before death. N Engl J Med 2010; 362: 1211-8. PMID: 20357283
7. Pope TM. Legal fundamentals of surrogate decision making. Chest 2012; 141: 1074-81. PMID: 22474149
8. 厚生労働省. 人生の最終段階における医療の決定プロセスに関するガイドライン. 改訂 平成 30 年 3 月. <<https://www.mhlw.go.jp/file/04-Houdouhappyou-10802000-Iseikyoku-Shidouka/0000197701.pdf>> **ガイドライン**